This file is available for free download at <a href="http://www.iluvmyrx7.com">http://www.iluvmyrx7.com</a>




www.iluvmyrx7.com


MINNG CUTCH	98(7. NO.	SCHON NAME	STAMPAG	SECT. NO.	SCHON NAME	STAITING LOCATION	SECT. NO.	SECTION NAME	
	2500	DRIVESHAFT	1 - K14	3900BA	ENGINE & TRANSMISSION MOUNTINGS (TURBO)			**	
DII	2550	REAR DRIVESHAFTS	1 - 114	4000B	EXHAUST SYSTEM				
£11	2600	REAR AXLE	l		(W/O TURBO)				
- F11	2610	REAR BRAKE MECHANISMS	1 - C15	4000BA	EXHAUST SYSTEM (TURBO)				
нп	2710	REAR DIFFERENTIALS (VV/O TURBO)(NORMAL DIFFERENTIAL)	1 - £15	4140B	CLUTCH RELEASE & MASTER CYLINDERS (MANUAL TRANSMISSION)				
111	2710A	REAR DIFFERENTIALS	1 - F15	4160	ACCELERATOR CONTROL SYSTEM				
ın	2710C	(W/O TURBO)(LIMITED-SLIP DIFFERENTIAL) REAR DIFFERENTIALS	1 - G15	4200	FUEL TANK				
	27 100	(TURBOXLIMITED-SLIP DIFFERENTIAL)	1 - H15	4300	CLUTCH & BRAKE PEDALS				
NII	2800	REAR SUSPENSION MECHANISMS (W/O TURBO) (W/O AUTOMATIC ADJUSTING SUSPENSION)	1 - 315	4340	BRAKE MASTER CYLINDER & POWER BRAKE (W/O ANTI-LOCK BRAKE SYSTEM)				
C12	2800A	REAR SUSPENSION MECHANISMS (W/O TURBO)	1 - 115	4340A	BRAKE MASTER CYLINDER & POWER BRAKE [ANTI-LOCK BRAKE SYSTEM]				
		(FOR AUTOMATIC ADJUSTING SUSPENSION)	1 - N15	4360	BRAKE PIPINGS (W/O ANTI-LOCK BRAKE SYSTEM)				
	2800B	REAR SUSPENSION MECHANISMS (TURBO)	1 - C16	4360A	BRAKE PIPINGS (ANTI-LOCK BRAKE SYSTEM)				
- E12	2810	REAR STABILIZER	1 - D16	4370	ANTI-LOCK BRAKE SYSTEMS				
- F12	2830	REAR LOWER ARMS & SUB-FRAME	1 - F16	4400	PARKING BRAKE SYSTEM				
	3200	STEERING WHEEL	1 - G16	4500B	FUEL PIPINGS	Į			
- 112	3210	STEERING COLUMN & SHAFTS			(W/O ANTI-LOCK BRAKE SYSTEM)	j			
- J12	3210A	STEERING COLUMN & SHAFTS [W/ POWER STEERING]	1 - H16	4500BA	(ANTI-LOCK BRAKE SYSTEM)				
	3220	STEERING GEAR (W/O POWER STEERING)	1 - 116	4600	CHANGE CONTROL SYSTEM (AUTOMATIC TRANSMISSION)				
- [12	3220A	STEERING GEAR [W/ POWER STEERING]							
- M12	3230	STEERING LINKAGE SYSTEM					:		
· C13	3240	POWER STEERING SYSTEM				İ			
- E13	3300	FRONT AXIE & BRAKE MECHANISMS (FOR NORMAL SUSPENSION)							
- 113	3300A	FRONT AXLE & BRAKE MECHANISMS (FOR HARD SUSPENSION) (W/O ANTI-LOCK BRAKE SYSTEM)							
	3300B	FRONT AXLE & BRAKE MECHANISMS (FOR HARD SUSPENSION) (ANTI-LOCK BRAKE SYSTEM)		1					
	3400	FRONT SUSPENSION MECHANISMS (W/O TURBO) (W/O AUTOMATIC ADJUSTING SUSPENSION)							
	3400A	FRONT SUSPENSION MECHANISMS (W/O TURBO) (FOR AUTOMATIC ADJUSTING SUSPENSION)							
· C14	3400B	FRONT SUSPENSION MECHANISMS (TURBO)							
- D14	3410	CROSSMEMBER & STABILIZER							
- E14	3700	TIRES & JACK (W/O TURBO)							
- H14		TIRES & JACK (TURBO)							
- 114	39008	ENGINE & TRANSMISSION MOUNTINGS (W/O TURBO)				ļ			

1-1


1-0

1 - B11










	VEHICLE	RESTRICTION	N	
BODY TYPE	HARD SUSP.	A.A.SUSP.	DISC WHEEL	
			4 HOLES-14"	
COUPE	×	-	5 NO. DO 157 (167	
	×	×	- 5 HOLES-15"/16"	
CONVERTIBLE	-		5 HOLES-15*	

ITEM NO.	D-CODE	DESCRIPTION	PART NO.	QTY	MODEL/DESCRIPTION	BEMARKS
	26 1138	BOLT, HUB	H001-26-113	8	NORMAL SUSPENSION	
İ				10	HARD SUSPENSION	
	26 1148	WASHER, PLAIN	H001-26-114A	2		
	26 132C	WASHER, SLEEVE-REAR BRAKE	F801-26-132	2		
	26 133	BOLT	FB01-26-133	2		
	26 134	BOLT, LOWER ARM	FB01-26-134	2		
	26 135	NUT, LOWER ARM	FB01-26-135	4		
	26 136	BOLT, LOWER ARM	FB01-26-136	2		
	26 137	WASHER, PLAIN-LOWER ARM	FB01-26-137	8		
		<an></an>	FB05-26-137	8		
	26 139	RING, RETAINING	FB01-26-139	2		
	26 141A	HUB (R), TOE CONTROL-OUTER	FB01-49-130	1		
	26 141Y	HUB (L), TOE CONTROL-OUTER	FB01-49-140	1		
	26 151	BEARING, REAR AXLE	FB01-26-151A	2		
	26 154	SEAL, OIL-REAR AXLE	FB01-26-065A	2		
	26 221	SLEEVE, LOWER ARM	FB01-26-221A	4	1	
	26 241	FLANGE, REAR AXLE	FB01-26-241	2	NORMAL SUSPENSION	
			FB05-26-241A	2	HARD SUSPENSION	
	26 335	STOPPER, LOWER ARM	FB01-26-335	2		
	26 4 10B	RUBBER, SEAT-BEARING HOUSING	FC01-26-410			
	26 47 1	ROTOR, SENSOR-REAR A.B.S.	F048-26-471	2	İ	
	33 042A	NUT	H001-26-042	2		
1	39 023	WASHER, SPRING-LOWER ARM	FB01-39-023	4		
1			1			
ļ						
1						
			1			
		1				
				-		
	ĺ					
					1	

#### 2610-1 REAR BRAKE MECHANISMS




	VEHICLE	RESTRICTION	
BODY TYPE	HARD SUSP.	A.A.SUSP.	DISC WREEL
	-	-	4 HOLES-14"
COUPE	×	-	E 901 90 157 /1C7
	×	×	5 #OLES-15"/16"
CONVERTIBLE	_	-	5 HOLES-15"

ITEM NO.	D-CODE	DESCRIPTION	PART NO.	QTY	MODEL/DESCRIPTION	REMARKS
	26 121A	BOLT, REAR BRAKE	FB01-26-121A	4		
	26 122	WASHER, PLAIN-REAR BRAKE	FB01-26-122	4		
	26 138	BOLT, DUST COVER	FB01-26-138	В		
	26 205	BEARING	H001-26-205	2		
	26 233	V-SPRING, REAR BRAKE	FB01-26-233	2	NORMAL SUSPENSION	
			F805-26-233	2	HARD SUSPENSION	
	26 2518	PLATE, DISC	FB01-26-251A	2	NORMAL SUSPENSION, 4-BOLT WHEEL	
			FB05-26-251A	2	HARD SUSPENSION, 5-BOLT WHEEL	
	26 261	COVER, DUST	FB01-26-261B	2		
	26 280B	SUPPORT, MOUNTING	FB01-26-281A	2	NORMAL SUSPENSION	i i
			FB05-26-281A	2	HARD SUSPENSION	
	26 285	PLATE, GUARD-CALIPER BRAKE	FB01-26-285A	2		
	26 610	CALIPER (R), REAR BRAKE	F801-26-610B	1	NORMAL SUSPENSION	
			FB05-26-610B	1	HARD SUSPENSION	
	26 610Z	CALIPER (L), REAR BRAKE	FB01-26-710B	١	NORMAL SUSPENSION	
			FB05-26-710B	1	HARD SUSPENSION	
	26 660	PISTON, CALIPER-REAR	FA18-26-660	2		
	26 668	SPRING (R), CALIPER-REAR	FB01-26-668	1		
	26 6682	SPRING (L), CALIPER-REAR	FB01-26-669	1		
	26 680	BOLT	FA18-26-680	2		
	26 690	STOPPER, CALIPER-REAR	FB01-26-694	2		
	26 691	PIN, GUIDE	FA66-26-695	2		
	26 699	PIN, LOCK	FA66-26-998	2		
	26 731	SPINDLE, ADJUSTER	H001-26-731A	2		
	26 800	LEVER (R), OPERATING	FB01-26-800A	1		
	26 B00Z	LEVER (L), OPERATING	FB01-26-810A	1		
	26 812	LINK, CONNECTING	H001-26-812	2		
	26 851	BRACKET (R), CALIPER-REAR	FB01-26-851	1		
	26 851Z	BRACKET (L), CALIPER-REAR	fB01-26-861	ו		
	26 980	CALIPER (R), REAR BRAKE	FB01-26-980F	1	NORMAL SUSPENSION	ł
	1		FB05-26-980F	1	HARD SUSPENSION	
	26 980Z	CALIPER (L), REAR BRAKE	F801-26-990F	ו	NORMAL SUSPENSION	
			FB05-26-990F	1	HARD SUSPENSION	
	33 691	SCREW, BLEEDER	B107-33-691	4		
	33 693A	CAP, BLEEDER SCREW	0259-33-693	4		,
	49 240A	SEAL KIT	FB02-49-240	1		6901-
			H010-49-240	1	HARD SUSPENSION ONLY	-6901
Ī	49 250A	BOOT KIT, REAR CALIPER	FA67-26-45Z	1		
	49 280A	PAD SUB SET, REAR	FB06-49-280	1		

6901 FC33\* -512255






	VEHICLE	RESTRICTION		
BOOY TYPE	HARD SUSP.	A.A.SUSP.	DISC WHEEL	
	-	-	4 HOLES-14"	
COUPE	×	-	- 5 HOLES-15"/16"	
	×	×	3 MOLES-15 /10	
CONVERTIBLE	_	-	S HOLES-15"	

ITEM NO.	D-CODE	DESCRIPTION	PART NO.	QTY	MODEL/DESCRIPTION	REMARKS
	49 280A (CONT'D) 49 290A	<c> ATTACHMENT, PAD-REAR</c>	FB06-49-280A FB02-49-290B FB06-49-290B	1	REQUIRES ATTACH. KIT: FB02-49-290B NORMAL SUSPENSION HARD SUSPENSION	
i.						
	:					
						<del></del>


## 2710-1 REAR DIFFERENTIALS (W/O TURBO)(NORMAL DIFFERENTIAL)



	VEHICLE	RESTRICTION	1	
BODY TYPE	HARD SUSP.	A.A.SUSP.	DISC WHEEL	
	-		4 HOLES-14"	
COUPE	×	-	5 HOLES-15"/16"	
	×	×		
CONVERTIBLE	T -	-	5 HOLES-15"	


ITEM NO.	D-CODE	DESCRIPTION	PART NO.	QTY	MODEL/DESCRIPTION	REMARKS
	17 122	PLUG, MAGNET	0810-17-121	1		
	59 090	BREATHER	0730-26-060	1		
	27 012	WASHER	0223-27-012	1		
	27 018	SEAL, OIL	M055-27-165	1		
	27 020	FLANGE, COMPANION	M055-27-120E	1		
	27 030	NUT, LOCK	0223-27-030	1		
	27 100	DRIVE & DIFFERENTIAL	M055-27-100D	1	COUPE, M/T	
			M067-27-100E	1	CONVERTIBLE	
	27 110	GEAR SET, FINAL	M055-27-110A	1	COUPE, M/T	
			M067-27-110A	1	CONVERTIBLE	
	27 141	BEARING, PINION	0755-27-210	1		
	27 141A	BEARING, PINION	M025-27-210	1		
	27 143A	BEARING, BALL-DRIVE PINION	M055-27-143	2		
	27 150	CARRIER, DIFFERENTIAL	M055-27-150B	1		
	27 157	STUD, DIFFERENTIAL CARRIER	P090-27-157	3		
	27 171	PIECE, DISTANCE	M035-27-171	1		,
	27 172	COLLAR, LONG-DRIVE & DIFFERENTIAL	M055-27-172B	1		
	27 230	CASE	M025-27-231B	1		
	27 235	BOLT, RING GEAR	8051-27-235	10	D=10MM	
			8051-27-236	10	D=10.2MM	
	27 238	SEAL, OIL	F003-27-238A	2		:
	27 251	GEAR, DIFFERENTIAL SIDE	M025-27-251	2		
	27 252	WASHER	0290-27-252	2	T=2MM	}
			0290-27-256	2	T=2.05MM	
l			0290-27-253	2	T=2.1MM	
l	İ		0290-27-259	2	T=2.15MM	
!			0290-27-254	2	T=2.2MM	
	27 255	PINION, DIFFERENTIAL	M025-27-255B	2		
	27 256	WASHER, THRUST	M025-27-256	2	T=2MM	
	27 261	SHAFT, DIFFERENTIAL PINION	M025-27-261A	1		
	27 262	PIN	0114-27-262	1		1
	27 270	YOKE, DIFFERENTIAL	M055-27-270	2		1
1	27 301A	SCREW, ADJUST	0290-27-301	2		
	27 302	PLATE, LOCK	0290-27-302	2		
	27 305	BEARING	0221-27-350	2		
İ	27 401	SPACER	0223-27-401A	1	T=3.08MM	
			0223-27-402A	1	T=3.11MM	
1		İ	0223-27-403A	1	T=3,14MM	
			0223-27-404A	1	T=3.17MM	
	1		0223-27-405A	1	T=3.2MM	
			0223-27-406A	1	T=3.23MM	

### 2710-2 REAR DIFFERENTIALS (W/O TURBO)(NORMAL DIFFERENTIAL)




ITEM NO.	D-CODE	DESCRIPTION	PART NO.	QTY	MODEL/DESCRIPTION	BEMARKS
	27 401		0223-27-407A	1	T=3.26MM	
	(CONT'D)		0223-27-408A	١,	T=3.29MM	
			0223-27-409A	;	T=3.32MM	
	1		0223-27-411A	;	1≈3.35MM	
			0223-27-412A	;	T=3.38MM	
			0223-27-413A	1	T=3,41MM	
i			0223-27-414A	1	T=3.44MM	
			0223-27-415A	1	T=3.47MM	İ
1	27 421	CLIP	M005-27-421	2		
1	27 600	CASING, DIFFERENTIAL	M055-27-600C	1		
	27 604	BOLT, CARRIER	M053-27-604	1		
			M053-27-605	1		
	27 609	PLATE, BAFFLE-DIFFERENTIAL CASING	M055-27-609	1		
	28 890E	RUBBER, MOUNTING-DIFFERENTIAL CASING	FB01-28-890C	2		
	ĺ					
					ļ	
		1		ĺ		
	Ĭ			1		
İ						
	1					
		1			1	
				İ	+	
1						
Ī						
1						
1			1			
L			<u> </u>			

2710A-1 REAR DIFFERENTIALS (W/O TURBO)(LIMITED-SLIP DIFFERENTIAL)




ITEM NO.	D-CODE	DESCRIPTION	PART NO.	QTY	MODEL/DESCRIPTION	REMARKS
	17 122	PLUG, MAGNET	0810-17-121	1		
	26 060	BREATHER	0730-26-060	1		
	27 012	WASHER	0223-27-012	1		
	27 017	PLATE, CAUTION-DIFFERENTIAL	M055-27-017	1		
	27 018	SEAL, OIL	M055-27-165	1		
	27 020	FLANGE, COMPANION	M055-27-120E	1		
	27 030	NUT, LOCK	0223-27-030	1		
	27 100	DRIVE & DIFFERENTIAL	M068-27-100E	1	A/T	
			M095-27-100f	1	M/T	
	27 110	GEAR SET, FINAL	M055-27-110A	1	M/T	
			M067-27-110A	1	A/T	
	27 141	BEARING, PINION	0755-27-210	1		
	27 141A	BEARING, PINION	M025-27-210	1		
	27 143A	BEARING, BALL-DRIVE PINION	M055-27-143	2		
	27 150	CARRIER, DIFFERENTIAL	M055-27-150B	1		
	27 157	STUD, DIFFERENTIAL CARRIER	P090-27-157	3		
	27 171	PIECE, DISTANCE	M035-27-171	1		
	27 172	COLLAR, LONG-DRIVE & DIFFERENTIAL	M055-27-1728	1		
	27 200	DIFFERENTIAL	M081-27-200	1		
	27 230	CASE	M081-27-230	1		
	27 235	BOLT, RING GEAR	8051-27-235	10	D=10MM	
			8051-27-236	10	D=10.2MM	
	27 238	SEAL, OIL	F003-27-238	2		
	27 251	GEAR, DIFFERENTIAL SIDE	M080-27-251	2		<u> </u>
	27 252	WASHER	M020-27-252	2	T=1.6MM	
			M020-27-253	2	T=1.8MM	
	27 255	PINION, DIFFERENTIAL	M020-27-255	4		
	27 258	PLATE, FRICTION	M020-27-258	6		
	27 259B	SPRING, CONICAL	M020-27-259	2		
	27 261	SHAFT, DIFFERENTIAL PINION	M020-27-261	1		
	27 265	RING, PRESSURE	M020-27-265	2		
	27 270	YOKE, DIFFERENTIAL	M055-27-270	2		
	27 301A	SCREW, ADJUST	0290-27-301	2		
	27 302	PLATE, LOCK	0290-27-302	2		
	27 305	BEARING	0221-27-350	2		
	27 401	SPACER	0223-27-401A	1	T=3.08MM	
			0223-27-402A	1	T=3.11MM	
			0223-27-403/	1	T=3.14MM	
	1		0223-27-404A	1	T=3.17MM	
			0223-27-405A	1	T=3.2MM	
4			0223-27-406A	1	T=3.23MM	

2710A-2 REAR DIFFERENTIALS (W/O TURBO)(LIMITED-SLIP DIFFERENTIAL)




IYEM NO.	D-CODE	DESCRIPTION	PART NO.	Ош	MODEL/DESCRIPTION	REMAIKS
	27 401 (CONT'D)		0223-27-407A	1	T=3.26MM	
	COIT. D		0223-27-408A	,	T=3.29MM	
1			0223-27-409A	1;	T=3.32MM	
			0223-27-411A	1	T=3.35MM	
			0223-27-412A	1	T=3.38MM	
			0223-27-413A	1	T=3.41MM	
			0223-27-414A	1	T=3.44MM	
			0223-27-415A	1	T=3.47MM	
•	27 421	CLIP	M005-27-421	2		
	27 600	CASING, DIFFERENTIAL	M055-27-600C	1		
l	27 604	BOLT, CARRIER	M053-27-604	1		
	İ		M053-27-605	1		
	27 609	PLATE, BAFFLE-DIFFERENTIAL CASING	M055-27-609	1		
	28 890E	RUBBER, MOUNTING-DIFFERENTIAL CASING	FB01-28-890C	2		
ĺ	79 977	DISC, FRICTION	M020-27-256	2	T=2MM	
l			M020-27-257	2	T=2.1MM	
					Ł	
			Í			

2710C-1 REAR DIFFERENTIALS (TURBO)(LIMITED-SLIP DIFFERENTIAL)




ITEM NO.	D-CODE	DESCRIPTION	PART NO.	QTY	MODEL/DESCRIPTION	REMARKS
	17 122	PLUG, MAGNET	0810-17-121	1		
	26 060	BREATHER	0730-26-060	1		
	27 012	WASHER	0223-27-012	1		
	27 017	PLATE, CAUTION-DIFFERENTIAL	M055-27-017	1		
	27 018	SEAL, OIL	P090-27-165	1		
	27 020	FLANGE, COMPANION	P016-27-120F	1		
	27 030	NUT, LOCK	0223-27-030	1		
	27 100	DRIVE & DIFFERENTIAL	P090-27-100G	1		
	27 110	GEAR SET, FINAL	P012-27-110A	1		
	27 141A	BEARING, PINION	M025-27-210	1		
	٠		0604-27-220	1		
	27 143A	BEARING, BALL-DRIVE PINION	P016-27-143	2		
	27 150	CARRIER, DIFFERENTIAL	P016-27-150A	1		
	27 157	STUD, DIFFERENTIAL CARRIER	P090-27-157	3		
	27 171	PIECE, DISTANCE	0305-27-171	1		
	27 172	COLLAR, LONG-DRIVE & DIFFERENTIAL	P016-27-172A	1		
	27 200	DIFFERENTIAL	P090-27-200B	1		
	27 230	CASE	P090-27-230A	1		
	27 235	BOLT, RING GEAR	8051-27-235	10	D=10MM	
			8051-27-236	10	D=10.2MM	
	27 238	SEAL, OIL	P016-27-238	2		
	27 251	GEAR, DIFFERENTIAL SIDE	P090-27-251	2		
	27 252	WASHER	0578-27-252	2	T=1.5MM	
			0578-27-253	2	T=1.6MM	
			0578-27-254	2	T=1.7MM	
	27 255	PINION, DIFFERENTIAL	P020-27-255	4		
	27 258	PLATE, FRICTION	P020-27-258	2		
	27 261	SHAFT, DIFFERENTIAL PINION	P090-27-261	1		
	27 265	RING, PRESSURE	P020-27-265	2		
	27 266	SEAT, PINION-DIFFERENTIAL	P020-27-266	6		
	27 270A	SHAFT, OUTPUT	P016-27-270A	2		
	27 301A	SCREW, ADJUST	0110-27-301	2		
	27 302	PLATE, LOCK	0578-27-302	2	1	
	27 305	BEARING	0118-27-350A	2		
	27 401	SPACER	0223-27-401A	1	T=3.08MM	
			0223-27-402A	1	T=3.11MM	
			0223-27-403A	1	T=3.14MM	
			0223-27-404A	1	T=3.17MM	
			0223-27-405A	1	T=3.2MM	
			0223-27-406A	1	T=3.23MM	
			0223-27-407A	1	T=3.26MM	
		L	I		<u> </u>	<u> </u>


2710C-2 REAR DIFFERENTIALS (TURBO)(LIMITED-SLIP DIFFERENTIAL)



27 401 (CONTD)  0223-27-408A  0223-27-410A  0223-27-411A  1	ITEM NO.	D-COD <del>1</del>	DESCRIPTION	PART NO.	<b>Q</b> 17	MODEL/DESCRIPTION	REMARKS
0223-27-411A   1   T=3.35MM   0223-27-412A   1   T=3.35MM   0223-27-412A   1   T=3.35MM   0223-27-413A   1   T=3.41MM   0223-27-415A   1   T=3.44MM   0223-27-415A   1   T=3.44MM   0223-27-415A   1   T=3.47MM   0223-27-415A   1   T=3.47MM   0223-27-415A   1   T=3.47MM   0223-27-605   2   027-609   027-609   027-605   027-609   027-60				0223-27-408A	1	T=3.29MM	
0223-27-412A   1 T=3.38MM   1 T=3.41MM   0223-27-413A   1 T=3.41MM   0223-27-414A   1 T=3.44MM   0223-27-415A   1 T=3.44MM   0223-27-415A   1 T=3.47MM   0223-27-605   2 T=3.47				0223-27-409A	1	T=3.32MM	
0223-27-413A   1   T=3.41MM   0223-27-414A   1   T=3.44MM   0223-27-415A   1   T=3.47MM   0223				0223-27-411A	1	T=3.35MM	
0223-27-414A   1   T=3.44MM   0223-27-415A   1   T=3.47MM   T=3.47MM		·		0223-27-412A	1	T=3.38MM	
0223-27-415A   1   T=3.47MM				0223-27-413A	1	T=3.41MM	
27 421 CLIP P016-27-421 2 27 600 CASING, DIFFERENTIAL P016-27-600B 1 27 604 BOLT, CARRIER M053-27-605 2 27 609 PLATE, BAFFLE-DIFFERENTIAL CASING 28 890E RUBBER, MOUNTING-DIFFERENTIAL CASING 79 977 DISC, FRICTION P020-27-256 4 T=1.75MM				0223-27-414A	1	T=3.44MM	
27 600 CASING, DIFFERENTIAL P016-27-600B 1 27 604 BOLT, CARRIER M053-27-605 2 27 609 PLATE, BAFFLE-DIFFERENTIAL M055-27-609 1 CASING FB01-28-890C 2 MOUNTING-DIFFERENTIAL CASING 79 977 DISC, FRICTION P020-27-256 4 T=1.75MM				0223-27-415A	1	T=3.47MM	
27 604 BOLT, CARRIER M053-27-605 2 27 609 PLATE, BAFFLE-DIFFERENTIAL CASING 28 890E RUBBER, MOUNTING-DIFFERENTIAL CASING 79 977 DISC, FRICTION P020-27-256 4 T=1.75MM		27 421	CLIP	P016-27-421	2		
27 609 PLATE, BAFFLE-DIFFERENTIAL M055-27-609 1 CASING 28 890E RUBBER, MOUNTING-DIFFERENTIAL CASING 79 977 DISC, FRICTION P020-27-256 4 T=1.75MM	Ì	27 600	CASING, DIFFERENTIAL	P016-27-600B	1		
CASING 28 890E RUBBER, MOUNTING-DIFFERENTIAL CASING 79 977 DISC, FRICTION P020-27-256 4 T=1.75MM		27 604	BOLT, CARRIER	M053-27-605	2		
MOUNTING-DIFFERENTIAL CASING 79 977 DISC, FRICTION P020-27-256 4 T=1.75MM		27 60 <del>9</del>		M055-27-609	1		
		28 890E	MOUNTING-DIFFERENTIAL	FB01-28-890C	2		
P020-27-257 4 T=1.85MM		79 977	DISC, FRICTION	P020-27-256	4	T=1.75MM	
				P020-27-257	4	T=1.85MM	
							:

# 2800-1 REAR SUSPENSION MECHANISMS (W/O TURBO) (W/O AUTOMATIC ADJUSTING SUSPENSION)





	VEHICLE RESTRICTION									
BODY TYPE	HARD SUSP.	A, A. SUSP.	DISC WHEEL							
	-	-	4 HOLES-14"							
COUPE	×	-	5 HOLES-15"/16"							
	×	×	2 MOUE2-12,/10,							
CONVERTIBLE	-	_	5 HOLES-15"							


		DESCRIPTION	PART NO.	S1A	MODEL/DESCRIPTION	REMARKS
	28 010A	SPRING, COIL-REAR	FB01-28-011A	2	COUPE, NORMAL SUSPENSION	6701-
			F867-28-011A	2	CONVERTIBLE, NORMAL SUSPENSION	
			FB01-28-011A	2	HARD SUSPENSION	-6701
	28 0148	RUBBER, STOPPER-REAR DAMPER	FB01-28-014	2		
i i	28 015B	BUSHING, RUBBER-REAR DAMPER	F044-28-015	2		
	28 0168	BUSHING, RUBBER-REAR DAMPER	F044-28-013	2		
	28 020	PLATE SET, REAR DAMPER	FB01-28-020	2		
	28 025	SPACER, REAR DAMPER	fB01-28-025	2		
	28 030	STOPPER, REAR DAMPER	FB01-28-030A	2		1
	28 040	SHEET, SPRING-REAR DAMPER	FB01-28-040	2		
	28 050	PLATE, MOUNTING-REAR DAMPER	FB01-28-050	2	!   	
	28 314	BOLT 'B', LINK	H260-34-037A	2		6711-
	28 333A	NUT, FLANGE	H001-28-333	4		
	28 401	WASHER	FB01-28-401	2		6B01-
	28 600	LINY, LATERAL	FB01-28-200	2		
	28 700	DAMPER, REAR	FB44-28-700C	2	CONVERTIBLE, NORMAL SUSPENSION	
			FB01-28-700E	2	COUPE, NORMAL SUSPENSION	
			F843-28-700F	2	HARD SUSPENSION	
	34 662	WASHER	H001-28-401	2		-6B01
	39 037	NUT	8001-39-0378	4		
			1			
					İ	
					İ	
	]					
ŀ	1		:			
	]			1		
						1
1		j				
1						
			1			
ļ						
]	1			i		
				-		
6701	L	-500010	<u> </u>		<u> </u>	

6701 FC33\* -500010 6711 FC33\* -502690 6801 FC33\* -522333

### **SECTION INDEX -- CHASSIS**

ROMON SIMBIG	907.140.	SCION NAC	SHARMS	98CT. NO.	SICTION NAME	STARTING LOCATION	SECT. NO.	SECTION NAME
1 - C11	2500	DRIYESHAFT	1 - K14	3900BA	ENGINE & TRANSMISSION MOUNTINGS			
1 - 011	2550	REAR DRIVESHAFTS	1 - (14	4000B	EXHAUST SYSTEM			
1 - E11	2600	REAR AXLE			(W/O TURBO)			
1 - F13	2610	REAR BRAKE MECHANISMS	1 - C15	4000BA	EXHAUST SYSTEM (TURBO)			
1 - H11		REAR DIFFERENTIALS [W/O TURBOXNORMAL DIFFERENTIAL]	1 - E15	4140B	CLUTCH RELEASE & MASTER CYLINDERS [MANUAL TRANSMISSION]			
1 - 111	2710A	REAR DIFFERENTIALS [W/O TURBOXLIMITED-SLIP DIFFERENTIAL)	1 - F15	4160	ACCELERATOR CONTROL SYSTEM			
1 - 111	2710C	REAR DIFFERENTIALS (TURBOXLIMITED-SLIP DIFFERENTIAL)	1 - G15	4200	FUEL TANK			
1 - N11	2800	REAR SUSPENSION MECHANISMS (W/O TURBO)	1 - H15	4300	CLUTCH & BRAKE PEDALS			
1451		(W/O AUTOMATIC ADJUSTING SUSPENSION)	1 - 315	4340	BRAKE MASTER CYLINDER & POWER BRAKE [W/O ANTI-LOCK BRAKE SYSTEM]			
1 - C12	2800A	REAR SUSPENSION MECHANISMS (W/O TURBO) IFOR AUTOMATIC ADJUSTING SUSPENSION)	1 - 115	4340A	BRAKE MASTER CYLINDER & POWER BRAKE (ANTI-LOCK BRAKE SYSTEM)			
1 - 012	2800B	REAR SUSPENSION MECHANISMS	1 - N15	4360	BRAKE PIPINGS [W/O ANTI-LOCK BRAKE SYSTEM)			
1 - £12	2610	(TURBO) REAR STABILIZER	1 - C16	4360A	BRAKE PIPINGS [ANTI-LOCK BRAKE SYSTEM]			
1 - F12	2830	REAR LOWER ARMS & SUB-FRAME	1 - D16	4370	ANTI-LOCK BRAKE SYSTEMS			
1 - H12	3200	STEERING WHEEL	1 - F16	4400	PARKING BRAKE SYSTEM			
1 - 112	3210	STEERING COLUMN & SHAFTS	1 - G16	4500B	FUEL PIPINGS			
1 - J12	3210A	STEERING COLUMN & SHAFTS [W/ POWER STEERING]	1 - H16	4500BA	(W/O ANTI-LOCK BRAKE SYSTEM) FUEL PIPINGS			
1 - K12	3220	STEERING GEAR (W/O POWER STEERING)	1 - 116	4600	(ANTI-LOCK BRAKE SYSTEM) CHANGE CONTROL SYSTEM			
1 - 112	3220A	STEERING GEAR			(AUTOMATIC TRANSMISSION)			
1 - M12	2020	(W/ POWER STEERING) STEERING LINKAGE SYSTEM						
1 - 1412	3230	STEERING HANGE STSTEM						1
1 - C13	3240	POWER STEERING SYSTEM						
1 - E13	3300	FRONT AXLE & BRAKE MECHANISMS (FOR NORMAL SUSPENSION)						
1 - 113	3300A	FRONT AXLE & BRAKE MECHANISMS (FOR HARD SUSPENSION) (W/O ANTI-LOCK BRAKE SYSTEM)						
1 - K13	3300B	FRONT AXLE & BRAKE MECHANISMS (FOR HARD SUSPENSION) (ANTI-LOCK BRAKE SYSTEM)						
1 - M13	3400	FRONT SUSPENSION MECHANISMS (W/O TURBO) (W/O AUTOMATIC ADJUSTING SUSPENSION)						
1 - N13	3400A	FRONT SUSPENSION MECHANISMS (W/O TURBO) (FOR AUTOMATIC ADJUSTING SUSPENSION)						
	3400B	FRONT SUSPENSION MECHANISMS (TURBO)						
1 - D14	3410	CROSSMEMBER & STABILIZER	1					
1 - E14	3700	TIRES & JACK (W/O TURBO)						
1 - H14	3700A	TIRES & JACK (TURBO)						
1 - 314	3900B	ENGINE & TRANSMISSION MOUNTINGS (W/O TURBO)						


## 2800A-1 REAR SUSPENSION MECHANISMS (W/O TURBO) (FOR AUTOMATIC ADJUSTING SUSPENSION)



ITEM NO.	D-C00£	DESCRIPTION	PART NO.	QTY	MODEL/DESCRIPTION	REMARKS
	28 010A	SPRING, COIL-REAR	FB01-28-011A	2		
	28 0148	RUBBER, STOPPER-REAR DAMPER	FB01-28-014	2		
	28 0158	BUSHING, RUBBER-REAR DAMPER	F044-28-015	2		
	28 0168	BUSHING, RUBBER-REAR DAMPER	F044-28-013	2		
	28 020	PLATE SET, REAR DAMPER	FB01-28-020	2		
	28 025	SPACER, REAR DAMPER	FB01-28-025	2		
	28 030	STOPPER, REAR DAMPER	FB01-28-030A	2		
	28 040	SHEET, SPRING-REAR DAMPER	FB01-28-040	2		
	28 050	PLATE, MOUNTING-REAR DAMPER	FB01-28-050	2		
	28 314	BOLT 'B', LINK	H260-34-037A	2		6711-
	28 333A	NUT, FLANGE	H001-28-333	4		
	28 401	WASHER	FB01-28-401	2		6801-
	28 600	LINK, LATERAL	FB01-28-200A	2		
	28 700	DAMPER, REAR	FB52-28-700C	2		
	34 080A	ACTUATOR, REAR DAMPER	FB07-28-080B	2		
	34 088A	PLATE	H126-28-088	2		
	34 662	WASHER	H001-28-401	2		-6901
	39 037	NUT	8001-39-0378	4		
<del></del>						

6711 FC33\* -502690 6801 FC33\* -522333

#### REAR SUSPENSION MECHANISMS (TURBO) 2800B-1




**CONVERTIBLE** 

ITEM N	D. D-CODE	DESCRIPTION	PART NO.	Q1Y	MODEL/DESCRIPTION	REMARKS
	28 010A	SPRING, COIL-REAR	F801-28-011A	2		
	28 014B	RUBBER, STOPPER-REAR DAMPER	FB01-28-014	2		
	28 0158	BUSHING, RUBBER-REAR DAMPER	F044-28-015	2		
	28 0168	BUSHING, RUBBER-REAR DAMPER	F044-28-013	2		
	28 020	PLATE SET, REAR DAMPER	FB01-28-020	2		
į .	28 025	SPACER, REAR DAMPER	F801-28-025	2		
	28 030	STOPPER, REAR DAMPER	F801-28-030A	2		
	28 040	SHEET, SPRING-REAR DAMPER	FB01-28-040	2		!
	28 050	PLATE, MOUNTING-REAR DAMPER	FB01-28-050	2		
1	28 314	BOLT 'B', LINK	H260-34-037A	2		6711-
	28 333A	NUT, FLANGE	H001-28-333	4		
	28 401	WASHER	FB01-28-401	2		6BD1-
	28 600	LINK, LATERAL	FB01-28-200	2		
	28 700	DAMPER, REAR	F844-28-700C	2		
	34 662	WASHER	H001-28-401	2		-6801
	39 037	NUT	B001-39-037B	4		

6711 FC33\* -502690 6B01 FC33\* -522333

#### 2810-1 REAR STABILIZER




	VEHICLE	RESTRICTION	1
BODY TYPE	HARD SUSP.	A. A. SUSP.	DISC WHEEL
	_	_	4 HOLES-14"
COUPE	×	_	5 HOLES-15"/16"
	×	×	2 HOUSS-12 \10
CONVERTIBLE	-	-	5 HOLES-15"

A NO.	D-CODE	DESCRIPTION	PART NO.	QTY	MODEL/DESCRIPTION	REMARKS
	28 101	STABILIZER, REAR	FB01-28-151B	1	NORMAL SUSPENSION	
			FB43-28-151C	1	HARD SUSPENSION	į
	28 102	BUSHING, STABILIZER-REAR	FB01-28-156	2	NORMAL SUSPENSION	
			FB43-28-156A	2	HARD SUSPENSION	
	28 103	PLATE, STABILIZER	G030-28-155	2		-7101
			FB01-28-155	2		7101-
	28 155	BRACKET, STABILIZER SUPPORT	FB01-28-160	2		-7101
		<c></c>	FB01-28-160A	2	REQUIRES FB01-28-155 - BRACKET	7101-
	28 170B	LINK, CONTROL-STABILIZER	FB01-28-170B	2		
			!			
				}		
			İ			

7101 FC33\* -528625


#### 2830-1 REAR LOWER ARMS & SUB-FRAME



ITEM NO.	D-CODE	DESCRIPTION	PART NO.	QTY	MODEL/DESCRIPTION	REMARKS
	25 124	NUT	1368-25-124	4		
	26 220	BUSHING, RUBBER-REAR LOWER ARM	FB01-26-220	2		
	26 230	BALL, PILLOW-REAR LOWER ARM	FB01-26-230	2		
	26 250	RUBBER, SEAL-REAR LOWER ARM	FB01-26-250	4		
	28 091	NUT	FB01-28-091	2		
			8037-28-091	9		-5801
				7		5801-
	28 092	BOLT, CONTROL LINK	FB01-28-092	4		6501-
	28 210	LINK, CONTROL-LOWER ARM	FB01-28-210B	2		
		<an></an>	FC01-28-210	2		
	28 300	ARM (R), LOWER	FB43-28-300B	1		
	28 300Z	· ' ''	FB43-28-350D	1		
	28 370	BOLT, ADJUST	FB01-28-470A	2		
	28 390B	PLATE, CAM	FB01-28-473	4		-5801
				2		5B01-
	28 398	BOLT, DAMPER-REAR	F044-28-398A	2		
	28 460	BUSHING, LOWER ARM	FB01-28-460	4		
	28 800	FRAME, SUB	FB43-28-800G	1		
	28 830	LINK, SUB-LOWER ARM	FF 01-28-830	1		
	28 840	RUBBER, SUB-FRAME	FB43-28-840	2		
	28 845	WASHER (R), STOP-LOWER ARM	FB43-28-845B	1	W/ A.A.S.	6301-
					W/O A.A.S.	7108-
			FB01-28-845A	1	NORMAL SUSPENSION	-5801
		<a></a>	FB43-28-845A	1	HARD SUSPENSION W/O A.A.S.	-7108
					HARD SUSPENSION W/ A.A.S.	-6301
					NORMAL SUSPENSION	5801-7108
Ì	28 845Z	WASHER (L), STOP-LOWER ARM	FB43-28-855B	1	W/ A.A.S.	6301-
	-			ĺ	W/O A.A.S.	7108-
	]		FB43-28-855A	1	NORMAL SUSPENSION	-5801
					HARD SUSPENSION W/O A.A.S.	-7108
					HARD SUSPENSION W/ A.A.S.	-6301
			FB43-28-855A		NORMAL SUSPENSION	5801-7108
	28 880A	WASHER, STOP	FB01-28-880A	2		
	28 895	RUBBER, MOUNTING-DIFFERENTIAL	FC01-28-980	1		
	28 896	WASHER, MOUNTING RUBBER-DIFFERENTIAL	FB01-28-896	1		
	34 222	NUT	8871-34-222	2		5810-
5810 5801		-100079 -113629				


5810 FC33\* -100079 5801 FC33\* -113629 6301 FC33\* -134718 6501 FC33\* -146093 7108 FC33\* -528997


### **REAR LOWER ARMS & SUB-FRAME** 2830-2 ITEM NO. D-CODE 28-300



ITEM NO.	0-CODE	DESCRIPTION	PAIRT NO.	QTY	MODEL/DESCRIPTION	REMARKS
	39 037	NUT	B001-39-037B	2		
						'
		1	<u> </u>	L	1	L.,








TEM NO.	D-CODE	DESCRIPTION	PART NO.	QΤΥ	MODEL/DESCRIPTION	REMARKS
	32 016C	PLATE, CONTACT	FB01-32-750	1		,
	32 017A	PLATE, CONTACT	FB01-32-760	1		
	32 039	CORD	FB01-32-016	ı		
	32 041	PLATE, SET	FB01-32-986	1		
	32 049	COVER, WHEEL CORE	FB01-32-049	1		
	32 740C	PARTS SET, STEERING WHEEL BOSS	FB01-32-740	1		
	32 800	CAP, HORN	FB05-32-800A	1		
			FB06-32-800A	1		
	32 820	TERMINAL	FB01-32-981	1		
	32 980	BOSS, STEERING WHEEL	FB01-32-980B	1	STD, SE, SPORT URETHANE, 2-SPOKE	
			F803-32-980B	1	GXL, TURBO LEATHER, 2-SPOKE	
			FB06-32-980B	1	CONV. LEATHER, 3-SPOKE	
	32 981	PAD, HORN	FB01-32-730	1		
	}					
	:					
		-				


#### 3210-1 STEERING COLUMN & SHAFTS



ITEM NO.	D-CODE	DESCRIPTION	PART NO.	977	MODEL/DESCRIPTION	REMARKS
	32 020C	BOLT	B001-32-020	2		
	32 084	BOLT	W001-32-084	4	TURBO (TILT STEERING)	
	32 087	O-RING	W048-32-087	1	TURBO, (TILT STEERING)	-5925
				1	STD. (W/O TILT STEERING)	-6221
	32 0908	SHAFT, INTERMEDIATE	F802-32-090B	1		
	32 100	SHAFT, ENERGY ABSORBER	FB01-32-100	1	STD. (W/O TILT STEERING)	
	i		FB05-32-100A	1	TURBO (TILT STEERING)	
	32 101A	SPRING, BALANCE-SHAFT	FB05-32-101	1	TURBO (TILT STEERING)	
	32 102	SPRING, RETURN-SHAFT	FB05-32-102	1	TURBO (TILT STEERING)	
	32 157	PLATE, COATING-SHAFT	FB01-32-157	2	STD. (W/O TILT STEERING)	
			F805-32-157	2	TURBO (TILT STEERING)	
	32 168A	WASHER, STOP	FB01-32-168	1		
1	32 169A	BOLT	B001-32-169A	1		
	32 210	COVER, STEERING SHAFT	FB01-32-210	1		
	32 411	COVER, DUST	F801-32-411A	1		
<u> </u>						

5925 FC33\* -106572 6221 FC33\* -133099


STEERING COLUMN & SHAFTS (W/ POWER STEERING) 3210A-1



ITEM NO.	D-CODE	DESCRIPTION	PAIRT NO.	QTY	MODEL/DESCRIPTION	REMARKS
	32 020C	BOLT	B001-32-020	2		
	32 084	BOLT	W001-32-084	4	(TILT STEERING)	
	32 087	O-RING	W048-32-087	1	(TILT STEERING)	-5925
				1	(W/O TILT STEERING)	-6221
	32 0908	SHAFT, INTERMEDIATE	FB05-32-090F	1		
	32 100	SHAFT, ENERGY ABSORBER	FB01-32-100	1	(W/O TILT STEERING)	
	ļ		FB05-32-100A	1	(TILT STEERING)	
	32 101A	SPRING, BALANCE-SHAFT	FB05-32-101	1	(TILT STEERING)	
	32 102	SPRING, RETURN-SHAFT	FB05-32-102	1	(TILT STEERING)	
	32 157	PLATE, COATING-SHAFT	FB01-32-157	2	(W/O TILT STEERING)	
			FB05-32-157	2	(TILT STEERING)	
	32 168A	WASHER, STOP	FB01-32-168	1		
	32 169A	BOLT	B001-32-169A	t		
	32 210	COVER, STEERING SHAFT	FB01-32-210	1		
	32 411	COVER, DUST	FB01-32-411A	1		
			:			
						İ
	1					
1						
5005	50001					


5925 FC33\* -106572 6221 FC33\* -133099

3220-1 STEERING GEAR (W/O POWER STEERING)



ITEM NO.	D-CODE	DESCRIPTION	FART NO.	QTY	MODEL/DESCRIPTION	REMARKS
	19 8403	O-RING	9954-10-1401	1	THE PERSON NOT	NLOWING.
	32 110	GEAR, STEERING	FB01-32-110F	;		
	32 112	COVER, DUST	FB01-32-112			
	32 113	SPRING, YOKE	FB01-32-113	1 1		
	32 114	BUSHING, RACK	FB01-32-114			
	32 119E	RACK, STEERING GEAR	FB01-32-119			
	32 120A	HOUSING, RACK	FB01-32-120	1		
	32 122C	PINION, STEERING GEAR	FB01-32-122	1 1		
	32 123	RUBBER, MOUNTING	FB01-32-123	11		
	32 124	RUBBER, MOUNTING	FB01-32-124	1		
	32 1258	BOOT, RACK	FB01-32-125	1		
	32 126A	BOOT, RACK	FB01-32-126	1		
	32 128A	SEAL, SHAFT	FB01-32-128	1		
	32 129B	PLUG, PINION	FB01-32-129	1		
	32 131A	NUT, LOCK-RACK	FB01-32-131	1		
	32 132C	NUT, LOCK	F801-32-132	1		
	32 133	PLATE, CLAMP	FB01-32-133	1		
	32 134	PLATE, CLAMP	FB01-32-134	1		
	32 1408	SPACER	FB01-32-145	1		
	32 188B	BAND SET, STEERING GEAR	FB01-32-118	1		


3220A-1 STEERING GEAR (W/ POWER STEERING)



ITEM NO.	D-C008	DESCRIPTION	PART NO.	Q1Y	MODEL/DESCRIPTION	BEMARKS
	19 840)	O-RING	9954-10-1401	1		
	32 110	GEAR, STEERING	FB05-32-110F	1		-7701
			FB78-32-110C	1		7701-
	32 111	YOKE, SUPPORT	FB05-32-111	1		-7701
	32 112	COVER, DUST	FB05-32-112	1 1		-7701
	32 113	SPRING, YOKE	FB05-32-113	1		-7701
	32 115	BEARING	FB05-32-115	11		-7701
	32 119E	RACK, STEERING GEAR	FB05-32-119	1		-7701
	32 120A	HOUSING, RACK	FB05-32-120	1		-7701
	32 123	RUBBER, MOUNTING	FB05-32-123	1		-7701
	32 124	RUBBER, MOUNTING	FB01-32-124	1		-7701
	32 125B	BOOT, RACK	FB01-32-125	1 1		-7701
	32 126	SEAL, SHAFT	FB01-32-126	1		-7701
	32 1298	PLUG, PINION	FB05-32-129	1		-7701
	32 131A	NUT, ŁOCK-RACK	FB05-32-131	1		-7701
	32 133	PLATE, CLAMP	FB05-32-133	1		-7701
	32 134	PLATE, CLAMP	FB01-32-134	11		-7701
	32 147A	BEARING	FB05-32-147	1 1		-7701
	32 148	EYE BOLT KIT, STEERING GEAR	FB05-32-148	2		-7701
	32 151	COVER, END	FB05-32-151	1		-7701
	32 152A	NUT, ADJUST	FB05-32-152	1		-7701
	32 153	RING, BACK-UP	FB05-32-153	1		-7701
	32 154A	HOLDER, STEERING GEAR	FB05-32-154	1 1		-7701
	32 155	BUSHING, RUBBER	FB05-32-155	1 1		-7701
	32 180A	SEAL KIT, STEERING GEAR	FB05-32-180	1		-7701
	32 186C	CLIP KIT, STEERING GEAR	FB05-32-186	1		-7701
	32 380A	VALVE	FB05-32-380	1		-7701
	32 451	PIPE 'A', STEERING GEAR	FB05-32-451	1		-7701
	32 452	PIPE 'B', STEERING GEAR	FB05-32-452	1 1		-7701
	32 481B	PIPE 'A', CYLINDER	FB05-32-481	1 1		-7701
	32 482	HOSE NO. 2, RETURN	FB05-32-482	1		-7701
	}			1		
	-			1 1		
l	<u> </u>					

7701 FC33\* -550169

#### 3230-1 STEERING LINKAGE SYSTEM





ITEM NO.	D-CODE	DESCRIPTION	PART NO.	QTY	MODEL/DESCRIPTION	BEMARKS
	32 240A	JOINT, BALL	FB02-32-240 FB01-32-240A	1 1 2	W/O P/S W/O P/S W/ P/S	-7701 7701- 770i-
	32 241	PIN, SPRING-STEERING GEAR	FB01-32-241	2	W/ F/3	7701-
	32 279	SEAL, DUST-BALL JOINT	8021-32-279	2		
	32 2805	JOINT SET, BALL	8AF1-32-280	2		
					•	
	Ì					
	1					
	ļ					
İ						
Ì			:			
	1		,			
			-			
7701	FC33*	-550169	1	<u> </u>		<u> </u>

### **SECTION INDEX -- CHASSIS**

FOCUSION STANSACE	<b>90</b> (7, NO.	SECTION NAME	STATETAGE	SECT. NO.	SECTION NAME	STARTING LOCATION	SECT. NO.	SECTION NAME
1 - CH	2500	DRIVESHAFT	1 - K14	3900BA	ENGINE & TRANSMISSION MOUNTINGS	accine.		
1 - 011	2550	REAR DRIVESHAFTS	1 114	40000	(TURBO)			
1 - E11	2600	REAR AXLE	1 - [14	4000B	EXMAUST SYSTEM (W/O TURBO)			
1 - 611	2610	REAR BRAKE MECHANISMS	1 - C15	4000BA	EXHAUST SYSTEM (TURBO)			
1 - H(1	2710	REAR DIFFERENTIALS (W/O TURBOKNORMAL DIFFERENTIAL)	1 - E15	4140B	CLUTCH RELEASE & MASTER CYLINDERS [MANUAL TRANSMISSION]			
1 - 311	2710A	REAR DIFFERENTIALS (W/O TURBOXLIMITED-SLIP DIFFERENTIAL)	1 - F15	4160	ACCELERATOR CONTROL SYSTEM			
1 - 111	2710C	REAR DIFFERENTIALS	i - Gis	4200	FUEL TANK			
1. NII	2800	(TURBO)(LIMITED-SLIP DIFFERENTIAL) REAR SUSPENSION MECHANISMS (W/O TURBO)	1 - H15	4300	CLUTCH & BRAKE PEDALS			
		(W/O AUTOMATIC ADJUSTING SUSPENSION)	1 - 315	4340	BRAKE MASTER CYLINDER & POWER BRAKE (W/O ANTI-LOCK BRAKE SYSTEM)	İ		
1 - C12	2800A	REAR SUSPENSION MECHANISMS (W/O TURBO) (FOR AUTOMATIC ADJUSTING SUSPENSION)	1 - 115	4340A	BRAKE MASTER CYLINDER & POWER BRAKE (ANTI-LOCK BRAKE SYSTEM)			
1 - 012	2800B	REAR SUSPENSION MECHANISMS (TURBO)	1 - N15	4360	BRAKE PIPINGS			
1 - E12	2810	REAR STABILIZER		10/01	(W/O ANTI-LOCK BRAKE SYSTEM)			
1 - F12	2630	REAR LOWER ARMS & SUB-FRAME	1 - C16	4360A	BRAKE PIPINGS (ANTI-LOCK BRAKE SYSTEM)			
1 - H12	3200	STEERING WHEEL	1 - D16	4370	ANTI-LOCK BRAKE SYSTEMS			
1 - 112	3210	STEERING COLUMN & SHAFTS	1 - F16	4400	PARKING BRAKE SYSTEM			
1 - J12	3210A	STEERING COLUMN & SHAFTS (W/ POWER STEERING)	1 - G16	4500B	FUEL PIPINGS (W/O ANTI-LOCK BRAKE SYSTEM)			
1 - K12	3220	STEERING GEAR (W/O POWER STEERING)	1 - H16	4500BA	FUEL PIPINGS {ANTI-LOCK BRAKE SYSTEM}			
1 - 112	3220A	STEERING GEAR (W/ POWER STEERING)	1 - 116	4600	CHANGE CONTROL SYSTEM (AUTOMATIC TRANSMISSION)			
1 - M12	3230	STEERING LINKAGE SYSTEM			,			
<u> </u>								
1 · C13	·	POWER STEERING SYSTEM						
1 - 613	3300	FRONT AXLE & BRAKE MECHANISMS (FOR NORMAL SUSPENSION)						
1 - 113	3300A	FRONT AKLE & BRAKE MECHANISMS (FOR HARD SUSPENSION) (W/O ANTI-LOCK BRAKE SYSTEM)						
1 - K13	3300B	FRONT AXLE & BRAKE MECHANISMS (FOR HARD SUSPENSION) (ANTI-LOCK BRAKE SYSTEM)						
1 - M13	3400	FRONT SUSPERISION MECHANISMS [W/O TURBO] (W/O AUTOMATIC ADJUSTING SUSPENSION)						
I - N13	3400A	FRONT SUSPENSION MECHANISMS (W/O TURBO) (FOR AUTOMATIC ADJUSTING SUSPENSION)						
1 - C14	3460B	FRONT SUSPENSION MECHANISMS (TURBO)						
1 - D14	3410	CROSSMEMBER & STABILIZER						
1 - E14	3700	TIRES & JACK (W/O TURBO)						
1 - H14	3700A	TIRES & JACK (TURBO)						
1 - J14	3900В	ENGINE & TRANSMISSION MOUNTINGS (W/O TURBO)						
	<u></u>				4 040			<u> </u>

(THIS ILLUSTRATION CONSISTS OF 2 PAGES)






	ITEM NO.	D-C006	DESCRIPTION	PART NO.	GIY	MODEL/DESCRIPTION	REMARKS
	<del> </del>	32 230	SWITCH, PRESSURE	FB05-32-230A	+;-	P/\$	1
		32 400	CONTROLLER	FB05-32-400C	1		-7701
			REFER TO SERV. BULL. NO. 035/86, CAT. 15 FOR MORE INFO.				
				FB78-32-400	1		7701-
		1	PIPE-NO. 1	FC01-32-410	1		
	i i	32 471	HOSE, RETURN	FB05-32-470A	1		
	1	32 480	PIPE, RETURN	FB05-32-480	1		
	l l	32 490	HOSE, PRESSURE	FB05-32-490E	1		
		32 600	PUMP, VANE	FB05-32-600A	1		-7701
		<b></b>		F878-32-600B	1		7701-
	ı	32 601	PULLEY, VANE PUMP	FB05-32-620	1		
		32 603	CAP, FILLER	F805-32-611	1		
		32 606	CLIP	FB01-32-642	1		
		32 610	SEAL KIT, VANE PUMP	FB05-32-610	1		-7701
	j	22 414	O DINIC WANTE DUSAN	fB78-32-610A	1		7701-
	l l	32 614 32 614A	O-RING, VANE PUMP	FB05-32-632	1		
			PIPE, VANE PUMP	F805-32-614 F805-32-630	2		
		32 631	BOLT, VANE PUMP	FB05-32-631	1 2		
		l	TANK, VANE PUMP	FB05-32-690	1		
			RELAY, N.O.	8092-67-740	'	M/T, TURBO	
		1	RELAY & COVER, NORMAL OPEN	FB11-67-740	1	M/T, TURBO (30A)	
SEE ILLUSTRATION/S AT FRAME 1 - C13		67 742	BRACKET, RELAY	FB10-67-742	1	M/T, TURBO	İ
		67 744	BOOT, RELAY-WATER PROOF	FB10-67-744	1	M/T, TURBO	
	7701	FC33* -	550169				


### FRONT AXLE & BRAKE MECHANISMS (FOR NORMAL SUSPENSION)








	VENICLE	RESTRICTIO	N
BODY TYPE	MARIO SUSP.	A.A.SUSP.	DISC WHEEL
	-	-	4 HOLES-14"
COUPE	×	-	£ 100 00 157/167
	×	×	5 HOLES-15"/16"
CONVERTIBLE	_		5 HOLES-15"




	VEHICLE	RESTRICTIO	N .
BODY TYPE	HARD SUSP.	A.A.SUSP.	DISC WHEEL
	-	-	4 HOLES-14"
COUPE	×	<del>-</del>	F 104 04 478 /103
	×	×	5 HOLES-15"/16"
CONVERTIBLE	_	-	5 HOLES-15"




	AERICYE	RESTRICTION	N
BODY TYPE	HARD SUSP.	A.A.SUSP.	DISC WEEEL
	-	-	4 HOLES-14"
COUPE	×	-	F 200 DO 155 4165
	×	×	5 NOLES-15"/16"
CONVERTIBLE	_	_	5 HOLES-15"


	ITEM NO.	D-CODE	DESCRIPTION	FAIT NO.	QTY	MODEL/DESCRIPTION	REMARK
		26 043	WASHER, CLAW	1011-33-043	2		
		33 020	KNUCKLE (R), STEERING	F801-33-021B	1		
		33 020Z	KNUCKLE (L), STEERING	FB01-33-031B	1		
		33 042	NUT	0662-33-042	2		
		33 049	COVER, SET	0662-33-049	2		
		33 061	HUB, FRONT WHEEL	FB05-49-060E	2	CONVERTIBLE	
				FB01-49-060E	2	COUPE	
		33 062	BOLT, WHEEL	FB01-26-113A	8	COUPE	
	i			FB05-26-113A	10	CONVERTIBLE	
		33 065	SEAL, OIL-FRONT AXLE	FB01-33-065A	2		
		33 071	CAP, HUB	F801-33-071A	2		
		33 251B		F801-33-251	2	COUPE	
				FB05-33-251	2	CONVERTIBLE	
	}	33 261	COVER (R). DUST	FB01-33-260B	1	COUPE	
				FB05-33-2608	1	CONVERTIBLE	
		33 261Z	COVER (U), DUST	FB01-33-270B		COUPE	
				FB05-33-270B		CONVERTIBLE	
		33 2808	SUPPORT (R), MOUNTING	FB01-33-281	1 ;		
		33 280X	SUPPORT (U, MOUNTING	FB01-33-291			
		33 651	PISTON, FRONT CALIPER	FB05-33-651	8	CONVERTIBLE	
				8341-33-651	2	COUPE	
		33 691	SCREW, BLEEDER	FB05-33-691A	2	CONVERTIBLE	
				0233-33-691	2	COUPE	
		33 693	CAP, RUBBER	FB05-33-693	2	CONVERTIBLE	
SEE ILLUSTRATION/S AT FRAME 1 - E13		l	CAP, BLEEDER SCREW	0259-33-693	2	COUPE	
SEE ILLUSTRATION/S AT FRAME 1 - E13		33 694	PIN, GUIDE-FRONT CALIPER	8341-33-694	2	COUPE	
		33 696A		FB05-33-696	4	CONVERTIBLE	
		33 697	BOLT, BRIDGE-FRONT BRAKE	F805-33-697	8	CONVERTIBLE	
		33 698A	PIN	FA66-33-699	2	COUPE	
		33 980	CALIPER (R), FRONT BRAKE	FC02-33-980A	1	CONVERTIBLE	
			REFER TO WARR. CAMPAIGN NO. 26801 FOR RECALL INFO. ON CERTAIN 1986 & 1987 MODELS.				
				FB01-33-980B	1	COUPE	
		33 Y80Z	CALIPER (U, FRONT BRAKE REFER TO WARR. CAMPAIGN NO. 26801 FOR RECALL INFO. ON CERTAIN 1986 & 1987	FC02-33-990A	1	CONVERTIBLE	
			MODELS.	£801 00 0000	.	COURT	
		22 0014	WACUER BLANK CUST COURS	fB01-33-990B		COUPE	
			WASHER, PLAIN-DUST COVER SEAL KIT, CALIPER-FRONT	FB01-33-981 FB05-49-240	8	CONVENTING	
		17 2400	JOHNI, CAUGO-RONI	1505-47-240	<u> </u>	CONVERTIBLE	171700

3300-4	FRONT AXLE & BRAKE MECHANISMS (FOR NORMAL SUSPENSION)							
		ITEM NO.	D-CODE	DESCRIPTION	PART NO.	QTY	MODEL/DESCRIPTION	REMARKS
			49 240C (CONT'D)		8341-49-240	1	COUPE	
				BOOT KIT, FRONT CALIPER	FA66-49-250	1	COUPE	
			49 280B		FA66-49-280	;	COURT	
				REFER TO WARR. CAMPAIGN NO. 26801 FOR RECALL INFO. ON CERTAIN 1986 & 1987 MODELS.				
					6BF1-33-625	1	CONVERTIBLE	
					FC02-33-28Z	1		
			49 290B	ATTACHMENT, PAD-FRONT	FB05-49-290B	1	CONVERTIBLE	
					FA66-49-290A	1	COUPE	
	SEE ILLUSTRATION/S AT FRAME 1 - E13							
			<u> , </u>	, <u>, , , , , , , , , , , , , , , , , , </u>				
		1 - H	13					






	ITEM NO.	D-CODE	DESCRIPTION	PAIRT NO.	QTY	MODEL/DESCRIPTION	REMA
		26 043	WASHER, CLAW	1011-33-043	2		
		26 137	WASHER, PLAIN-LOWER ARM	FB01-26-137	4		
	1	33 020	KNUCKLE (R), STEERING	FB01-33-021B	1		
	ĺ	33 020Z	KNUCKLE (L), STEERING	FB01-33-031B	1	;	
		33 042	NUT	0662-33-042	2		
	İ	33 049	COVER, SET	0662-33-049	2		
		33 061	HUB, FRONT WHEEL	FB05-49-060E	2		
	ļ	33 062	BOLT, WHEEL	FB05-26-113A	10		
		33 065	SEAL, OIL-FRONT AXLE	FB01-33-065A	2		
		33 071	CAP, HUB	FB01-33-071A	2	:	
		33 251B	PLATE, HUB/DISK	FB05-33-251	2		
		33 261	COVER (R), DUST	FB05-33-260B	1		
		33 2612	COVER (U. DUST	FB05-33-2708	1		
		33 651	PISTON, FRONT CALIPER	FB05-33-651	8		
		ļ	SCREW, BLEEDER	FB05-33-691A	2		
		33 693	CAP, RUBBER	FB05-33-693	2		
		1	PIN, PAD-FRONT BRAKE	FB05-33-696B	4		
		33 697	BOLT, BRIDGE-FRONT BRAKE	FB05-33-697	8		
		33 980	CALIPER (R), FRONT BRAKE	FC02-33-980A	1		
			REFER TO WARR. CAMPAIGN NO. 26801 FOR RECALL INFO. ON CERTAIN 1986 & 1987 MODELS.				
		33 9802	CALIPER (L), FRONT BRAKE REFER TO WARR. CAMPAIGN	FC02-33-990A	1		
SEE ILLUSTRATION/S AT FRAME 1 - I13			NO. 26801 FOR RECALLINFO. ON CERTAIN 1986 & 1987 MODELS.				
		ì	WASHER, PLAIN-DUST COVER	FB01-33-981	6		
		1	SEAL KIT, CALIPER-FRONT	FB05-49-240	1		
		49 280B	PAD SET, FRONT CALIPER	8BF1-33-625	1		
			REFER TO WARR. CAMPAIGN NO. 26801 FOR RECALL INFO. ON CERTAIN 1986 & 1987 MODELS.				
		49 2908	ATTACHMENT, PAD-FRONT	FC02-33-28Z FB05-49-290B	1		
	1						




	VENICLE	RESTRICTIO	Ĭ.	
BODY TYPE	HARD SUSP.	A.A.SUSP.	DISC WHEEL	
	-	-	4 NOLES-14"	
COUPE	×	-	F 700 F0 159 (169	
	×	×	5 HOLES-15"/16"	
CONVERTIBLE	-	-	5 NOLES-15"	



VEHICLE RESTRICTION								
BODY TYPE	IMAZO SOSP.	A.A. SUSP.	DISC WHEEL					
	-		4 90LES-14"					
COUPE	×	-	E 200 EC 155 (105					
	××		5 HOLES-15"/16"					
CONVERTIBLE	-	-	5 NOLES-15°					

 FRONT AXLE & BRAKE MECHANISMS (FOR SUSPENSION) (ANTI-LOCK BRAKE SYSTEM)	ITEM NO.	D-CODE	DESCRIPTION.				<del></del> ,
	IIEM NO.		DESCRIPTION	FART NO.	GIY	MODEL/DESCRIPTION	REMAR
			WASHER, CLAW	1011-33-043	2		
		26 137	WASHER, PLAIN-LOWER ARM	FB01-26-137	4		
		1	KNUCKLE (R), STEERING	F051-33-0218	1		
			KNUCKLE (L), STEERING	F051-33-031B	1		
		33 042	NUT	0662-33-042	2		
			COVER, SET	0662-33-049	2	1	
		33 061	HUB, FRONT WHEEL	FB05-49-060E	2		
	1	33 062	BOLT, WHEEL	FB05-26-113A	10		
		33 065	SEAL, OIL-FRONT AXLE	FB01-33-065A	2		
		33 071	CAP, HUB	FB01-33-071A	2		
	9		PLATE, HUB/DISK	FB05-33-251	2		
		33 261	COVER (R), DUST	fB05-33-260B	1 1		
		33 261Z	COVER (I), DUST	FB05-33-270B	1		
		33 471	ROTOR, SENSOR-FRONT A.B.S.	F048-33-471	2		
	1	33 651	PISTON, FRONT CALIPER	FB05-33-651	8		
		33 691	SCREW, BLEEDER	FB05-33-691A	2		
		33 693	CAP, RUBBER	FB05-33-693	2		
		33 696A	PIN, PAD-FRONT BRAKE	FB05-33-696	4		
		33 697	BOLT, BRIDGE-FRONT BRAKE	FB05-33-697	ä		
		33 980	CALIPER (R), FRONT BRAKE	FC02-33-980A	1	 	
			REFER TO WARR. CAMPAIGN NO. 26801 FOR RECALL INFO. ON CERTAIN 1986 & 1987 MODELS.				
		33 980Z	CALIPER (U. FRONT BRAKE	FC02-33-990A	1		
SEE ILLUSTRATION/S AT FRAME 1 - K13			REFER TO WARR. CAMPAIGN NO. 26801 FOR RECALL INFO. ON CERTAIN 1986 & 1987 MODELS.				
		33 981A	WASHER, PLAIN-DUST COVER	FB01-33-981	8	ļ	
		49 240C	SEAL KIT, CALIPER-FRONT	FB05-49-240	1		
		49 2808	PAD SET, FRONT CAUPER	88F1-33-625	1 1	•	
		:	REFER TO WARR. CAMPAIGN NO. 26801 FOR RECALL INFO. ON CERTAIN 1986 & 1987 MODELS.				
	i			FC02-33-28Z	1		
		49 290B	ATTACHMENT, PAD-FRONT	FB05-49-290	1		
	,			<u></u>	<u>l.</u>		

# 3400-1 FRONT SUSPENSION MECHANISMS (W/O TURBO) (W/O AUTOMATIC ADJUSTING SUSPENSION)




	VENICLE	RESTRICTIO	N
BOOY TYPE	HARD SUSP.	A.A.SUSP.	DISC WHEEL
	-	_	4 HOLES-14"
COUPE	×	-	C NO. TO 151 (165
	×	×	- 5 HOLES-15"/16"
CONVERTIBLE	_	-	5 HOLES-15"

M NO.	D-COOF	DESCRIPTION	PART NO.	O.L.	MODEL/DESCRIPTION	REMARKS
	28 091	NUT	H266-28-091	4		7301-
	34 0118	SPRING (R), COIL	F867-34-011	1	NORMAL SUSPENSION, CONVERTIBLE	
			FB01-34-0118	١.	NORMAL SUSPENSION	
			F844-34-011	1	HARD SUSPENSION	
	34 011X	SPRING (L), COIL	FB67-34-021	1	NORMAL SUSPENSION, CONVERTIBLE	
			FB01-34-021B	1	NORMAL SUSPENSION, COUPE	
			FB44-34-021	1	HARD SUSPENSION	
	34 012	SHEET, RUBBER	FB01-34-012	2		
	34 019	CAP, DAMPER	FB01-34-019	2		
	34 091	NUT	8037-28-091	8		-7301
				4		7301-
	34 098	BOLT	FB01-34-098	2		
	34 099	BOLT	H001-33-302	4		-7301
			FB01-34-099A	4		7401-
	34 10X	STOPPER, BUMP	FB01-34-312	2		-5801
	34 111	BUMPER, BOUND	FB01-34-111A	2		
	34 134A	BOLT, TENSION ROD	8871-34-134A	4		
	34 160A	BRACKET, STABILIZER	FB01-34-160A	2		
	34 201	BRACKET, LOWER ARM	FB01-34-201	2		
	34 310	ARM (R), LOWER	FB01-34-310B	1		
	34 3102	ARM (L), LOWER	FB01-34-360B	1		
	34 318	BOLT, FLANGE-STEERING KNUCKLE	H260-34-318	4		7301-
	34 341	SHEET, SPRING	F801-34-341	2		
	34 390	RUBBER, MOUNTING	F801-34-380	2		
		<a></a>	FB01-34-380C	2		
	34 460	BUSHING, RUBBER-LOWER ARM	FB01-34-460	2		
	34 470	BUSHING, RUBBER FRONT	F801-34-470	2		
	34 550	BALL JOINT, LOWER	FB01-34-550	2		
	34 910	DAMPER (R), FRONT	FB44-34-700C	1	NORMAL SUSPENSION, CONVERTIBLE	
			FB01-34-700C	1	NORMAL SUSPENSION COUPE	
			FB44-34-700C	1	HARD SUSPENSION	
	34 910Z	DAMPER (U), FRONT	FB44-34-900C	1	NORMAL SUSPENSION CONVERTIBLE	
			FB01-34-900C	1	NORMAL SUSPENSION COUPE	
			FB43-34-900D	1	HARD SUSPENSION	
	39 055	BOLT	9978-01-285	2		-6201

5801 FC33\* -113629 6201 FC33\* -129445 7301 FC33\* -537230 7401 FC33\* -543109

## 3400A-1 FRONT SUSPENSION MECHANISMS (W/O TURBO) (FOR AUTOMATIC ADJUSTING SUSPENSION)



	VEHICLE	RESTRICTION	
BOOY TYPE	HARD SUSP.	A.A. SUSP.	DISC WHEEL
	-	-	4 HOLES-14"
COUPE	×	_	5 HOLES-15"/16"
	×	×	2 m/re2-12 \10
CONVERTIBLE	-	_	5 HOLES-15"


ITEM NO.	D-CODE	DESCRIPTION	PAIT NO.	QTY	MODEL/DESCRIPTION	BEMARKS
	28 091	NUT	H266-28-091	4		7301-
j	34 0118	SPRING IR), COIL	FB44-34-011	1	PINK MARK	
	34 011X	SPRING (L), COIL	FB44-34-021	1	GRAY MARK	
	34 012	SHEET, RUBBER	FB01-34-012	2		
	34 080	ACTUATOR	F807-34-080A	2		
	34 088	PLATE SET	H126-34-088A	2		
	34 089A	NUT	G054-34-089A	2		
	34 091	NUT	8001-34-091	8		-7301
	İ			4		7301-
	34 098	BOIT	FB01-34-098	2		
	34 099	BOLT	H001-33-302	4		-7301
			FB01-34-099A	4		
	34 10X	STOPPER, BUMP	FB01-34-312	2	W/O A.B.S.	-5801
	34 111	BUMPER, BOUND	FB01-34-111A	2		
	34 134A	BOLT, TENSION ROD	8871-34-134A	4	•	
	34 160A	BRACKET, STABILIZER	FB01-34-160A	2		
	34 201	BRACKET, LOWER ARM	FB01-34-201	2		
	34 310	ARM (R), LOWER	FB01-34-310B	1		
	34 3102	ARM (L), LOWER	FB01-34-360B	1		
	34 318	BOLT, FLANGE-STEERING KNUCKLE	H260-34-318	4		7301-
	34 341	SHEET, SPRING	FB01-34-341	2		
	34 390	RUBBER, MOUNTING	FB01-34-380	2		-6A01
		<a></a>	FB01-34-380C	2		6513-
	34 460	BUSHING, RUBBER-LOWER ARM	FB01-34-460	2		
	34 470	BUSHING, RUBBER-FRONT	FB01-34-470	2		
	34 550	BALL JOINT, LOWER	F801-34-550	2		
	34 910	DAMPER (R), FRONT	FB52-34-700A	1		
	34 910Z	DAMPER (L), FRONT	FB52-34-900A	1		
	39 055	BOLT	8092-39-055	2		-6201
			,			

5801 FC33\* -113629 6201 FC33\* -129445 6513 FC33\* -147766 6A01 FC33\* -517640 7301 FC33\* -537230

## **SECTION INDEX -- CHASSIS**

MING CATCH	WCT. NO.	SICTION NAME	SUMBAG IQCUTON	<b>35</b> (7, 140,	SECTION HAME	STAITING LOCATION	SECT. NO.	SECTION HAME
- C11	2500	DRIVESHAFT	1 - 114	4000B	EXHAUST SYSTEM			
- DII	2550	REAR DRIVESHAFTS	1 - (14	40000	(W/O TURBO)			
- E11	2600	REAR AXLE						
- F11	2610	REAR BRAKE MECHANISMS	1 - C15	4000BA	EXHAUST SYSTEM (TURBO)			
· H11	2710	REAR DIFFERENTIALS [W/O TURBO  NORMAL DIFFERENTIAL	1 - E15	4140B	CLUTCH RELEASE & MASTER CYLINDERS			
- 311	27 10A	REAR DIFFERENTIALS  (W/O TURBOXLIMITED-SLIP DIFFERENTIAL)	1 - F15	4160	ACCELERATOR CONTROL SYSTEM			
- [11	2710C	REAR DIFFERENTIALS	1 - G15	4200	FUEL TANK			
		(TURBO)(LIMITED-SLIP DIFFERENTIAL)	1 - H15	4300	CLUTCH & BRAKE PEDALS			
- NII	2800	REAR SUSPENSION MECHANISMS (W/O TURBO) (W/O AUTOMATIC ADJUSTING SUSPENSION)	1 - 115	4340	BRAKE MASTER CYLINDER & POWER BRAKE (W/O ANTI-LOCK BRAKE SYSTEM)			
- C12	2800A	REAR SUSPENSION MECHANISMS (W/O TURBO) [FOR AUTOMATIC ADJUSTING SUSPENSION]	1 - (15	4340A	BRAKE MASTER CYLINDER & POWER BRAKE (ANTI-LOCK BRAKE SYSTEM)			
- D12	2800B	REAR SUSPENSION MECHANISMS (TURBO)	1 - N15	4360	BRAKE PIPINGS	]		
- E12	2810	REAR STABILIZER	1 - C16	4360A	(W/O ANTI-LOCK BRAKE SYSTEM) BRAKE PIPINGS			
- F12	2830	REAR LOWER ARMS & SUB-FRAME	1 . C18	436UA	(ANTI-LOCK BRAKE SYSTEM)	İ		
- H12	3200	STEERING WHEEL	1 - D16	4370	ANTI-LOCK BRAKE SYSTEMS			
- 112	3210	STEERING COLUMN & SHAFTS	1 - F16	4400	PARKING BRAKE SYSTEM	i		
- 115	3210A	STEERING COLUMN & SHAFTS (W/ POWER STEERING)	1 - G16	4500B	FUEL PIPINGS (W/O ANTI-LOCK BRAKE SYSTEM)			
- K12	3220	STEERING GEAR (W/O POWER STEERING)	1 - H16	4500BA	FUEL PIPINGS (ANTI-LOCK BRAKE SYSTEM)			
- 112	3220A	STEERING GEAR (W/ POWER STEERING)	1 - 116	4600	CHANGE CONTROL SYSTEM (AUTOMATIC TRANSMISSION)			
- M12	3230	STEERING LINKAGE SYSTEM			,			
- C13	3240	POWER STEERING SYSTEM						
- E13	3300	FRONT AXLE & BRAKE MECHANISMS [FOR NORMAL SUSPENSION]						
- 113	3300A	FRONT AXIE & BRAKE MECHANISMS (FOR HARD SUSPENSION) (W/O ANTI-LOCK BRAKE SYSTEM)		ļ				
- K13	33008	FRONT AXLE & BRAKE MECHANISMS (FOR HARD SUSPENSION) (ANTI-LOCK BRAKE SYSTEM)						
- M13	3400	FRONT SUSPENSION MECHANISMS (W/O TURBO)						
- N13	3400A	(W/O AUTOMATIC ADJUSTING SUSPENSION) FRONT SUSPENSION MECHANISMS (W/O TURBO)						
		(FOR AUTOMATIC ADJUSTING SUSPENSION)	1					
- C14	340ÔB	FRONT SUSPENSION MECHANISMS (TURBO)						
- D14	3410	CROSSMEMBER & STABILIZER						
- E14	3700	TIRES & JACK (W/O TURBO)						
- H14	3700A	TIRES & JACK (TURBO)						
- 314	39008	ENGINE & TRANSMISSION MOUNTINGS (W/O TURBO)				<u> </u>		
- K14	3900BA	,	ĺ					

3400B-1 FRONT SUSPENSION MECHANISMS (TURBO)




VEHICLE RESTRICTION								
BOOY TYPE	HARD SUSP.	A.A.SUSP.	DISC WHEEL					
	-	-	4 HOLES-14"					
COUPE	×	-	E 1101 DO 127/167					
	×	×	5 HOLES-15"/16"					
CONVERTIBLE	-	-	5 HOLES-15"					

IEM NO.	D-CODE	DESCRIPTION	PART NO.	QTY	MODEL/DESCRIPTION	REMARKS
	28 091	NUT	H266-28-091	4		7301-
	34 011B	SPRING (和, COIL	FB44-34-011	1	PINK MARK	
	34 011X	SPRING (L), COIL	FB44-34-021	1	GRAY MARK	
	34 012	SHEET, RUBBER	FB01-34-012	2		
	34 019	CAP, DAMPER	FB01-34-019	2		
	34 091	NUT	8001-34-091	8		-7301
				4		7301-
	34 098	BOIT	FB01-34-098	2		
	34 099	BOIT	H001-33-302	4		-7301
			FB01-34-099A	4		
	34 111	BUMPER, BOUND	FB01-34-111A	2		
	34 134A	BOLT, TENSION ROD	8871-34-134A	4		
	34 160A	BRACKET, STABILIZER	FB01-34-160A	2		
	34 201	BRACKET, LOWER ARM	FC01-34-201	2		
	34 310	ARM (R), LOWER	FB01-34-310B	1		
	34 310Z	ARM (L), LOWER	FB01-34-360B	1		
	34 318	BOLT, FLANG-STEERING KNUCKLE	H260-34-318	4		7301-
	34 341	SHEET, SPRING	FB01-34-341	2		
	34 390	RUBBER, MOUNTING	FB01-34-380	2		-6513
		<a></a>	FB01-34-380C	2		6513-
	34 460	BUSHING, RUBBER-LOWER ARM	FB01-34-460	2		
	34 470	BUSHING, RUBBER-FRONT	FB01-34-470	2		
	34 550	BALL JOINT, LOWER	FB01-34-550	2		
	34 910	DAMPER (R), FRONT	FB44-34-700C	1		
	34 910Z	DAMPER (U), FRONT	FB44-34-900C			
					i	


6513 FC33\* -147766 7301 FC33\* -537230


#### 3410-1 CROSSMEMBER & STABILIZER




	VEHICLE	RESTRICTIO	K
BOOY TYPE	HARD SUSP.	A.A.SUSP.	DISC WHEEL
	-	-	4 HOLES-14"
COUPE	×	_	
	×	×	5 HOLES-15"/16"
CONVERTIBLE	_	_	S ROLES-15"

ITEM NO.	D-CODE	DESCRIPTION	PART NO.	QTY	MODEL/DESCRIPTION	REMARKS
	34 091	NUT	FB01-34-091	4		5906-
	34 151	STABILIZER, FRONT	F801-34-151C	1	NORMAL SUSPENSION COUPE	
			FB43-34-151C	1	HARD SUSPENSION	
	34 155	PLATE, STABILIZER	FB01-34-155	2		i
	34 156A	RUBBER, STABILIZER-FRONT	FB02-34-156A	2	NORMAL SUSPENSION COUPE	
			FB43-34-156B	2	HARD SUSPENSION	
	34 170A	LINK, CONTROL-STABILIZER	FB01-34-170A	2		
	34 800	MEMBER, CROSS	F867-34-800C	1	NORMAL SUSPENSION CONVERTIBLE	
	l		FB01-34-800G	1		
	39 036	WASHER	8001-39-036	4	•	-5906
1	39 037	NUT	B001-39-037B	4		-5906
					1	






			1	QTY	MODEL/DESCRIPTION	REMARKS
	37 600E		9965-53-0040	4	40G	
	(CONT'D)		9965-53-0045	4	45G	
ı			9965-53-0050		50G	İ
ı			9965-53-0055		-	
ı			9965-53-0060	;	55G 60G	
	37 600K	MEICHT DIEC MINEE ANNA	1		, <del>-</del>	
	37 BOOK	WEIGHT, DISC WHEEL-ALUM.	9965-59-0005	1 *	SG FOR 1-PIECE WHL.	
			9965-59-0010	1 4	10G FOR 1-PIECE WHL.	
ļ			9965-59-0015	4	15G FOR 1-PIECE WHL.	
			9965-59-0020	4	20G FOR 1-PIECE WHL.	
			9965-59-0025	4	25G FOR 1-PIECE WHL.	
			9965-59-0030	4	30G FOR 1-PIECE WHL.	
			9965-59-0035	4	35G FOR 1-PIECE WHL	
	İ		9965-59-0040	4	40G FOR 1-PIECE WHL.	
			9965-59-0045	4	45G FOR 1-PIECE WHL.	
	İ		9965-59-0050	4	50G FOR 1-PIECE WHL.	
			9965-59-0055	4	55G FOR 1-PIECE WHL.	
			9965-59-0060	4	60G FOR 1-PIECE WHL.	
ا			9965-61-0005	4	5G FOR 2-PIECE WHL.	
]	1		9965-61-0010	4	10G FOR 2-PIECE WHL.	
1			9965-61-0015	4	15G FOR 2-PIECE WHL.	
			9965-61-0020	4	20G FOR 2-PIECE WHL.	
			9965-61-0025	4	25G FOR 2-PIECE WHL.	
			9965-61-0030	4	30G FOR 2-PIECE WHL.	
			9965-61-0035	4	35G FOR 2-PIECE WHL.	
[			9965-61-0040	4	40G FOR 2-PIECE WHL.	
			9965-61-0045	4	45G FOR 2-PIECE WHL.	
1			9965-61-0050	4	50G FOR 2-PIECE WHL.	
1			9965-61-0055	4	55G FOR 2-PIECE WHL.	
			9965-61-0060	4	60G FOR 2-PIECE WHL.	
	37 6005	WHEEL SET, DISC-ALUM.	88f3-37-192	4	5.5JJ X 14, PEWTER NORM. SUSPSE, LX	-6701
		REFER TO PARTS BULL. NO. T-2-1 FOR MORE WHEEL INFO.				
			8BF1-37-600	4	5.5JJ X 14, BRIGHT NORM. SUSPSE, LX	6701-7101
			8BFK-37-600	4	5.5JJ X 14, TOPY MAKE NORM. SUSPSE, LX	7101-
			88F8-37-600	4	5.531 X 14, NKK MAKE NORM. SUSPSE, LX	7101-
			8BFF-37-600A	4	6.5JJ X 15, CONV. NORM. SUSP.	





ITEM NO.	D-CODE	DESCRIPTION	PART NO.	QTY	MODEL/DESCRIPTION	REMARKS
	37 600T	WHEEL SET (R), DISCALUM.	88f2-37-192	2	6JJ X 15, 5-HOLE PEWTER HARD SUSPSPORT, GTU, GXL	-6701
		REFER TO PARTS BULL, NO. T-2-1 FOR MORE WHEEL INFO.				
			8BF5-37-600	2	6JJ X 15, 5-HOLE BRIGHT HARD SUSPSPORT, GTU, GXL	6701-7101
			8BF9-37-600	2	6JJ X 15, 5-HOLE POLISHED HARD SUSPSPORT, GTU, GXL	7101-
	37 600U	WHEEL SET (L), DISCALUM.	8BF5-37-192	2	63) X 15, 5-HOLE PEWTER HARD SUSPSPORT, GTU, GXL	-6701
		REFER TO PARTS BULL, NO. T-2-1 FOR MORE WHEEL INFO.				
			88F4-37-600	2	6JJ X 15, 5-HOLE BRIGHT HARD SUSPSPORT, GTU, GXL	6701-7101
			88FA-37-600	2	6JJ X 15, 5-HOLE POLISHED HARD SUSPSPORT, GTU, GXL	7101-
	37 600Z	WHEEL, DISC-ALUM.	9965-09-405	1	4T X 15, TEMP. COUPE, NORM SUSP.	-7601
	52 398	PAD, TANK PROTECTOR	0866-52-398A	1		
	56 170A	BOLT, JACK SET	FB01-56-177	1		
	56 172	WELT, SEAMING-JACK	FB01-56-172A	1		
	56 176	HOLDER, JACK HANDLE	FB01-56-176	1		
	56 210B	CLAMP, SPARE TIRE	FB67-56-960A	1	L=110MM, CONV.	
			FB67-56-971	1	CONV.	8A25-
			FB01-56-971	1	COUPE	
			FB02-56-961A	1	L-159MM NORM. SUSPBASE, SE, LX	
			FB01-56-961B	1	L-165MM HARD SUSPSPORT, GTU, GXL	
	68 07 1	WRENCH, WHEEL CAP	F057-68-071	1	CONV.	
	68 800A	JACK	FB07-37-790A	1		
	68 810A	HANDLE, JACK	F801-37-810	1		
6701	FC33*	-500010			-tui-	
7101		-528625 -50148				

7601 FC33\* -550168 8A25 FC351 -108679




ITEM NO.	D-CODE	DESCRIPTION	PART NO.	QTY	MODEL/DESCRIPTION	REMARKS
	26 161A	NUT, HUB	B002-37-160	20	PLATED	
	37 1928	EMBLEM, CENTER	FB79-37-192	4	FOR 7.13 X 16, ALUM. WHITE 10TH ANNIV. ED.	
			FB01-37-192B	4	FOR 611 X 15 & 711 X 16 AIUM.	-7101
			F055-37-192	4	FOR 611 X 15 & 711 X 16 ALUM.	7101-
	37 600A	TIRE	0000-78-5755	1	T135/70D16, TEMP.	
		REFER TO ACC. BULL. NO. XE-1 FOR MORE INFO.				
			0000-78-0208	4	205/55VR16	
	37 600C	VALVE, AIR	9963-60-413	4		
	37 600K	WEIGHT, DISC WHEEL-ALUM.	9965-59-0005	4	5G FOR 1-PIECE WHL.	
			9965-59-0010	4 .	10G FOR 1-PIECE WHL.	
			9965-59-0015	4	15G FOR 1-PIECE WHL.	
			9965-59-0020	4	20G FOR 1-PIECE WHL.	
			9965-59-0025	4	25G FOR 1-PIECE WHL.	
			9965-59-0030	4	30G FOR 1-PIECE WHL.	
			9965-59-0035	4	35G FOR 1-PIECE WHL.	
			9965-59-0040	4	40G FOR 1-PIECE WHL.	
			9965-59-0045	4	45G FOR 1-PIECE WHL.	
			9965-59-0050	4	50G FOR 1-PIECE WHL.	
			9965-59-0055	4	55G FOR 1-PIECE WHL.	
	l		9965-59-0060	4	60G FOR 1-PIECE WHL.	
	37 600T	WHEEL SET (R), DISC-ALUM.	88FH-37-600	2	7.11 X 16, 10TH ANNIV. ED.	
		REFER TO PARTS BULL, NO. T-2-1 FOR MORE WHEEL INFO.				
			8BF6-37-192	2	711 X 16, PEWTER	-6701
			88F3-37-600	2	7JJ X 16, BRIGHT	6701-7101
			8BFB-37-600	2	7JJ X 16, POLISHED	7101-7701
			8BFD-37-600	2	7JJ X 16, POLISHED	7701-
	37 600U	WHEEL SET (L), DISC-ALUM.	8BFJ-37-600	2	7,1, x 16, 10TH ANNIV. ED.	
		REFER TO PARTS BULL, NO. T-2-1 FOR MORE WHEEL INFO.				
			88F7-37-192	2	7JJ X 16, PEWTER	-6701
			8BF2-37-600	2	7JJ X 16, BRIGHT	6701-7101
	İ		8BFC-37-600	2	7JJ X 16, POLISHED	7101-7701
			8BFE-37-600	2	7JJ X 16, POLISHED	7701-
	37 600Z	WHEEL, DISC-ALUM.	9965-10-406	1	4T X 16, TEMP.	
	52 398	PAD, TANK PROTECTOR	0866-52-398A	1		
	56 170A	BOLT, JACK SET	FB01-56-177	1		
6701 7101		-500010 -528625				





4000B-1 EXHAUST SYSTEM (W/O TURBO)



TEM NO.	D-CODE	DESCRIPTION	PART NO.	977	MODEL/DESCRIPTION	REMARKS
	13 815D	PROTECTOR, AIR HOSE	N326-13-815	1		6101-
	20 305	GASKET, EXHAUST PIPE-CONVERTER	N326-40-305	4		
	20 500A	CONVERTER, MONQLITH	N327-20-500	1	A/T	
	40 060A	HANGER, SILENCER	N326-40-060B	2		
	40 061	HANGER, SILENCER	N328-40-060	2		
	40 0618	RUBBER, HANGER	N225-40-061	6		
	40 065A	RUBBER, STOPPER	N326-40-065	2		5C01-
	40 073	SPACER	N304-40-073A	3	A/T	
				4	M/T	
,	40 078	GASKET	N304-40-078A	3		
	40 081	BRACKET	N326-40-080	1	M/T	
			N327-40-080	1	A/T	
	40 100A	SILENCER (R), MAIN	N338-40-100B	1	CONVERTIBLE	1
			N326-40-100L	1	COUPE	
	40 110A	PIPE, MIDDLE	N319-40-600B	1	CONVERTIBLE	
	į		N326-49-600E	1	COUPE	
	40 160	HANGER, SILENCER	N304-40-161A	1	A/T	
			1114-40-160	1	M/T	
	40 166	WASHER	0820-40-166	3	A/T	
	1			6	M/T	
	40 200C	SHENCER (I), MAIN	N338-40-200A	1	CONVERTIBLE	1
		<an></an>	N338-40-200B	1		
			N326-40-200J	1	COUPE	
	40 220	BRACKET, HANGER	N326-40-69XB	1		
	40 230	BRACKET, HANGER	N326-40-690B	1		
	40 305	GASKET	N327-40-305	2		
	40 355A	TUN	8118-40-355	8		
	40 357D	WASHER	N326-40-357	2		
	40 375	GASKET	1480-40-375	ן ו		
	40 4001	· · · ·	N326-20-600A	1		
	40 400A	*	N326-20-550	1		
	40 401	INSULATOR	0820-40-165	2		
	40 54X	BRACKET, HANGER-MONOLITHIC CONVERTER	N326-40-54X	1	M/T	
			N327-40-54X	1	A/T	
	40 650	BRACKET, HANGER	N326-40-640	2		
	40 720	PIPE, AIR	N338-20-840	1	CONVERTIBLE	
	1		N326-20-840B	1	COUPE	
	40 728	HOSE, AIR	N326-20-750	1		
	40 780A	CONVERTER NO. 1, PRE	N326-20-500A	1	M/T	
5001	EC33*	-118428	<u></u>	<u> </u>	<del> </del>	*


5C01 FC33\* -118628 6101 FC33\* -124137

## **SECTION INDEX -- CHASSIS**

CARCH	99(T. NO.	SCION HAME	SIMPLE	18CT. NO.	SICTION HAME	STARTING LOCATION	<b>92</b> (1, NO.	SECTION NAME
	2500	DRIVESHAFT	1 - 114	4000B	EXHAUST SYSTEM			
DII	2550	REAR DRIVESHAFTS			[W/O TURBO]			
E11	2600	REAR AXLE	1 - C15	4000BA	EXHAUST SYSTEM	-		
- F11	2610	REAR BRAKE MECHANISMS	11.613	100001	(TURBO)			
- H11	2710	REAR DIFFERENTIALS [W/O TURBO  NORMAL DIFFERENTIAL]	1 - E15	4140B	CLUTCH RELEASE & MASTER CYLINDERS (MANUAL TRANSMISSION)			
- 111	2710A	REAR DIFFERENTIALS	1 - F15	4160	ACCELERATOR CONTROL SYSTEM			
	2710C	(W/O TURBO)(LIMITED-SLIP DIFFERENTIAL) REAR DIFFERENTIALS	1 - G15	4200	FUEL TANK		,	
•••	.,,,,,	(TURBO)LIMITED-SLIP DIFFERENTIAL)	1 - H15	4300	CLUTCH & BRAKE PEDALS			
- NII	2800	REAR SUSPENSION MECHANISMS (W/O TURBO) (W/O AUTOMATIC ADJUSTING SUSPENSION)	1 - 115	4340	BRAKE MASTER CYLINDER & POWER BRAKE (W/O ANTI-LOCK BRAKE SYSTEM)			
- C12	2800A	REAR SUSPENSION MECHANISMS (W/O TURBO) (FOR AUTOMATIC ADJUSTING SUSPENSION)	1 - 115	4340A	BRAKE MASTER CYLINDER & POWER BRAKE (ANTI-LOCK BRAKE SYSTEM)			
- D12	2800B	REAR SUSPENSION MECHANISMS (TURBO)	1 - N15	4360	BRAKE PIPINGS (W/O ANTI-LOCK BRAKE SYSTEM)			
- E12	2810	REAR STABILIZER						
- F12	2830	REAR LOWER ARMS & SUB-FRAME	1 - C16	4360A	BRAKE PIPINGS (ANTI-LOCK BRAKE SYSTEM)			
- HI2	3200	STEERING WHEEL	1 - 016	4370	ANTI-LOCK BRAKE SYSTEMS			
- 112	3210	STEERING COLUMN & SHAFTS	1 - F16	4400	PARKING BRAKE SYSTEM			
- J12	3210A	STEERING COLUMN & SHAFTS (W/ POWER STEERING)	1	4500B	FUEL PIPINGS (W/O ANTI-LOCK BRAKE SYSTEM)			
· K12	3220	STEERING GEAR (W/O POWER STEERING)	1 - H16	4500BA				
- L12	3220A	STEERING GEAR (W/ POWER STEERING)	1 - 116	4600	CHANGE CONTROL SYSTEM [AUTOMATIC TRANSMISSION]			
	3230	STEERING LINKAGE SYSTEM			, and the same of			
	3240	POWER STEERING SYSTEM						
- E13	3300	FRONT AXLE & BRAKE MECHANISMS (FOR NORMAL SUSPENSION)						
- (13	3300A	FRONT AXLE & BRAKE MECHANISMS (FOR HARD SUSPENSION) (W/O ANTI-LOCK BRAKE SYSTEM)						
- K13	3300B	FRONT AXLE & BRAKE MECHANISMS (FOR HARD SUSPENSION) (ANTI-LOCK BRAKE SYSTEM)						
	3400	FRONT SUSPENSION MECHANISMS (W/O TURBO) (W/O AUTOMATIC ADJUSTING SUSPENSION)						
	3400A	FRONT SUSPENSION MECHANISMS (W/O TURBO) (FOR AUTOMATIC ADJUSTING SUSPENSION)						
- C14		FRONT SUSPENSION MECHANISMS (TURBO)						
	3410	CROSSMEMBER & STABILIZER						
- E14	3700	TIRES & JACK (W/O TURBO)				1		
	3700A	TIRES & JACK (TURBO)						
- 314	3900B	ENGINE & TRANSMISSION MOUNTINGS (W/O TURBO)						
- K14	3900BA	ENGINE & TRANSMISSION MOUNTINGS (TURBO)	1					


1 - B15

4000BA-1 EXHAUST SYSTEM (TURBO)




ITEM NO.	D-CODE	DESCRIPTION	FART NO.	QTY	MODEL/DESCRIPTION	REMARKS
	13 4538	STUD	N326-40-353	2	*******	
	13 483	GASKET, EXHAUST PIPE	N318-13-491A	11		
	13 761	GASKET	N318-13-164A	1		
	20 305	GASKET, EXHAUST PIPE-CONVERTER	N326-40-305	3		
	20 500A	CONVERTER, MONOLITH	N332-20-500	1		
	20 523	WASHER, PLAIN	E508-20-523	3		-6401
	20 548A	WASHER, LOCK	N319-13-457B	2		
	40 050A	PIPE, EXHAUST-FRONT	N332-40-500A	1		
	40 060A	HANGER, SILENCER	N326-40-060	2		
	40 061	HANGER, SILENCER	N328-40-060B	2		
	40 0618	RUBBER, HANGER	N225-40-061	6		
	40 065A	RUBBER, STOPPER	N326-40-065	2		
	40 073	SPACER	N304-40-073A	4		
	40 078	GASKET	N304-40-078A	3		
	40 081	BRACKET	N326-40-080	1		
	40 100A	SILENCER (R), MAIN	N332-40-100D	11		-7701
			N332-40-100E	1 1		7701-
	40 110A	PIPE, MIDDLE	N326-40-600E	1 1		
			N319-40-600B	1		
	40 160	HANGER, SILENCER	1114-40-161	11		
	40 166	WASHER	0820-40-166	6		
	40 200C	SILENCER (L), MAIN	N332-40-200E	11		
			N332-40-200F	1		
	40 220	BRACKET, HANGER	N326-40-69XB	1 1		
	40 230	BRACKET, HANGER	N326-40-690B	1		
	40 305	GASKET	N327-40-305	2		
	40 355A	NUT	8118-40-355	6		
	1		B134-40-355	3		
	40 375	GASKET	1480-40-375	1		
	40 4001	CONVERTER, MONOLITH	N332-20-600	1		
	40 401	INSULATOR	0820-40-165	2		
	40 54X	BRACKET, HANGER-MONOLITH CONVERTER	N326-40-54X	1		
	40 650	BRACKET, HANGER	N326-40-640	2		
	40 720	PIPE, AIR	N332-20-840A	1		
	40 720B	PIPE, AIR	N332-20-850A	†		
	40 728	HOSE, AIR	N332-13-814A	1		
	40 811	PROTECTOR, FRONT PIPE	N332-40-823A	1 1		
	40 815A	WASHER	1480-40-815	2		
	40 815E	PROTECTOR, HANGER BRACKET	N326-40-815	1 1		
	40 844	PROTECTOR, MIDDLE PIPE-LOWER	N326-40-844	2		-7401
6401	FC33*	-140158				

6401 FC33\* -140158 7401 FC33\* -543109




4140B-1 CLUTCH RELEASE & MASTER CYLINDERS (MANUAL TRANSMISSION)




TEM NO.	D-CODE	DESCRIPTION	PART NO.	QTY	MODEL/DESCRIPTION	REMARKS
-	17 3411	BALL, STEEL	9961-11-500	1		****
	33 691	SCREW, BLEEDER	0259-33-691	1		
	33 693A	CAP, BLEEDER SCREW	0259-33-693	1		
	41 341	ROD, PUSH	H005-41-341	1		
	41 360	HOLDER, CLUTCH	8871-41-370	1	W/O TURBO	
			F044-41-370A	1 1	TURBO	
	41 380	HOSE, FLEXIBLE	FB01-41-380	1	W/O TURBO	
			F044-41-380B	1	TURBO	
	41 412	BOLT, JOINT	W001-41-412	1 1		
	41 422A	PISTON, O.W. VALVE	0813-41-422D	1		
	41 424	SPRING, O.W. VALVE	H005-41-424	1		
	41 470	SPRING	GA02-41-470	1		
	41 551\$	TANK SET, RESERVE	H115-49-570B	1		
	41 5525	CAP SET, RESERVE TANK	8093-49-580	1		
	41 920	CYLINDER, CLUTCH RELEASE	FB01-41-920A	1	W/O TURBO	ļ
			F044-41-920C	1	TURBO	
	41 990	CYLINDER, CLUTCH MASTER	FB01-41-400C	1		
	43 552S	CAP SET, RESERVE TANK	B093-49-580	1		6A01-
	43 635A	CLIP, FLEXIBLE HOSE	0136-43-635	ı		
	45 510	PIPE, CLUTCH	FB01-45-510A	1	W/O TURBO	
			FB44-45-510	1	TURBO	
	49 460	PARTS KIT, INNER	FB01-49-460	1		
	49 470	SEAL KIT	FB01-49-470	1		
	49 520	PARTS KIT, INNER	F801-49-520A	1		
	49 530	SEAL KIT	FB01-49-530A	1		
	49 686B	BUSHING, ELBOW JOINT	0305-49-686B	1		
			·			
				İ		
			1			
		1		1		

### 4160-1 ACCELERATOR CONTROL SYSTEM




IEM NO.	D-CODE	DESCRIPTION	PART NO.	QTY	MODEL/DESCRIPTION	REMARKS
	18 660	SWITCH, KICK DOWN	F034-66-470	1	M/T, W/ A.A.S. A/T	
	41 610B	PEDAL & ARM	FB01-41-610	1		
	41 619	SPRING, RETURN	8239-41-619	1		
	41 644	BUSHING	B092-41-644	2		
	41 650E	RETAINER, ACCELERATOR ROD	fB01-41-650	1		-7 <b>4</b> 01
			FB01-41-650A	1		7401-
	41 660	CABLE, ACCELERATOR	FB01-41-660D	1	W/O TURBO	
			FB44-41-660C	1	TURBO	
	41 682	RUBBER, STOP	B001-41-652	ŧ		-7401
	41 711A	PAD, ACCELERATOR PEDAL	FA54-41-711A	1		
	43 029	RUBBER, STOPPER	B001-43-029	t		7401-
	60 071C		UB40-60-071	1	TURBO	
	İ					
	}					
	į					
					:	
			}			
	ļ					
	-					
			1			
		l				




ITEM NO.	D-CODE	DESCRIPTION	PART NO.	QTY	MODEL/DESCRIPTION	REMARKS
	42 046	PLUG, DRAIN	BC88-42-045	1		
	42 110	TANK, FUEL	F801-42-110D	1		
	42 210	PIPE, FILLER	FB01-42-210	1		-5910
			FB01-42-210A	1		5910-6501
		<c></c>	FB01-42-210B	1	REQUIRES FB01-42-245A	6501-
	42 240A	HOSE, JOINT-FILLER PIPE	FB01-42-240E	1		Ì
	42 241	GASKET, FILLER PIPE	0866-42-366B	1		
	42 247	HOSE, JOINT-FUEL TANK SIDE	FB01-42-247A	1		
	42 250	CAP, FILLER	FC01-42-250	1		
	42 280	VALVE, NON-RETURN	GB53-42-270	1		
	42 285	REINFORCEMENT, JOINT HOSE-FUEL	FB01-42-285	1		
	42 289	WIRE, EARTH-FILLER PIPE	FB01-42-289	1		
	42 290	PIPE, FILLER NO. 2	FB01-42-290	1		
	42 408	STOPPER, FILLER LID	VA64-42-459	1		
	42 410	LID, FUEL FILLER	FB01-42-410B	1		
	42 410C	BAND (R), TANK FIXTURE	FB01-42-710	1		-6901
			FB01-42-710A	1		6901-
	42 413	SHEET	FB01-42-715	2		
	42 420A	BAND (L), TANK FIXTURE	FB01-42-720	1		-6901
			FB01-42-720A	1		6901-
	42 438	SPRING, LIFT	FB01-42-451C	1		
	42 480	OPENER, FILLER LID	G030-56-890B	1		-6101
			FB01-56-890	1		6101-
	42 523	PAD, FUEL TANK	8531-42-762A	1		
	42 531	PIPE, EVAPORATION	FB01-42-531B	1		
	42 561B	HOSE, EVAPORATION	FB01-42-561A	1		
	42 565	PLUG, DRAIN-VENTILATION HOSE	FB01-42-565	1		
	42 57 1	HOSE, VENT	FB01-42-562	1		
	42 581	HOSE, BREATHER	FB01-42-245	1		-6501
			FB01-42-245A	1		6501-
	42 582	HOSE, BREATHER	FB01-42-248	1		
	42 710	VALVE, CHECK	FB01-42-910	1		
	42 720	VALVE-FUEL VAPOR	FB01-42-980	1		
	42 780A	SCREW 'A', FIXING BAND	H260-42-780	2		6901-
	42 790	SCREW 'B', FIXING BAND	H260-42-790	2		6901-
	42 901A	INSULATOR	FB01-42-761	3		
	42 985	GASKET, VAPOR VALVE	FB01-42-985	1		
	60 960A	GAUGE, FUEL TANK	FB01-60-960B	1		İ
	93 5106	HOSE	9935-10-6999	2		
						1
5910	FC33*	-103555	<del> </del>		<u> </u>	<u> </u>


5910 FC33\* -103555 6101 FC33\* -124137 6501 FC33\* -146093



ITEM NO.	D-CODE	DESCRIPTION	PART NO.	QTY	MODEL/DESCRIPTION	REMARKS
	18 6608	SWITCH, CLUTCH	H005-66-190A	1	M/T	
	41 023A	BUSHING	0727-41-023	1	M/T	
	41 030	PEDAL, CLUTCH	FB01-41-031C	1	M/T	
	41 040	SHEET, SPRING	W090-41-040	l 1	M/T	
	41 043	SHEET, SPRING	0183-41-043	1	M/T	
	41 051	ROD, CLUTCH PEDAL	0824-41-051A	1	M/T	
	41 081A	SPRING, RETURN	0559-41-081A	1	M/T	
	41 084	SPACER	0824-41-084	1	M/T	
	41 131	ROD, PUSH	0727-41-131	1	M/T	
	41 140	FORK, CLUTCH	0305-41-140	۱ ا	M/T	-6625
			FB05-41-140A	ı	M/T	6625-
	41 443	GASKET	H001-41-443	1		
	41 644	BUSHING	0259-41-644	2	M/T	
	43 028	PAD, PEDAL	FB01-43-028A	1	A/T	
			5083-43-028	2	M/T	
	43 029	RUBBER, STOPPER	8001-43-029	1	A/T	
	İ			2	M/T	
			G030-43-029	1	M/T	
	43 030	PEDAL, BRAKE	FB01-43-031	1	M/T	
			FB02-43-031	1	A/T	
	43 041	REST, FOOT	FB01-43-040B	1		j
	43 042	PAD, FOOT REST	FB01-43-042	1	;	i
	43 061A	PIPE, PEDAL	0866-43-062	1	A/T	
				2	M/T	
	43 063	SPACER	FB01-43-063	1		6201-
	43 070	BRACKET, MASTER CYLINDER	FB05-43-070A	1	M/T	
			FB01-43-070E	1	A/T	
	43 081A	SPRING, RETURN-BRAKE	8092-41-081	1		:
	43 090	PLATE	FB02-43-090A	1	A/T	
	43 140	FORK, BRAKE	FB01-43-140	1		
	43 152	PIN, SNAP	D001-43-152	1		
	43 231	BOLT, CLUTCH CUT SWITCH	GE68-43-231	2	M/T	6625-
	43 301	PROTECTOR	Hü01-43-301	1	M/T	
1	46 085	BUSHING	1015-46-085	2	A/T	
				4	M/T	
	46 683	PIN	0187-46-683	1	M/T	
	46 785A	PIN	0604-46-785	1	M/T	
l	66 365A	CUP	B258-66-365	1	M/T	6C01-
	66 4D0	SWITCH, CLUTCH CUT	FB01-66-4D0	1	M/T	
	67 210	SWITCH, LIGHT-BRAKE	8002-66-490A	1	M/T, W/O ACC	
		<u></u>	H003-66-490	1	M/T, W/ ACC	
6201	FC33*	-129445				

6201 FC33\* -129445 6625 FC33\* -157816 6C01 FC33\* -525576







	AENICTE	RESTRICTION	N .
BODY TYPE	HARD SUSP.	A.A.SUSP.	DISC WHEEL
	-		4 HOLES-14"
COUPE	×	_	5 HOLES-15"/16"
	×	×	2 NOLES-13 / 10
CONVERTIBLE	-	-	5 HOLES-15"

	ITEM NO.	D-CODE	DESCRIPTION	PART NO.	QTY	MODEL/DESCRIPTION	REMARKS
		43 410	SWITCH, PRESSURE	FB07-43-410	1	W/ A.A.S.	
		43 443	GASKET, VACUUM POWER ASSIST	H001-43-443	1		
		43 540	INDICATOR, LEVEL	FB01-43-540	1		
		43 5505	TANK SET, RESERVE	FB01-49-680	1		
		43 552\$	CAP SET, RESERVE TANK	8093-49-580	1		
		43 640	HOSE, VACUUM	FB01-43-640	1	W/O TURBO	
		43 694	BOLT, CONNECTOR	8573-43-694	1	W/O TURBO	
		43 750A	HOLDER, P.B.V.	F801-43-750	1		
		43 770	VALVE, CHECK	FB44-43-770	!	TURBO	
		43 800	VACUUM POWER ASSIST	F801-43-800C F805-43-800D	1	COUPE, NORM, SUSP. CONV. W/ HARD SUSP. NORM, SUSP.	
		43 830	PIPE, VACUUM	FB01-43-830A	1	W/O TURBO	
		43 836	HOSE, VACUUM	FB01-43-836	i	W/O TURBO	
				FB44-43-836B	1	TURBO	
		43 836A	HOSE, VACUUM	FB45-43-836A	2	TURBO	
		43 836C	HOSE, VACUUM	2192-43-835A	1	TURBO	
	!	43 840C	PIPE, VACUUM	FB01-43-840	1	W/O TURBO	
				fB44-43-840B	1	TURBO	
		43 850	PIPE, VACUUM	FB44-43-850B	1	TURBO	
		43 880	BRACKET, VACUUM PIPE	FB44-43-880B	1	TURBO	
		43 990	CYLINDER, TANDEM MASTER	F802-43-400C	1	W/O A.A.S.	
				F808-43-400C	1	W/ A.A.S.	
		49 610	PARTS KIT, BRAKE MASTER	HA18-49-610	1		
SEE ILLUSTRATION/S AT FRAME 1 - J15		49 625	CUP, SECONDARY	FB01-49-625	2		
	Ì	49 626	CUP, PRIMARY	0305-49-626	2		
		49 635	CUP, FLOATING	1708-49-635	2	}	-7301
		49 640D	PARTS KIT, INNER	HA18-49-640	1		
		49 6868 49 720	BUSHING, ELBOW JOINT REPAIR KIT	0305-49-686B FB01-49-720	2	COURS NORM SUSP	
		49 /20	KEPAIK KII	FB05-49-720	1	COUPE, NORM. SUSP.	
				FBU3-47-720	'	NORM, SUSP.	
			ł				
						}	
	7301	fC33*	-537230			ļ	
	1						

4340A-1 BRAKE MASTER CYLINDER & POWER BRAKE (ANTI-LOCK BRAKE SYSTEM)



4340A-2	BRAKE MASTER CYLINDER & POWER BRA (ANTI-LOCK BRAKE SYSTEM)	****			AND AND AND AND AND AND AND AND AND AND			
		ITEM NO.	D-CODE	DESCRIPTION	PART NO.	917	MODEL/DESCRIPTION	IEMAIN:
			41 5525	CAP SET, RESERVE TANK	8093-49-580	1		6A01-
			43 410	SWITCH, PRESSURE	F807-43-410	1	W/O TURBO	;
		ł	43 443	GASKET, VACUUM POWER	H001-43-443	1		
		Ì		ASSIST		١.		
			43 540	INDICATOR, LEVEL	FB01-43-540	!		
		Į.	43 550S 43 552S	TANK SET, RESERVE CAP SET, RESERVE TANK	F048-49-680 GA02-49-580B	1 !		
			43 640	HOSE, VACUUM	F801-43-640		W/O TURBO	-6C01
			43 694	BOLT, CONNECTOR	8573-43-694	;	W/O TURBO	
			43 750A	HOLDER, P.B.V.	FB01-43-750		11/0 10880	
			43 770	VALVE, CHECK	F844-43-770		TURBO	•
			43 800	VACUUM POWER ASSIST	F805-43-800D		TORDO	
			43 830	PIPE, VACUUM	F801-43-830A	;	W/O TUEBO	+
			43 836	HOSE, VACUUM	F801-43-836	i	W/O TURBO	1
		ļ			FB44-43-636B	1	TURBO	
			43 B36A	HOSE, VACUUM	FB45-4: 336A	2	TURBO	
			ł .	HOSE, VACUUM	2192-43-835A	1	TURBO	
				PIPE, VACUUM	FB01-43-840	1	W/O TURBO	1
		i			FB44-43-840B	1	TURBO	
			43 850	PIPE, VACUUM	FB44-43-8508	1	TURBO	
			43 880	BRACKET, VACUUM PIPE	FB44-43-8808	1	TURBO	
			43 990	CYLINDER, TANDEM MASTER	FB55-43-400A	1	W/O TURBO	
					FB60-43-400A	1	TURBO	
			49 610	PARTS KIT, BRAKE MASTER	HA18-49-610	1		
	SEE ILLUSTRATION/S AT FRAME 1 - L15		49 625	CUP, SECONDARY	FB01-49-625	2		
	SEE ILLUSTRATION/S AT FRAME 1 - L15	ĺ	49 626	CUP, PRIMARY	0305-49-626	2		
		1	49 635	CUP, FLOATING	1708-49-635	2		-7301
			49 640D	PARTS KIT, INNER	HA18-49-640	1		
		1	49 6868	BUSHING, ELBOW JOINT	0305-49-686B	2		
			49 720	REPAIR KIT	FB05-49-720	1		
		6A01 6C01 7301	FC33*	-525576				
·		1 - N	145					




ITEM NO.	D-CO06	DESCRIPTION	PART NO.	QTY	MODEL/DESCRIPTION	REMARKS
	41 780A	BRACKET, P.B. VALVE	FB44-41-780A	1	TURBO	
	43 635	CLIP, FLEXIBLE HOSE	W023-43-635	6		
	43 63X	DUCT (R), AIR-BRAKE PIPE	FB01-43-63X6	1		
	43 63XZ	DUCT (U. AIR-BRAKE PIPE	FB01-43-64XB	1		
	43 694A	BOLT, CONNECTOR	B001-43-694A	2		
	43 716	PIPE (B), SRAKE-FRONT	FB05-43-7108	1	COUPE W/ HARD SUSP. CONVERTIBLE W/ NORM. SUSP.	
	43 710Z	PIPE (U), BRAKE-FRONT	FB05-43-720B	1	COUPE W/ HARD SUSP. CONV. W/ NORM. SUSP.	
	43 810	HOSE, FLEXIBLE	FB01-43-810B	2		
	43 810A	HOSE NO. 1, FLEXIBLE	F805-43-810	2	COUPE W/ HARD SUSP. CONV. W/ NORM. SUSP.	
	43 900A	VALVE, P.B.	FB10-43-900	1		
	43 980	MOSE, FLEXIBLE	F801-43-980	2	COUPE W/ NORM. SUSP.	
	45 221	JOINT, PIPE	F801-45-291A	1		
	45 250	PIPE, BRAKE-FRONT	F801-43-360	1		
	45 280	PIPE (R), BRAKÉ-FRONT	FB01-45-280E	1		j
	45 320	PIPE (L), BRAKE-FRONT	FB01-45-320	1		
İ	45 350	PIPE, BRAKE-REAR	FB02-43-370	1		
	45 360A	PIPE, BRAKE-REAR	FB01-45-360C	1		
	45 3608	PIPE (R), REAR BRAKE	FB01-45-380D	1		
	45 370A	PIPE (U. REAR BRAKE	FB01-45-370D	1		
	45 916	HOLDER, PIPE	FB55-45-961A	1		6625-
	45 919C	l ' -	G030-45-919	8		
	45 9618	CAP	H002-45-961	9		
	50 825C	1	FA01-50-054	16		
	58 868E	PLUG, SERVICE COVER	0559-58-6:4	2		
					1	
6625	fC33*	-157816			<u> </u>	<del> </del>

## **SECTION INDEX - CHASSIS**

1-114   2000   200-20   200-	CARON	99CT. NO.	SECTION HAME	STATING	SECT. NO.	SECTION NAME	STARTING LOCATION	58CT. NO.	ECTION NAME
10   12-00   10   12-00   14	- CII	2500	DRIVESHAFT	1 - 114	4000B				**************************************
11   240   RAA AILE	· D11	2550	REAR DRIVESHAFTS	1.016	4000RA	•			
1.0   10   MAN DIFFERNIALS   1.0	- E11	2600	REAR AXLE	11.013	400000				
WO TURNON/COMMAN DIFFERENTIAL)   1-15   400   ACCERATOR CONTROL SYSTEM   WO TURNON DIFFERENTIAL   1-15   400   ACCERATOR CONTROL SYSTEM   WO TURNON DIFFERENTIAL   1-15   4340   ACCERATOR CONTROL SYSTEM   WO TURNON DIFFERENTIAL   1-15   4340   ACCERATOR CONTROL SYSTEM   WO TURNON DIFFERENTIAL   1-15   4340   ACCERATOR CONTROL SYSTEM   WO TURNON DIFFERENTIAL   1-15   4340   ACCERATOR CONTROL SYSTEM   WO TURNON DIFFERENTIAL   1-15   4340   ACCERATOR CONTROL SYSTEM   WO TURNON DIFFERENTIAL   1-15   4340   ACCERATOR CONTROL SYSTEM   WO TURNON DIFFERENTIAL   1-15   4340   ACCERATOR CONTROL SYSTEM   WO ANTI-LOCK BARKE SYSTEM   WO ANTI-LOCK BAR		!		1 - E15	4140B				
1-115   2710C   2710	· HII	2710		1 - F15	4160	ACCELERATOR CONTROL SYSTEM			
1-11   1-11	- 111	2710A		1 - G15	4200	FUEL TANK			
1-15   200   REAR SUSPENSION MECHANISMS (M/O TURBO)   1-15   3490A   3490   REAR SUSPENSION MECHANISMS (M/O TURBO)   1-15   3490A   3490   REAR SUSPENSION MECHANISMS (M/O TURBO)   1-15   3490A   3	- 111	2710C					İ		
1-115   340A   1-15   340A			•	1 - 115	4340				
2000   REAR SUSPESSION MECHANISMS (W/O JUSTING SUSPENSION)   1-N15   4360   REAR SUSPESSION MECHANISMS (W/O ANTI-LOCK BEAKE SYSTEM)   (W/O ANTI-LOCK BEAKE SYSTEM)   (W/O ANTI-LOCK BEAKE SYSTEM)   (W/O ANTI-LOCK BEAKE SYSTEM)   (W/O ANTI-LOCK BEAKE SYSTEM)   (W/O ANTI-LOCK BEAKE SYSTEM)   (W/O ANTI-LOCK BEAKE SYSTEM)   (RESPING	- N11	2800		1 - 115	4340A	BRAKE MASTER CYLINDER & POWER BRAKE			
2010   2010	· C12	2800A		1 · N15	4360	BRAKE PIPINGS			
1- 116   2810   REAR STABILIZER   1 - 116   4360A   MATH-LOCK BRAKE SYSTEM)	- D12	2800B				(W/O ANTI-LOCK BRAKE SYSTEM)			
1-112   23-15   1-15   23-15	- E12	2810		1 - C16	4360A				
1-112   2010   STERRING COLUMN & SHAFTS   1-614   4400    -112   3210A   STERRING COLUMN & SHAFTS   1-614   4400    -112   3220A   STERRING COLUMN & SHAFTS   1-614   4400    -112   3220A   STERRING COLUMN & SHAFTS   1-614   4400    -112   3220A   STERRING COLUMN & SHAFTS   1-614   4400    -112   3220A   STERRING COLUMN & SHAFTS   1-614   4400    -113   3220   STERRING COLUMN & SHAFTS   1-614   4400    -114   3220A   STERRING COLUMN & SHAFTS   1-614   4400    -115   3220   STERRING COLUMN & SHAFTS   1-614   4400    -116   3220A   STERRING COLUMN & SHAFTS   1-614   4400    -117   3220A   STERRING COLUMN & SHAFTS   1-614   4400    -118   3200   FRONT ALE & BRAKE MECHANISMS   FOR HARD   FOR NORMAL SUSPENSION   MICHANISMS   FOR HARD   SUSPENSION   FRONT ALE & BRAKE MECHANISMS   FOR HARD   SUSPENSION   MICHANISMS   FOR HARD   SUSPENSION   MICHANISMS   FOR HARD   SUSPENSION   MICHANISMS   FOR HARD   FOR NORMAL SUSPENSION   MICHANISMS   FOR HARD   FOR NORMAL SUSPENSION   MICHANISMS   FOR HARD   FOR NORMAL SUSPENSION   MICHANISMS   FOR HARD   FOR NORMAL SUSPENSION   FOR NORMAL	- F12	2830	REAR LOWER ARMS & SUB-FRAME	1 - 016	4370	•			
3210   STEERING COLUMN & SHARTS   1- GI	- H12	3200	STEERING WHEEL	1					
1-112   210.6   STEERING COLUMN & SHAFTS (W. FOWER STEERING)   1-116   45008A   1-116   4	- 112	3210	STEERING COLUMN & SHAFTS						
1-112   3220   STEERING GEAR	- J12	3210A				(W/O ANTI-LOCK BRAKE SYSTEM)			
1-116   320A   STEERING GEAR   1-116   4600   CHANGE CONTROL SYSTEM   (AUTOMATIC TRANSMISSION)	- K12	3220		1 · H16	4500BA				
1 - M12 3230 STEERING UNKAGE SYSTEM 1 - C13 3240 POWER STEERING SYSTEM 1 - E13 3300 FRONT AXLE & BRAKE MECHANISMS (FOR HARD SUSPENSION) FRONT AXLE & BRAKE MECHANISMS (FOR HARD SUSPENSION) (W/O ANTI-LOCK BRAKE SYSTEM) FRONT AXLE & BRAKE MECHANISMS (FOR HARD SUSPENSION) (W/O ANTI-LOCK BRAKE SYSTEM) FRONT SUSPENSION (MAIN-LOCK BRAKE SYSTEM) FRONT SUSPENSION (MAIN-LOCK BRAKE SYSTEM) FRONT SUSPENSION MECHANISMS (W/O TURBO) (W/O AUTOMATIC ADUSTING SUSPENSION) (MOMENTE ADUSTING SUSPENSION) (POR AUTOMATIC ADUSTING SUSPENSION) (POR AUTOMATIC ADUSTING SUSPENSION) (POR AUTOMATIC ADUSTING SUSPENSION) (TURBO) (POR AUTOMATIC ADUSTING SUSPENSION) (TURBO	- L12	3220A	STEERING GEAR	1 - 116	4600				
1-E13 3300 FRONT AXIE & BRAKE MECHANISMS (FOR HARD SUSPENSION) FRONT AXIE & BRAKE MECHANISMS (FOR HARD SUSPENSION) (W/O ANTI-LOCK BRAKE SYSTEM)  1-K13 3300B FRONT AXIE & BRAKE MECHANISMS (FOR HARD SUSPENSION) (W/O ANTI-LOCK BRAKE SYSTEM)  1-K13 3400 FRONT SUSPENSION MECHANISMS (W/O TURBO) (W/O AUTOMATIC ADJUSTING SUSPENSION)  1-N13 3400A FRONT SUSPENSION MECHANISMS (W/O TURBO) (FOR AUTOMATIC ADJUSTING SUSPENSION)  1-C14 3400B FRONT SUSPENSION MECHANISMS (W/O TURBO) (TOR AUTOMATIC ADJUSTING SUSPENSION)  1-D14 3410 CROSSMEMBER & STABILIZER  1-E14 3700 TIRES & JACK (W/O TURBO)  1-J14 3700A TIRES & JACK (TURBO)  1-J14 3900B ENGINE & TRANSMISSION MOUNTINGS (W/O TURBO)  1-K14 3900BA ENGINE & TRANSMISSION MOUNTINGS	- M12	3230	•				_		
1-E13 3300 FRONT AXIE & BRAKE MECHANISMS (FOR HARD SUSPENSION) FRONT AXIE & BRAKE MECHANISMS (FOR HARD SUSPENSION) (W/O ANTI-LOCK BRAKE SYSTEM) SUSPENSION) (W/O ANTI-LOCK BRAKE SYSTEM) SUSPENSION) (W/O AUTOMATIC ADJUSTING SUSPENSION) (W/O AUTOMATIC ADJUSTING SUSPENSION) (W/O AUTOMATIC ADJUSTING SUSPENSION) (FRONT SUSPENSION MECHANISMS (W/O TURBO) (FOR AUTOMATIC ADJUSTING SUSPENSION) (FOR AUTOMATIC ADJUSTANCE AUTOMATIC ADJUSTANCE AUTOMATIC ADJUSTANCE A	- C13	3240	POWER STEERING SYSTEM	ŀ					:
1 - 113   3300A   FRONT AXIE & BRAKE MECHANISMS (FOR HARD SUSPENSION) (M/O ANTI-LOCK BRAKE SYSTEM)   FRONT AXIE & BRAKE MECHANISMS (FOR HARD SUSPENSION) (ANTI-LOCK BRAKE SYSTEM)	· £13	3300							
- KI3   3300B   FRONT AXLE & BRAKE MECHANISMS (FOR HARD SUSPENSION) (ANTI-LOCK BRAKE SYSTEM)	- 113	3300A	FRONT AXLE & BRAKE MECHANISMS (FOR HARD					[ [	
MI3   3400   FRONT SUSPENSION MECHANISMS (W/O TURBO) (W/O AUTOMATIC ADJUSTING SUSPENSION)	- K13	33008	FRONT AXLE & BRAKE MECHANISMS (FOR HARD		ļ				
1 - N13 3400A FRONT SUSPENSION MECHANISMS (W/O TURBO) (FOR AUTOMATIC ADJUSTING SUSPENSION) 1 - D14 3410 CROSSMEMBER & STABILIZER 1 - E14 3700 TIRES & JACK (W/O TURBO) 1 - H14 3700A TIRES & JACK (TURBO) 1 - J14 3900B ENGINE & TRANSMISSION MOUNTINGS 1 - J14 3900B ENGINE & TRANSMISSION MOUNTINGS	- M13	3400	FRONT SUSPENSION MECHANISMS (W/O TURBO)						
1 - C14 3400B FRONT SUSPENSION MECHANISMS (TURBO) 1 - D14 3410 CROSSMEMBER & STABILIZER 1 - E14 3700 TIRES & JACK (W/O TURBO) 1 - H14 3700A TIRES & JACK (TURBO) 1 - J14 3900B ENGINE & TRANSMISSION MOUNTINGS (W/O TURBO) 1 - K14 3900BA ENGINE & TRANSMISSION MOUNTINGS	i - N13	3400A	FRONT SUSPENSION MECHANISMS (W/O TURBO)						
1 - D14 3410 CROSSMEMBER & STABILIZER  1 - E14 3700 TIRES & JACK (W/O TURBO)  1 - H14 3700A TIRES & JACK (TURBO)  1 - J14 3900B ENGINE & TRANSMISSION MOUNTINGS (W/O TURBO)  1 - K14 3900BA ENGINE & TRANSMISSION MOUNTINGS	l - C14	3400B	•						
1 - E14 3700 TIRES & JACK (W/O TURBO) 1 - H14 3700A TIRES & JACK (TURBO) 1 - J14 3900B ENGINE & TRANSMISSION MOUNTINGS (W/O TURBO) 1 - K14 3900BA ENGINE & TRANSMISSION MOUNTINGS			•	Í					
(W/O TURBO)									
(TURBO)  1-J14 3900B ENGINE & TRANSMISSION MOUNTINGS (W/O TURBO)  1-K14 3900BA ENGINE & TRANSMISSION MOUNTINGS									
(W/O TURBO)  1 - K14 3900BA ENGINE & TRANSMISSION MOUNTINGS	l - H14	3700A							
- KI4 3900BA ENGINE & TRANSMISSION MOUNTINGS	- J14	3900B							
	- K14	3900BA	ENGINE & TRANSMISSION MOUNTINGS						


4360A-1 BRAKE PIPINGS
(ANTI-LOCK BRAKE SYSTEM)




ITEM NO.	D-CODE	DESCRIPTION	PART NO.	QTY	MODEL/DESCRIPTION	REMARKS
	41 780A	BRACKET, P.B. VALVE	FB44-41-780A	1		
	43 635	CLIP, FLEXIBLE HOSE	W023-43-635	6		
	43 63X	DUCT (R), AIR-BRAKE PIPE	FB01-43-63XB	1		
	43 63XZ	DUCT (L), AIR-BRAKE PIPE	F801-43-64XB	1	•	
	43 694A	BOLT, CONNECTOR	B001-43-694A	2		
	43 710	PIPE (R), BRAKE-FRONT	F805-43-710B	1		
	43 710Z	PIPE (L), BRAKE-FRONT	FB05-43-720B	1		
	43 81G	HOSE, FLEXIBLE	FB01-43-810A	2		
	43 810A	HOSE NO. 1, FLEXIBLE	FB05-43-810	2		
	43 900A	VALVE, P.B.	FB10-43-900	1.		
	45 221	JOINT, PIPE	FB01-45-291A	1		
	45 240B	PIPE, BRAKE-FRONT	FB55-45-330E	1		
	45 250	PIPE, BRAKE-FRONT	F048-43-360	1		
	45 280	PIFE (R), BRAKE-FRONT	FB55-45-280D	1		-6C01
			FB55-45-280E	1		6C01-
	45 320	PIPE (L), BRAKE-FRONT	FB55-45-320F	1		
	45 340	PIPE, BRAKE-REAR	FB55-45-340E	1		
	45 350	PIPE, BRAKE-REAR	FB55-43-370	1		
	45 360A	PIPE, BRAKE-REAR	FB55-45-360B	1		
	45 3608	PIPE (R), REAR BRAKE	FB01-45-380D	1		
	45 370A	PIPE (L), REAR BRAKE	FB01-45-370D	1		
	45 9028	CUP	UA01-45-902	1		6C01-
	45 916	HOLDER, PIPE	FB55-45-961A	2		
	45 916C	HOLDER, PIPE	FB55-45-951	1		6C01-
	45 919C	CUP, PIPE	G030-45-919	3		
	45 961B	CAP	H002-45-961	7		
	45 964	HOLDER, PIPE-FRONT BRAKE (L)	F048-45-964	- 1		-6A16
	50 825C	NUT, CLIP	FA01-50-054	16		
				!		


6A16 FC33\* -519914 6C01 FC33\* -525576

(THIS ILLUSTRATION CONSISTS OF 2 PAGES)






4370-2	ANTI-LOCK BRAKE SYSTEMS							
		ITEM NO.	D-CODE	DESCRIPTION	PART NO.	QΤY	MODEL/DESCRIPTION	REMARKS
			43 310	BRACKET NO. 1, A.B.S.	FB55-43-310A	1		
			43 320	BRACKET NO. 2, A.B.S.	FB55-43-320B	1		
			43 330	BRACKET NO. 5, A.B.S.	FB55-43-330A	1		
			43 350	INSULATOR, HYDRAULIC UNIT	FB55-43-350A	1		
			43 504	JOINT, PIPE	W023-43-504	2		
			43 694A	BOLT, CONNECTOR	8001-43-694A	2		
			43 701	SENSOR (R), FRONT-A.B.S.	F051-43-70XB	1		
				SENSOR (L), FRONT-A.B.S.	F051-43-73XB	1		
		-	43 708	BOLT, REAR SENSOR	F051-43-708A	2		
			43 709	SLEEVE, GUIDE-CONTROL HUB	F^51-43-709	2		
			43 711	SENSOR (R), REAR A.B.S.	F051-43-71YC	1		İ
			1	SENSOR (L), REAR-A.B.S.	F051-43-72YC			
			43 776 43 798	CLIP, ANTI-LOCK BRAKE SYSTEM	F048-43-776B	!		
			43 799	BRACKET, MAIN RELAY-A.B.S. JOINT, FLARE	FB36-43-798C	1		
			43 7A0	HYDRAULIC UNIT, A.B.S.	FB55-43-799 F048-43-7A0E	2		
			43 7A2	RELAY, MOTOR-HYDRAULIC UNIT	F048-43-7A0E	;		
			43 7A3	RELAY, VALVE-HYDRAULIC UNIT	F048-43-7A3	;		
			43 7A4	COVER 'L', HYDRAULIC UNIT	F048-43-7A4B	;		
			43 7A5	COVER 'I', HYDRAULIC UNIT	F048-43-7A5	i		
			43 7A6	RUBBER, MOUNTING-HYDRAULIC UNIT	F048-43-7A6	i		
		i	43 7A7	STUD, HEX-HYDRAULIC UNIT	F048-43-7A7	1		
			43 7AB	WASHER, HYDRAUUC UNIT	F048-43-7A8	1		
	SEE ILLUSTRATION/S AT FRAME 1 - D16		43 7A9	WIRE, EARTH-HYDRAULIC UNIT	F049-43-7A9	1		
	SEE ILLUSTRATION/S AT FRAME 1 - D16		43 780	ELECTRIC UNIT, A.B.S.	F048-43-7B0B	1		}
			43 7C0	RELAY, MAIN-A.B.S.	F048-43-7C0	1		-7701
			43 7Z1	BRACKET, PIPE HOLDER	FB55-43-7Z1	1		7114-
			52 398	PAD, TANK PROTECTOR	0866-52-398A	1		7114-
			56 414B	BOLT, INSULATOR-FRONT HEAT	FB03-56-414	1		7114-
			67 230	WIRING, ANTI-LOCK BRAKE SYSTEM	FB55-67-230D	1		-7701
				<a></a>	FB55-67-230E	1		7701-
		7114 7701	FC33* FC33*	-529915 -550169	<u> </u>	1		
		 1 - E	16					




4500B-1 FUEL PIPINGS (W/O ANTI-LOCK BRAKE SYSTEM)



EM NO.	D-CODE	DESCRIPTION	PART NO.	QTY	MODEL/DESCRIPTION	REMARKS
	13 157A	CLIP	8574-13-157	2		-6919
				3		6919-
	13 421	HOSE, FUEL MAIN	B630-13-496	1	CONV.	i
	13 497	HOSE, FUEL	E5A1-13-497A	1	COUPE	6919-
	45 111	PIPE, FUEL-MAIN	FB70-45-111	1	CONV.	
			FB01-45-111C	1	COUPE	
	45 128	HOSE, FUEL MAIN	FB01-42-611	1		
	45 146	PROTECTOR, FUEL HOSE	8116-45-146	1	CONV.	i
			8986-45-146	1	COUPE	6919-
	45 611	PIPE, FUEL-RETURN	FB01-45-611E	1		
	45 711	PIPE, EVAPORATION	FB01-45-711B	1		Ì
	45 712	PIPE, EVAPORATOR	FB01-45-712D	1		
	45 720	PIPE, EVAPORATION-FRONT	FB01-45-720D	1		
	45 910E	HOLDER, PIPE	FB01-45-910	2	CONV.	
	İ			3	COUPE	
			FB67-45-910	1	CONV.	
	45 912D	HOLDER 'A'	FB01-45-912	7		
	45 914	HOLDER, PIPE	FB01-45-914	2		
	45 915A	HOLDER, PIPE	G037-45-913	1		
	45 918	CLIP, FUEL PIPE	B180-45-918	1 1		
	45 919	CUP, PIPE	FB01-45-919	2		
	45 919C	CUP, PIPE	G030-45-919	2	W/O TURBO	
	45 920A	HOLDER 'B', PIPE	FB01-45-920	1		
	45 930	HOLDER 'C', PIPE	FB01-45-930	1		
	45 940	HOLDER, PIPE	FB01-45-94G	1		
	45 963	HOLDER 'J', PIPE	FB01-45-943	1	W/O TURBO	-6625
	45 970	HOLDER 'G', PIPE	FB01-45-970	1	W/O TURBO	-6625
	45 980	HOLDER 'D', PIPE	FB01-45-980A	2		-6301
				1		6301-
	45 990	HOLDER 'K', PIPE-FUEL	FB01-45-990	1		6301-
	93 5105	HOSE, FUEL	9935-10-515	1		
	93 5808	HOSE	9935-80-8999	1		
			ĺ			
			]			
	1					

6301 FC33\* -134718 6625 FC33\* -157816 6919 FC33\* -515659

4500BA-1 FUEL PIPINGS (ANTI-LOCK BRAKE SYSTEM)



EM NO.	D-CODE	DESCRIPTION	PART NO.	QTY	MODEL/DESCRIPTION	REMARKS
	13 157A	CLIP	8574-13-157	2		-6919
				3		6919-
	13 497	HOSE, FUEL	E5A1-13-497A	1		6919-
	45 111	PIPE, FUEL-MAIN	FB01-45-111C	1		
	45 128	HOSE, FUEL MAIN	FB01-42-611	1		
	45 146	PROTECTOR, FUEL HOSE	8986-45-146	1		6919-
	45 181A	RUBBER, MOUNTING	FA23-45-181	2		
	45 182A	SPACER	FA23-45-182	2		
	45 611	PIPE, FUEL-RETURN	FB01-45-611E	11		
	45 711	PIPE, EVAPORATION	FB01-45-711B	1		[
	45 712	PIPE, EVAPORATION	FB55-45-731	11		
	45 720	PIPE, EVAPORATION-FRONT	FB55-45-721	1		
	45 722	PROTECTOR, EVAPORATION HOSE-FRONT	FB55-45-722A	1		İ
	45 732	PROTECTOR, EVAPORATION HOSE	FB55-45-732A	1 1		
	45 910E	HOLDER, PIPE	FB01-45-910	3		
	45 912D	HOLDER 'A'	FB01-45-912	7		
	45 914	HOLDER, PIPE	FB01-45-914	2		
	45 915A	HOLDER, PIPE	G037-45-913	1		
	45 915B	HOLDER, PIPE	F048-45-930	1		
	45 918	CUP, FUEL PIPE	8075-45-918	1		
	45 919	CLIP, PIPE	FB01-45-919	1		
	45 919C	CLIP, PIPE	G030-45-919	2		
	45 920A	HOLDER 'B', PIPE	FB01-45-920	1		
	45 940	HOLDER, PIPE	FB01-45-940	1		
	45 980	HOLDER 'D', PIPE	FB01-45-980A	1 !		
	45 990	HOLDER 'K', PIPE-FUEL	FB01-45-990	1 1		
	93 5105	HOSE, FUEL	9935-10-515	1		
			9935-10-540	1		
			9935-10-8445	1		
	93 5808	HOSE	9935-80-8999	1		
			i			
	1	<u> </u>		1		

