This file is available for free download at http://www.iluvmyrx7.com



www.iluvmyrx7.com

Parts Catalog

Mazda RX-7 U.S.A. ('91 ≥ '92)






FC3 * * * -900001~950000 FC35 • -100001~200000

Jan. 94 (FINAL) Catalog No. AU-FA03-07



LAYOUT OF CONTENTS / DISPOSITION TYPOGRAPHIQUE DE CONTENU DISPOSICION DEL CONTENIDO / ANORDNUNG DES INHALTS

- The following is a typical example of the layout of contents on Mazna migrature parts safare.
- Voici un exemple typique de la disposition typica appagae de content dans les sous caracteres de cataloque des pieces de Mazda
- El siguiente es un ejemplo tripico de la disposición que contenación qua majorne la declaración de repuestos de Mazda
- Folgendes ist ein typisches Beispiel der Inhaltsanordnung des Mazoa Mikrotiche Technistation.



Remark: The items fisted under 4 have been deleted from each liche since Dec. '93

- 1 Layout of contents
 - Disposition Typegraphique de Contenu
 - · Disposición del contenido
 - · Anordnung des Inhalts

Section No. Index for

Index des Numeros des

Kur die Spatte

· Alphabetical Index

· Indice Alfabético

· Index Alphabétique

· Alphabetischer Index


Sections bout les Colonnes


- (2) · Pictorial Index
 - · Index par Schémas
- · Indice Gráfico


- · Illustrierter Index
- · Illustration & Text
 - · Illustrations et Textes
 - · flustración y Texto
 - Abbildung und Text


- *Master Section No. Index
- · Index des Numéros des Sections Totale
- · Indice del Número de la Sección Maéstra
- · Hauptabschnitssnummer-Index
- (6) Part No. Index
 - · Index des Numéros des
- · Indice del Nº de Pieza
- · Teile-Nr.-Index
- Model Identification
 - · Identification des Modèles
 - · Identificación del Modelo


 - Modell-Kennzeichnung
- · Vehicle Identification System
- · Système d'Identification de Véhicule
- · Sistema de Identification de Vehiculo
- Fahrzeug-Identifikations system




















SECTION NAME INDEX (ENGINE)

LO.NO	SEC.NO	SECTION NAME	LO.NO	SEC.NO	TION NAME INDEX (ENGINE) SECTION NAME	LO.NO	SEC.NO	SECTION NAME
1-C03	1000	ENGINE & GASKET SETS	1-C09	1600	CLUTCH DISC & COVER (MANUAL)			SECTION NAME
1-D03	1000 A	ENGINE & GASKET SETS	1-009	1600 A				
1-E03	1030	ROTOR HOUSINGS (W/O TURSO)	1-F09	1700	TRANSMISSION CASE (MANUAL)			
1-603	1030 A	ROTOR HOUSINGS (TURBO)	1-H09	1700 A	TRANSMISSION CASE (MANUAL)			
1-103	1040	OIL PAN, FRONT & REAR HOUSING (W/O TURBO)	1-K09	1710	TRANSMISSION GEARS(MANUAL)			
1-L03	1040 A	OIL PAN, FRONT & REAR HOUSING (TURBO)	1-E10	1710 A	TRANSMISSION GEARS(MANUAL)			
1-004	1100	ECCENTRIC SHAFT & FLYWHEEL	1-K10	1720	CHANGE CONTROL SYSTEM (MANUAL)			
1-F04	1110	ROTORS & RELATED PARTS	1-N10	1720 A	CHANGE CONTROL SYSTEM (MANUAL)			
1-H04	1300	INLET MANIFOLD (W/O TURBO)			(lukbu)		İ	
1-J04	1300 A	INLET MANIFOLD	1-E11	1800	ENGINE ELECTRICAL SYSTEM			
1-K04	1310	(TURBO)	1-111	1830	ALTERNATOR			
1-L04	1311	EXHAUST MANIFOLD INTER COOLER	1-K11	1840	STARTER		}	
1-604	1311	(TURBO)	1-N11	1850	BATTERY		i	
1-MC4	1312	TURBO CHARGER	1-012	1910	TORQUE CONVERTER, OIL PUMP & PI PINGS (AUTOMATIC)		İ	
1-005	1320	FUEL SYSTEM	1-F12	1920	TRANSMISSION CASE & MAIN CONTR	İ		
1-E05	1325	FUEL DISTRIBUTOR	1-M12	1005	OL SYSTEM (AUTOMATIC)		İ	
1-F05	1330	AIR CLEANER (W/O TURBO)	1-H13	1925 1930	CONTROL VALVE (AUTOMATIC)	l		
1-H05	1330 A	AIR CLEANER	- 1125	1/30	CLUTCHES & PLANETARY GEARS (AU TOMATIC)	ļ		
		(TURBO)	1-D14	1940	GOVERNOR, LOW & REVERSE PISTON (AUTOMATIC)		1	
1-J05	1364	THROTTLE BODY (W/D TURBO)	l-G14	1950	MANUAL LINKAGE SYSTEM (AUTOMAT	-		
1-M05	1364 A	THROTTLE BODY			IC)	į	-	
1-006	13/1	(TURBO) AIR PUMP & AIR CONTROL VALVE	1-114	1960	GASKET & SEAL KIT (AUTOMATIC)	ļ	-	
1-F06	1380	EMISSION CONTROL SYSTEM					;	
		(W/D TURBO)				1	27	
1~J06	1380 A	EMISSION CONTROL SYSTEM (TURBO)						
1-007	1400	OIL PUMP & FILTER (W/O TURBO)						
1-F07	1400 A	OIL PUMP & FILTER (TURBO)						
1-J07	1500	COOLING SYSTEM				1		
1-008	1580	BRACKET, PULLEY & BELT	ļ		ļ	ŀ		
İ				ļ				
i								

CATLOG-NO= AUFA03-07

DATE: 1993-12

SECTION NAME INDEX (CHASSIS)

					TION MARE INDEX (CRASSIS)			
LD.NO	SEC.NO	SECTION NAME	LO.NO	SEC.NO	SECTION NAME	LD.NO	SEC.NO	SECTION NAME
S-C03	2505	REAR PROPELLER SHAFT	S-C08	4160	ACCELERATOR CONTROL SYSTEM			
2-003	2550	REAR DRIVE SHAFT	S-D08	4200	FUEL TANK			
2-E03	5600	REAR AXLE	2-G08	4210	FUEL LID OPENER]	
2-603	5610	REAR BRAKE MECHANISMS	S-H08	4300	CLUTCH & BRAKE PEDALS (MANUAL TRANSMISSION)			
2-103	2710	REAR DIFFERENTIALS (NORMAL DIFF.)	2-K08	4300A	BRAKE PEDALS (AUTOMATIC TRANSMISSION)			
2-N03	2710 A	REAR DIFFERENTIALS (LIMITED SLIP DIFF.)	80M-S	4340	BRAKE MASTER CYLINDER & POWER BRAKE			
2-F04	5800	REAR SUSPENSION MECHANISMS			(₩20°turbo)			
2-G04	5801	REAP SPRING & DAMPER	2-C09	4340 A	BRAKE MASTER CYLINDER & POWER BRAKE			
2-404	2810	REAR STABILIZER			(TURBO)			
2-104	2830	REAR LOWER ARMS & SUB FRAME	2-E09	4360	BRAKE PIPINGS (W/O TURBO)			
2-K04	3200	STEERING WHEEL (W/O AIR BAG)	2-609	4360 A	BRAKE PIPINGS			
2-M04	3200 A	STEERING WHEEL (W/ AIR BAG)	2-109	4370	(TURBO) ANTILOCK BRAKE SYSTEM			
2-N04	3210	STEERING COLUMN & SHAFTS	2-M09	4400	PARKING BRAKE SYSTEM			
2-005	3220	STEERING GEAR	2-C10	4500	FUEL PIPINGS			
		(W/ POWER STEERING: ENGINE REVO LUTION PER MINUTE SENSOR)	2-610	4600	CHANGE CONTROL SYSTEM			
2-G05	3220 A	STEERING GEAR (W/ POWER STEERING: VELOCITY SE NSOR)			(AT)			
2-J05	3240	POWER STEERING SYSTEM		i i				
2-M05	3300	FRONT AXLE						
2-006	3310	FRONT BRAKE MECHANISMS						
2-G06	3400	FRONT SUSPENSION MECHANISMS						ł
5-106	3401	FRONT SPRING & DAMPER						
2-J06	3410	CROSSMEMBER & STABILIZER						
2-K06	3700	TIRES & JACK						
2-C07	3900	ENGINE & T/MISSION MOUNTINGS						
2-007	3900A	ENGINE & T/MISSION MOUNTINGS						
2-E07	4000	EXHAUST SYSTEM (W/O TURBO)						
2-107	4000 A	EXHAUST SYSTEM (TURBO)						
2-L07	4140	CLUTCH RELEASE & MASTER CYLIND ERS (MANUAL TRANSMISSION)						
2-N07	4145	CLUTCH PIPINGS (MANUAL TRANSMI SSION)						
							ĺ	

CATLOG~NO= AUFA03-07

DATE. 1993-12

SECTION NAME INDEX (BODY)1/2

LO.NO	SEC.NO	SECTION NAME	LO.NO	SEC.ND	SECTION NAME	10.40	CEC NO	CCOTTON WAYS
3-C03	0900	KEY SETS	3-E09	5390	FLOOR ATTACHMENTS	LU.NU	SEC.NO	SECTION NAME
3-F03	5000	FRONT BUMPER	3-C10	5500	DASHBOARD EQUIPMENTS			
3-H03	5010	REAR BUMPER	3-F10	5520	METER HOOD			
3-J03	5020	HEAD LAMP CLEANER	3-G10	5530	SPEEDOMETER CABLE			
3-L03	5030	WINDOW MOULDINGS	3~H10	5540	METER COMPONENTS			
3-M03	5040	BODY MOULDINGS	3-J10	5560	DASHBOARD & RELATED PARTS			
		(COUPE)	3-D11	5570	CONSOLE			
3-004	5060	SIDE PROTECTORS	3-G11	5580	VENTILATOR		1	
3-604	5100	HEAD LAMPS	3-H11	5700	FRONT SEATS			
3-H04	5103	HEAD LAMP RETRACTORS	.,,,	3.00	(COUPE)			
3-K04	5105	FRONT COMBINATION LAMPS	3-115	5700A	FRONT SEATS (CONVERTIBLE)			
3-005	5110	REAR COMBINATION LAMPS	3-D13	5790	SEAT BELTS			
3-H05	5120	LICENSE LAMPS	- 510	2,,,	(CDÚPE)			
3-J05	5125	INTERIOR LAMPS	3-F13	5790A	SEAT BELTS (CONVERTIBLE)			
3-K05	3130	OVERHEAD CONSOLE	3-G13	5795	AIR BAG			
3-L05	5170	ORNAMENTS	3-H13	5800	FRONT DOORS			
3-M05	5180	COWL & EXTRACTOR GRILLES			(COUPE)			
3-D06	5230	BONNET	3-K13	5800A	FRONT DOORS (CONVERTIBLE)			
3-G06	5260	TRUNK LID (CONVERTIBLE)	3-C14	5830	FRONT DOOR MECHANISMS		Ì	
3-H06	5310	FRONT PANELS			(COUPE)			
		(COUPE)	3-114	5830A	FRONT DOOR MECHANISMS (CONVERTIBLE)			
3-106	5310 A	FRONT PANELS (CONVERTIBLE)	3-M14	5840	FRONT DOOR TRIMS & RELATED PAR			
3-M06	5320	FENDER & WHEEL APRON PANELS			(COUPE)			
7 505		(COUPE)	3-H15	5840A	FRONT DOOR TRIMS & RELATED PAR			
3-007	5320 A	FENDER & WHEEL APRON PANELS (CONVERTIBLE)			TS (CONVERTIBLE)			
3-607	5330	DASH & COWL PANELS	3-C16	6100	HEATER			
3-H07	5340	SIDE PANELS	3~E16	6110	HEATER UNIT COMPONENTS			
3-M07	EZGDA	(COUPE)	3-F16	6115	HEATER CONTROLS COMPONENTS		•	
3-1107	5340A	SIDE PANELS (CONVERTIBLE)	3-G16	6120	HEATER BLOWER COMPONENTS			
3-G08	5360	ROOF PANELS (COUPE)	3-116	6130	AIR CONDITIONER (JAPAN MAKE)			
3-H08	5370	FLOOR PANELS (COUPE)	3-L16	6130A	AIR CONDITIONER (OPTIONAL PARTS)			
3-K08	5370 A	FLOOR PANELS (CONVERTIBLE)			THE CHAINS CHAINS			
3-009	5380	FLOOR ATTACHMENTS (HOLE COVERS						
	;)	ļ	}				
L				İ				

CATLOG-NO= AUFA03-07

DATE. 1993-12

SECTION NAME INDEX (BODY)2/2


LO.NO	SEC.NO	SECTION NAME	LO.ND	SEC.NO	SECTION NAME	LO.NO	SEC.NO	SECTION NAME
4-C03	6135	O KING SET.PIPING	4-307	6701 A	WIRING HARNESSES(ENGINE & T/MI			
4-D03	6140	COMPRESSOR COMPONENTS (AIR CON DITIONER)			(CONVERTIBLE)			
		(JAPAN MAKE)	4~K07	6702	WIRING HARNESSES(DASHBOARD)			
4-G03	6140A	COMPRESSOR COMPONENTS (AIR CONDITIONER) (OPTIONAL PARTS)	4-107	6703	WIRING HARNESSES(DODR, FLOOR/CE ILING)			
4-103	6150	COULING UNIT (AIR CONDITIONER)	4-MD7	6704	WIRING HARNESS CLAMPS		į	
		(JAPAN MAKE)	4-008	6720	WINDSHIELD WASHER			
4-JD3	6150A	CODLING UNIT (AIR CONDITIONER)	4-F08	6730	WINDSHIELD WIPERS			
4-K03	6230	LIFT SATE MECHANISMS	4-G08	6740	WIPER MOTOR COMPONENTS(FRONT)			
		(COUPE)	4-H08	6750	WINDOW WIPER & WASHER (REAR)			
4-N03	6300	WINDDW GLASSES (COUPE)	4-KD8	6760	WINDOW WIPER MOTOR COMPONENTS (REAR)			
4-C04	6300A	WINDOW GLASSES (CONVERTIBLE)	4-L08	680D	CEILING TRIMS			
4-D04	6330	SUNROOF (COUPE)	4-N08	6800A	CEILING TRIMS (CONVERTIBLE)			
4-H04	6330A	SUNROOF (CONVERTIBLE)	4-C09	6810	ROLLEBAR (CONVERTIBLE)			
4-M04	6600	SWITCHES & RELAYS (ENGINE)	4-E09	6820	PILLAR TRIMS			
4-605	6610	DASHBOARD SWITCHES			(COUPE)			
4-H05	6611	COMBINATION SWITCH	4-G09	6820A	PILLAR TRIMS (CONVERTIBLE)			
4-105	6612	CLUSTER SWITCH	4-HD9	6840	TRIMS & SCUFF PLATES		l	
4-L05	6615	POWER WINDOW SWITCHES			(COUPE)			
4-M05		RELAYS & UNIT (BODY)	4-L09	6840A	TRIMS & SCUFF PLATES (CONVERTIBLE)			
4-006		DOOR SWITCH & HORNS	4-N09	6845	STRAGE BOX			
4-006		AUTO CRUISE CONTROL SYSTEM	4-010	6860	FLOOR MATS & PADS			
4-F06	6680	AUDIO SYSTEMS (RADIO & TAPE DE CK)	4-I10	48484	(COUPE)	1		
4-J06	6682	AUDIO SYSTEMS (ANTENNA & SPEAK ER)		686DA	FLOOR MATS & PADS (CONVERTIBLE)			
4-C07	6684	AUDIO SYSTEMS/NOTES SUPPRESON	4-M10	6870	SERVICE TOOLS			
		& EARTH CORD)	4-N10	6900	VISORS.ASSIST HANDLES & MIRROR			
4-D07	6700	WIRING HARNESSES(FRONT & REAR			(COUPE)	ļ		
		(COUPE)	4-E11	6900A	VISORS, ASSIST HANDLES & MIRROR			
4-F07	6700 A	WIRING HARNESSES(FRONT & REAR			(CONVERTIBLE)	ļ		
j		(CONVERTIBLE)	4-G11	6930	CAUTION PLATES & LABELS			
4-HD7	6701	WIRING HARNESSES(ENGINE & T/MI SSION)	4-Ill	7250	QUARTER WINDOW & TRIMS		ļ	
		(CÔUPÉ)	4K11	7800	SPOILERS & RELATED PARTS			
				!		ļ	ł	

CATLOG-NO= AUFA03-07

DATE. 1993-12

FA03

ENGINE & GASKET SETS (W/O TURBO)




PART NO.	QTY	Nunei /pretetetet	MODEL ADECTOR	WAREL BEATTER	T
**************************************	ĮŲ I I	MUDEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROMETO
10-2715		GASKET SET, ENGINE			
8AFD-10-271	1	ASBESTOS ('92 MODEL)		1	
8AF5-10-271	1	('91 MODEL)			
13-1115		GASKET SET, SUB-ENG.			
8AF4-13-111		('91 MODEL)			
8AF6~13-111	1	ASBESTOS (192 MODEL)			
23-0401		RING SET, 'O'			
N350-10-S60	1				
1 23-800 i		ENGINE, SHORT		!	
N3B1-02-200	1	(('92 MODEL)>(MT)		•	
N3B2-02-200	1	(('92 MODEL)>(AT))			
N350-02-200A	1	((191 MODEL)>(MT)			
N351-02-200A	1	(('91 MODEL)>(AT))			
		i			

CAT. AUFA03-07

(TURBO)	
[10-2715]	23-800
I-RING SET. "O" (1) 2-GASKET. OIL FLLER PIPE. (1)	
3-GASKET, OIL PAN	
5-GASKET. IN MANIFOLD. (1)	
10-GASKET, FUEL DIS(2)	
13-GASKET, OIL PIPE	
14-GASKET. TURBO CHARGER(1) 15-GASKET(1) 16-GASKET. A. C. VALVE(1)	
17-GASKET, OIL STRAINER(1) 18-GASKET, OIL STRAINER(1)	
19-GASKET, METERING OIL (1) 20-GASKET, WATER PUMP(1) 21-GASKET(1)	6-GASKET. IN MANIFOLD (1)
22-GASKET, THERMOSTAT COVER (1) 23-GASKET, B. A. C. VALVE	1-GASKET NO 2. IN MANIFOLD (1) 9-GASKET EX MANIFOLD (1)
25-GASKET (8)	25-GASKET(8)
26GASKET(2) 27-GASKET(1) 28-GASKET(4)	
29-GASKĒT(3)	
1	[13-1115]
· ·	23-0401
	3
(29)	TOLS WITH I
(3)	
23-0-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-	
1 10	
B 18-18-18-18-18-18-18-18-18-18-18-18-18-1	
CAN BE CO-	
7 60 20-	1000 9 · 100
	(1)
1 19-	
(n)-	
AUFA03	+
	•

	011007		*		
PART NO.	QTY	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-10
10-271S 8AF6-10-271	- 1	GASKET SET, ENGINE ASBESTOS			
13-1115 8AF5-13-111	1	GASKET SET, SUB-ENG.			
23-0401 N370-10-560	1	RING SET,'O'			
23-800 N370-02-200A	1	ENGINE, SHORT			

PART NO.	YTO	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM 10
10-806 N326-10-806	4	PIN, SPRING			
10-C15 N32(-10-C15	1	RING, BACKUP			
10-1001 N350-10-810A	1	HOUSING, ROTOR-FRONT			
10-105A 0839-10-105	4	STUD,ROTOR HOUSING			
10-1111 1757-10-111	4	DOWEL, TUBULAR			
10-1501 N350-10-B50A	1	HOUSING, ROTOR-REAR			
10-1711 N326-10-B71A	4	RING, SQUARE			
1 10-172A N326-10-872	4	RING, SQUARE-OUTER			
10-1731 N231-10-173	4	RING,'O'			
10-2501 8871-10-250A	1	CAP,OIL FILLER			
10-2521 8871-10-252	1	GASKET, OIL CAP			
10-323A 1 N326-10-323		GASKET,WATER DRAIN-I NTER.			
10-325 N326-10-441	1	PIPE,OIL LEVEL GAUGE			
10-3272 N326-14-633	2	PLUG, JET			




			· · · · · · · · · · · · · · · · · · ·		
PART NO.	QTY	MODEL/RESTRICTION	MODEL/RESIRICTION	MODEL/RESTRICTION	FROM-TO
10-4001		HOUSING, INTERMEDIATE			
N350-10-D00C	1				
10-410	:	PIPE, OIL FILLER			
N350-10-420	3.				
10-415		PLUG, SOCKET			
N225-10-415	1	į			
10-4171		JOINT, PIPE			
8562-10-417	1	į			
10-450		GAUGE, OIL LEVEL			
N326-10-450B	1				
10-5001		GEAR, STATIONARY-FRT.			
N370~10~E00C	1				
1 10-502A		METAL, STATIONARY GEA			
N350-10-E02		R 0.s.			
0820-10-502B		STD.			
*****	2	_			
10-5501		GEAR, STATIONARY-RR.			
N370-10-E10B	1				ļ
10-5551		RING,'0'			j
0813-10-555A	1				
10-5561		SEAL, OIL			
1668-10-556A	1				
			!		
					ļ
			;		ļ
					Ì
				<u> </u>	<u> </u>

ROTOR HOUSINGS (TURBO) 1030 A-1


10-1001	PART NO. OTY	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-TO
	10-B06	PIN, SPRING			
10-BOS	N326-10-B06 4				
10-3272	1 10-C15	RING, BACKUP			
9985-10-822A	N326-10-C15 1				
10-105A	10-1001	HOUSING, ROTOR-FRONT			
HOUSING, FRONT	N318-10-B10A 1	The state of the s			
(REFER TO SECT.NO. 1040)	10-105A	STUD, ROTOR HOUSING			
10-5001	0839-10-105 4	STOOTON HOUSING			
7922-20-612 10-172A	+	50.00 TUDA 45			
	10-1111 1757-10-111 4	DOWEL, TUBULAR			
10-502A	+				
6 2 1111	1 10-1501 N318-10-8500 1	HOUSING, ROTOR-REAR			
10-1731 HOUSING REAR TO SECT.	++				İ
9979-40-6167 10-1724 -10-1724	10-1711 ++ N326-10-B71A 4	RING, SQUARE			
10-2501 9079-40-616 10-1501 [10-1711]	+				
10-2521 0 10-B06	10-172A ++ N326-10-B72 4	RING, SQUARE-OUTER			
10-420	4+				
9985-10-822A	10-1731	RING, 'O'		i İ	
10-4001	N231-10-173 4				
	10-2501	CAP, OIL FILLER			
10-41717 10-410h	8871-10-250A 1				
9930-52-800	10-2521	GASKET, OIL CAP			İ
10-1731	8871~10~252 1	;			
10-1111	10-323A	GASKET, WATER DRAIN-I	!		
10-1731	N326-10-323 1				
10-172A	10-325	PIPE, OIL LEVEL GAUGE			
10-1711 10-502Ah	N318-10-441 1				
0 410-325	10-3272	PLUG, JET			
10-5561	N326-14-633 2			<u></u>	
9080-12-820					
10-323A / 10-5501					
9978-91-220					
AUFA03 +	CAT. AUFA03-07				1993-12

10-1001	
9985-10-822A 10-105A	
HOUSING, FRONT 10-5001 10-5001 10-1711 10-172A)
10-1111	Γ.
10-424 9965-10-922A 10-4001 10-4171 10-410 9930-52-800)
10-1731 10-1731 10-1731 10-1711 10-450 10-502A	
10-323A 10-3551 10-5551 10-5551	

PART NO.	DTY	MODEL/RESTRICTION	MODEL/RESTRICTION	MUDEL/RESTRICTION	FROM-TO
10-4001	<u> </u>	HOUSING, INTERMEDIATE		NODEL/ RESTRICTION	1 KOH- 18
N370-10-D00C 1 10-410 N318-10-D10B	1	PIPE,OIL FILLER			
10-415 10-415 N225-10-415	1	PLUG, SOCKET			
10-4171	1	JOINT, PIPE			
10-420 N332-10-420B	1	PIPE NO.2,0IL FILLER			
10-424 N318-10-424	1	GASKET,OIL FILLER PI PE ASBESTOS			
10-450 N332-10-450A	1	GAUGE,&IL LEVEL			
10-5001 N370-10-E00C	1	GEAR, STATIONARY-FRT.			
10-502A 10-502A N350-10-E02	2	METAL,STATIONARY GEA O.S.			
0820-10-5028	2	STD.			
10-5501 	1	GEAR, STATIONARY-RR.			
10-5551 0813-10-555A	1	RING,'C'			
10-5561 1668-10-556A		SEAL, OIL			



PART NO.	ÇTY	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-TO
10-C85 10-C85 N350-10-C85	1	COVER, DUST			
10-E53 N350-10-E56	1	RING,'G'-TENSION BOL			
10-1741 N231-10-174	1	RING,'O'			
10-2001 N350-10-C00A	1	HOUSING, FRONT			
10-203A 1 0839-10-203	2	PIN, DOWEL			
10-205A 8562-10-205	4	PLUG, BLIND			
10-2061 1757-10-206A	1	PLUG, BL IND			
1 10-2071 1757-10-207A	1	PLUG, BL IND			
1757-10-208	4	STUD			
10-219A N249-10-219	1	STUD,HOUSING			
10-3001 N350-10-C50A	1	HOUSING, REAR			
10-3051 N225-10-305	1	COVER, DUST			
10-309 1757-10-309	4	PIN, TUBULAR			
10-400 N328-10-400E	1	PAN, DIL			
CAT. AUFA03-07					1993-12



-+-


(W/C TURBO)						
PART NO.	977	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-TO	
10-431 [N3Y6-10-427	1	GASKET,OIL PAN ASBESTOS				
10-4511 N350-10-E50A	1	BOLT, TENSION				
N350-10-E518 10-4521 N350-10-E61A	17	BOLT, TENSION				
10-4551	18	WASHER, SEAL				
10-503 8871-10-631A	1	PIN, TOP INDICATOR				
10-506 N326-10-506	1	STUD, FRONT COVER				
110-507	1	SEAL,OIL				
10-561B 10-566	1	HANGER, ENGINE-REAR				
10-6001 10-500A	1	COVER, FRONT				
10-619A 10-619A N249-10-619	2	STUD, COVER				
10-641 10-641 N326-10-502A	1	GASKET.FRONT COVER ASBESTOS (192 MODEL)				
N386-10-502	1	NON ASBESTOS ('92 MODEL)				
10-8611 j N225-10-861	1	HANGER, ENGINE				

	10-2001
9979-61-016 B	10-2081
•	
10-6001 10-506-	641 10-203A 1 10-2071 10-219A
9930-70-600	9930-63-000
9930-70-600	9930-62-000\ (10-2061)
10-503	10-309
10-507	10-1741 [10-4551]
	10-619A (N350-10-E50A) 10-4551
14-115 e 14-273 19956-41-60	9979-60-816-S 110-E53
14-274 9938-41-3	10-C85
9995-20-80	0
9997-10-800 9980-10-875 9995-20-800	10-309
9980-10-865 9980-10-865	10-201A 10-4551
9979-60-610	7
[10-3091]	UNIT. HEAT GAUGE 10-4521
	10-309
	10-561B
	[10-205A]
ROTOR, HOUSING	10-3001
SECT. NO. 1030)	10-400
10-431	9956-41-400
	9-9951-11-400-
9979-4 A'IFA03	

(W/O TURBO)								
PART NO. 0	TY MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-TO				
14-115 0839-14-115 14-273 0839-14-273A	PLUNGER, CONTROL SPRING PLUG 1	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-TO				
CAT AIGEAUS-UZ				1993-12				

' [PART NO.	01Y	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-10
	10-C85 N350-10-C85	1	COVER, DUST	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
	10-E53 N350-10-E56	1	RING, 'C'-TENSION BOL T			
	10-1741 N231-10-174	1	RING, 'O'			
	10-2001 N370-10-C00B	1	HCUSING, FRONT			
	1 10-203A 0839-10-203	2	PIN, DOWEL			
	10-205A 1 8562-10-205	3	PLUG, BLIND			
	1 10-2061 1757-10-206A	1	PLUG, BLIND			
	1757-10-207A	1	PLUG, BLIND			
	10-2081 1757-10-208	4	STUD			
	10-219A N249-10-219	1	STUD,HOUSING			
	10-3001 10-3001 N370-10-C50A	1	HOUSING, REAR			
	10-3051 N225-10-305	1	COVER, DUST			
1	10-309 1757-10-309	4	PIN, TUBULAR			
	10-400 N328-10-400E	1	PAN, DIL			
	<u> </u>					

	10-2001
PIPE, OIL OUTLET F. COVER (REFER TO SECT. NO. 1400) 10-570 10-641 9978-80-818 9930-70-600 10-6001 14-115 9956-21-600 14-274 9938-41-200 9938-41-200 10-3051	10-203A 9930-63-000 9930-62-000) 10-2061 9985-91-220A 10-1741 10-1741 10-653 10-4551 10-4551
ROTOR, HOUSING (REFER TO SECT.NO.1030) 10-561B 9080-12-816	10-205A 10-431 10-400 9956-41-400



	014	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FR0M-10
1 10-431 N3Y6-10-427		GASKET, DIL PAN ASBESTOS			
1010 20 421	1	1,100,000			ļ
10-4511		BOLT, TENSION			
N350-10-E50A N350-10-E51B	1 17				
1 10-4521 N350-10-E61A	-	BOLT TENSION			
10-4551 0839-10-455		WASHER, SEAL			
1 10-503 8871-10-631A	1	PIN, TOP INDICATOR			
10-506 N326-10-506	1	STUD, FRONT COVER			
	1	SEAL, OIL			
10-561B N318-10-566A	1	HANGER, ENGINE-REAR			
10-570 N318-10-570B	1	BRACKET, HANGER-ENGIN E	į		
10-6001	1	COVER, FRONT			
10-619A N249-10-619	2	STUD, COVER			
10-641 N326-10-502A	1	GASKET, FRONT COVER ASBESTOS			
14-115 0839-14-115	1	PLUNGER, CONTROL			

CAT. AUFA03-07


	PART NO.	QΤY	HODEL/RESTRICTION	MODEL/RESTRICTION	HODEL/RESTRICTION	FPUM-TO
	114-273		SPRING			
10-2001	0839-14-273A	1				
[10-2081]	14-274		PLUG			
PIPE, OIL OUTLET F. COVER (REFER TO SECT. NO. 1400)	0839-14-274	1				
10-570						
10-219A						
9978-80-818 9930-70-608 9930-63-000 9930-63-000 [10-2061]						
10-309 4995-91-220A 10-205A						
10-507 10-619A) (*350-10-4511) (10-E53)						
9930-70 600-						
10-600] [4-1]5 9956-41-600 10-C85						
10-4521 (0350-10-6518) 10-4521 (0350-10-6518)						
9973-50-610 10-3051 9995-20-800 9980-10-800 9980-10-800 9980-10-800 10-3001 10-203A						!
9980-10-875 9987-10-800 9980-10-805 10-203A						
UNIT, HEAT GAUGE (REFER TO SECT.NO.						
10-309						
ROTOR HOUSING 10-205A						
(REFER TO SECT.NO.1030)						
10-5618						
9080-12-616						į
9956-41-400		Ì				
(REFER TO SECT.NO. 1300) 8 9979-40-612				,		
						ļ
AUFA03	CAT, AUFA03-07					1993-12
						- / . • • •

1 - N 3

9956-22-800 11-015 11-376 11-5511 11-5311	11-5011 11-5051 1111 1111 111-5071	11-5041
		11-7111
	\Diamond	
11-408		
	11-4041	
11-4111	51	
9961-12-500		11-502
11-301)	23	9923 - 30 - 822
	(11-1501)	(MT)
	11-7501	
	(AT)	HOUSING, REAR (REFER TO SECT.NO. 1040)
	COTOR HOUSING	
(REFER TO SECT.N	0.1030)


PART NO.	OTY	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-TO
11-D15 N326-11-D15	1	PELLET, THERMO-ECCENT RIC			
11-D17 N326-11-D17	1	SPRING,THERMO PELLET			
11-301J 99236-0571	1	KEY, WOODRUFF-PULLEY			
11-371 N381-11-400	1	PULLEY,CRANKSHAFT ('92 MODEL)			
N350-11-400B		('91 MODEL) BOLT, PULLEY			ļ ļ
N390-11-406 N318-11-420B		('92 MODEL)			
11-4001		SHAFT, ECCENTRIC			
N326-11-D00B N327-11-D00B		(TM)			
11-4031 11-003		BEARING, NEEDLE			
11-4041		SEAL,OIL (MT)			
11-408 N350-11-408A	1	PLATE, CRANKSHAFT PUL LEY			
11-4111 N326-11-D11	2	PLUG,OIL JET			
11-4121 0839-11-412	2	SPRING			:
11-500 N350-11-500 N370-11-500	1	WHEEL,FLY ((W/G TURBO)>(MT)) (TURBO)			
		<u> </u>			l

CAT. AUFA03-07




PART NO.	OTY	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-TO
11-5011		PLATE			
NF01-11-D51	1	('92 MODEL)			
1011-11-501	1	('91 MODEL)			
11-502		GEAR, RING-FLY WHEEL			
N318-11-502A	1	(TURBO)			
0866-11-702	1	((W/O TURBO)>(MT))			
11-5021		SPACER			
NF01-11-D55	1	L=8.0,-0.005/-0.025 ('92 MODEL)			
NF01-11-D56	1	1=8.0,-0.005/+0.015 ('92 MODEL)			
NF01-11-D57	1	L=8.0,+0.015/+0.035 ('92 MODEL)			
NF01-11-D58	1	L=8.0,+0.035/+0.055 ('92 MODEL)			
NF01-11-D59	1	L=8.0,+0.055/+0.075 ('92 MODEL)			
0839-11-502	1	L=8.02MM ('91 MODEL)			
0839-11-506	1	L=8.08MM ('91 MODEL)			
0839-11-508	1	L=8.04MM ('91 MODEL)			
0839~11-509	1	L=8MM ('91 MODEL)			
8519-11-517	1	L=8.06MM ('91 MODEL)			
8534-11-518	1	L=8.1MM ('91 MODEL)			
8871-23-129	1	L=8.12MM ('91 MODEL)			
11-5041		PLATE, THRUST			
N390-11-D52	1	('92 MODEL)			
1011-11-504	1	('91 MODEL)			
11-5051		BEARING, NEEDLE			
NF01-11-054	2	(192 MODEL)			
0813-11-505B	2	(*91 MODEL)			
			······		

CAT. AUFA03-07



PART NG.	QTY	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-TO
11-5071		WASHER, THRUST			
NF01-11-D53		(192 MODEL)			
1011-11-507		('91 MODEL)			
11-5111		WEIGHT, BALANCE			
++ N3A7-11-D61	1	((MT)>('92 MODEL))			
N3A8-11-D61		((AT)>('92 MODEL))			
N326-11-D61A		((AT)>('91 MODEL))			
N350-11-061	1	((MT)>('91 MODEL))			
111-5311 0839-11-531	1	GEAR, DRIVE			
11-5511 N326-11-D75	1	GEAR, DRIVE-OIL PUMP			
11-7051 0820-11-705		KEY,FLY WHEEL			
11-7111 0810-11-711		NUT, LOCK			
11-7501		WEIGHT, COUNTER			
N351-11-521		(AT)			
18-201 99541-01105		RING,'O'			
				<u> </u>	

CAT. AUFA03-07



PART NO.	QTY	HODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-TO
N326-11-C03A	6	PIECE, 2NDAPEX SEAL			
11-C06 N326-11-C06A	6	SPRING.OUTER-APEX SE AL			
1011-11-111	2	METAL, ROTOR			
11-3011		SEAL, APEX			
N326-11-C00C N351-11-C00		(TURBO) (W/O TURBO)			
11-3021 N326-11-C02A	•	PIECE, SIDE			
11-3041 11-3041 N326-11-C04A	6	SPRING, APEX SEAL			
11-3171 N326-11-C17		SPRING, SIDE SEAL			
11-3211 N326-11-C20A	12	SEAL, CORNER			
11-3221 11-3221 N326-11-C22A	24	PLUG, CORNER SEAL			
11-3231 1202-11-323A	12	SPRING, CORNER SEAL			
11-3411 0820-11-341	4	RING,'O'-INNER			
11-3431 11-3431 8341-11-343	4	RING,'O'-OUTER			
11-3511 11-3511 N225-11-351	2	SPRING, FRT INNER			

CAT. AUFA03-07 1993-12

1-F 4

	23-1801 11-3631 11-3631 11-3631 11-3631 11-3631 11-3431 11-3431 11-3431 11-3431 11-3431 11-3431 11-3431 11-3431 11-3431 11-3431 11-3431 11-3431 11-3431 11-3221 11-3231
I .	(REFER TO SECT. NO. 1030)

		T			
	PART NO. QTY	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-10
	11-3531	SPRING, FRT DUTER			
	1011-11-353A 2	İ			
	11-3611	SPRING, REAR-INNER			
	N225-11-361 2				
	++				
	11-3631	SPRING, REAR-OUTER			
	1011-11-363A 2		}		
	23-102A	ROTOR			
	N3Y5-11-810 2				-1501
	AN(N3Y5-11-810A)				1501
	N3Y8-11-B10 2 AN(N3Y8-11-B10B)				-1501
.	N3Y5-11-B10A 2	(W/D TURBO)			1501-
	N3Y8-11-810B 2	(TURBO)			1501-
	23-151A I	SEAL.SIDE			
1	++	(TURBO)			
		(W/O TURBO)			
	++				
	23-1801	SEAL SET, OIL			
ļ		(TURBO)			
	8871-23-180 4	(W/O TURBO)			<u> </u>
]
ı					
					
П	1501 FC3***-907	346			
ı					ļ

CAT. AUFA03-07

(870 10880)
9979-60-885 13-130E 9985-10-840A 13-665B
9992-00-80
13-23X 9979-40-830-9 9985-10-616A 9930-62-000 9979-40-612
9985-10-616A 9930-62-000 9985-10-616A 9930-62-000 13-135 13-1350
9979-40-516 (#350-13-670)
9994-00-801 20-155 20-155
2 13-100 9979-60-620 9994-00-601
9983-00-410 13-187 13-180A -9995-21-018
13-188 13-873 9985-10-625A
9930-62-000 9983-00-410
[3-B73] [3-187]
9995-21-018 13-188 13-1601 30 0
13-184
9994-00-601
9928-30-600 9934-00-801 9928-30-600 (N351-13-B70A)


PART NO.	OTY	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FR0#1-10
13-873 N350-13-873	2	BOLT, REAM-SHTR V.ACT UATOR			
13-100 N350-13-100A	1	MANIFOLO, INLET			
13-104	2	CAP, BLIND			
13-111 N3B1-13-111	1	GASKET, IN. MANIFOLD NON ASBESTOS ('92 MODEL)			
N350-13-111	1	ASBESTOS (191 MODEL)			
13-112B 13-112B N3B1-13-112		GASKET NO.2,IN. MANI FOLD NON ASBESTUS ('92 MODEL)			
N350-13-112	1	ASBESTOS ('%1 MODEL)			
13-130E N350-13-130A	1	TANK, SURGE			
13-135 N350-13-135	1	GASKET ASBESTOS ('91 MODEL)			
13-1350 N3B1-13-135	1	GASKET, SURGE TANK ('92 MODEL)			
13-1601 N225-13-160A	2	VALVE, VARIABLE PORT			:
13-1701 N350-13-B70	1	ACTUATOR, A.P.V.			
N351-13-B70A	2				
13-173 13-173 N225-13-173A	1	STUD			
13-180A		SHAFT, V.P.V.CONTROL			

1.00 (0.00)
9979-60-885 13-130E 9985-10-840A 13-665B 9994-00-801
9979-40-830-9
3985-10-616A 9930-62-000 9979-40-612 13-135 13-135D
9979-40-616- 9979-40-616-
9994-00-801
9979-60-620-9994-00-601
9983-00-410 [3-187] [13-180A] (N351-13-B60A) -9995-21-018
13-188 13-184 9985-10-625A
9930-62-000 13-180A (N350-13-860A) 2
13-B73 13-187 13-186A
9995-21-018-
9994-00-601
9979-60-825
9928-30-800 (N351-13-870A)
AUFA03

PART NO.	0 1Y	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-10
CONT'D N350-13-880A	1				
N351-13-880A	1				
13-184		BUSH			
N225-13-184	2				
++ 13-186A		PLATE, LOCATING			
N225-13-186	2	FEATE, LUCATING			
†					
13-187 ++ N350-13-887	2	COVER			
++	-				
13-188 + N225-13-188A	3	RUBBER, SEALING			
++	3				
13-23x		MANIFOLD, EXTENSION-I			
N352-13-23XA N352-13-23XB		('91 MODEL)			
4+	,	(192 MODEL)			
13-665B		BRACKET, ACCEL WIRE			
N350-13-660	1				
13-797		HOSE,AIR			
N350-13-896	2				
18-9121		BOLT			
N304-18-912	2				
20-155		GASKET, SHUTTER VALVE			
N3B1-20-155	1	('92 MODEL)			
N350-20-155	1	ASBESTOS ('91 MODEL)			
1 20-140			Ì	'	
20-160 	1	VALVE, SHUTTER-MANIFO			
++					
42-307 ++ 0223-42-307		CAP (5-SP)			
4225 72 501	•	(J GF)			
					

9980-00-8115	9979-40-616
9985-10-616A 9985-10-616A	
	[13-665B]
9994-00-801	13-130E
9985-10-8404	-9979-40-616 13-140
13-112B	
9985-10-625A	
9985-10-625A 9985-10-612A 9985-10-616A 9985-10-625A	
99851-0614A	41-770B
99851-0822A	9979-40-616
999307-0600	-[13-100]
\$99503-3000J	D
	Q_ _{[13-111}]
600	0 13-1001
999796-0825E	
999940-0801-	
	DIM
AUFA03	

PART NO.	QTY	HODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-TO
13-100		MANIFOLD, INLET			
1372-13-100A 13-100J	1	RING, 'D'			
1527-13-113	2				
13-104J 010-13-104	1	CAP, BLIND			
13-111		GASKET, IN.MANIFOLD			
370-13-111	1	ASBESTOS			
13-1128 370-13-112	1	GASKET NO.2,IN. MANI FOLD ASBESTOS			
13-130E 1370-13-130C	1	TANK, SURGE			
13-140 370-13-140B	1	ERKT.SURGE TANK			
13-665B 1370-13-660A		BRACKET, ACCEL WIRE			
41-770B 41-770A	1	SRACKET, ACCEL.WIRE-S URG. T			
			-		
		<u> </u>			



PART NO.	ÇTY	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-10
13-3801		PLATE, ABSORBER			
N326-13-C80A	1	(W/O TURBO)			
+	_				
13-390D		INSULATOR, EX. MANIFOL			
N326-13-390B	1	(W/O TURBO)			
N370-13-390A	1	(TURBO)			
13-450		MANIFOLD, EXHAUST			
N350-13-450		(W/O TURBO)			
N370-13-450B		(TURBO)			
+	•				
13-4538		STUD			
N326-40-353	5	(W/O TURBO)			
1 13-456		STUD			
N370-13-456		(TURBO)			
+	•	(Tones			
13-462		GASKET, EX.MANIFOLD			
N318-13-461	,	ASBESTOS (TURBO)			
N350-13-461	-	ASBESTOS			
11030 10 101	1	(W/O TURBO)			
1 20-523 I		WASHER, PLAIN			ĺ
E508-20-523	. 4	(TURBO)			:
++	•	, TONDO			
40-355A		NUT			
2158-40-355	4				
]			l
				į	
		ļ			
		ļ			
					Ī

(REFER TO SECT, NO.	13-555C 13-557
9079-40-835	13-736 99940-0801 9985-10-614A 13-231A 9079-40-835 13-3631 BRKT. SURGE TANK (REFER TO SECT. NO. 1300)

	-				
PART NO.	OTY	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-TO
13-228		CLAMP, HOSE			
SL50-13-736	2				
13-231A		PIPE,AIR			
N370-13-332	`1	, and the second			Ì
++	-				
13-232		SEAL, RUBBER			ļ
N318-13-246C	. 3				
13-245		JOINT, RUBBER			
N370-13-245	1			Í	!
13-3631		RUBBER, INSULATION			
N318-13-363	4				
†					
13-550 	1	CHARGE, AIR COOLER			
+	1				
13-555C (- 1	RUBBER, SEAL-INTER CO			
N318-13-555A	1				
13-556	ľ	SCREW, SEAL RUBBER-IN			
N319-13-556A	4	T.CLR			
† 13-557	l	CLIP, SEAL RUBBER-INT			
N318-13-557	4	.CLR			
†					
13-736	- 1	CLAMP, HOSE-4,1.PIPE SIDE		İ	
N318-13-736A	2				
20-650		BRACKET, INTER COOLER			į
N318-13-56X	1	Í			
20-820A	İ	CLIP, WATER HOSE-BY.A			
N318-20-820	1	.c.v.			j
					j
	ļ	į			
		ļ			
	ļ				
]
					l

CAT. AUFA93-07

9994-00-600	13-380
9979-40-612 13-381A	9936-91-200
	[13-640] [13-687C] [20-344A] [19-40-820]
13-746 13-761 9994-00-600	EXHAUST MANIFOLD (REFER TO SECT. NO. 1310)
99564-1600 99564-1600 20-523	2 10-7111
99369-1600	9928-31-000 13-7001 9928-31-000
9936-91-600 9979-40-8; 9928-61-400G	9979-40-820
13-546 AUFA03	

		T			·
PART NO.	QΤY	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-10
13-ZLY N370-13-ZLY	1	TUBE, VACUUM-TURBO CH ARGER			
1 13-228 SL50-13-736	2	CLAMP, HOSE			
13-2400 13-2400 N370-13-24X	1	PIPE, AIR INT/KE-INT. COOLE			
13-380 N370-13-38XA	1	INSULATOR, HEAT			
13-381A 13-381A N370-13-380B	1	INSULATOR, HEAT			
13-483D 13-483D 13-483	s	GASKET NON ASBESTOS			
13-530A N319-13-530A	1	PIPE, WATER IN -T/C			
13-540C 13-540C N370-13-540	1	PIPE,WATER OUT -T/C			
13-546 13-546 N318-13-546	1	HOSE, WATER-T/C WATER -PIPE			
13-6071 N370-13-708	3	מטזצ			
13-6311 N236-13-631	1	GASKET,OIL PIPE ASBESTOS			
13-6381 N236-13-638	1	GASKET, OIL PIPE ASBESTOS			
13-6401 N370-14-270B	_ 1	PIPE,OIL INLET			

A
9994 - 00 - 600
13-380
99/3-40-612
9928-31-000
9936-91-200-
13-483D]
[13-6401]
[13-887C] [13-483D]
13-240D 13-483D 20-344A
9979-40-870
13 228 - 13 746 b
[13-6551]
13-761 (REFER TO SECT. NO.
9994-00-600
[3-530A] - [3-6071] - (2)
99564-1500
99564-1600
9928-31-000- 13-7001
9928-31-000
13 6381
99369-1600
9936-91-600
(Z) 13-540C 9979-41-920
13-546
AUFA03


PART NO.	QTY	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FR0M - 10
13-6551 N370-14-280A	1	PIPE, OIL INLET		TODEC THE STREET SAN	1 1 101 10
13-7001 N370-13-700	1	TURBOCHARGER			
13-711 N370-13-710A	1	GASKET, TURBOCHARGER NON ASBESTOS			
13-743 N370-13-74YA		HOSE, VENTILATION			
13-746 N236-13-746A	1	JOINT,RUBBER			
13-761 N318-13-164A	1	GASKET ASBESTOS			
13-887C N370-13-886	2	PROTECTOR, SPONGE			
14-1/11 N270-14-293A	ì	GASKET, UIL STRAINER ASBESTOS			
14-290 N370-14-2908	1	PIPE,OIL	:		
20-344A N370-20-34XA	1	HOSE,AIR-A.C.V.&VAC. PIPE			
20-523 E508-20-523	4	WASHER, PLAIN			
40-353A 40-355A 8134-40-355	4	NUT			
			-		
CAT AUSAGZ DY					

13-157A (F267-13-428) 13-428 13-428 13-432 13-157A 13-480 (REFER TO SECT. NO. 4500) 99786-0612 (W/O TURBO) (F267-13-28) 13-157A (REFER TO SECT. NO. 4500) 9927-71-202 (F267-13-28) 13-157A (F267-13-28)
(TURBO)
(99359-0814) (13-157A) (13-157A) (13-157A) (13-157A) (13-157A) (13-157A) (13-157A) (13-157A) (13-157A) (13-157A) (13-157A) (13-157A) (13-157A) (13-157A) (13-157A) (13-157A) (13-157A) (13-157A)

<u>-</u> L	QTY	MODEL/RESTRICTION	MODEL/RESTRICTION	MOGEL/RESTRICTION	FROM-TO
1 13-157A		CLIP			
8574-13-157	11				
†+		DUBDED THEM ATTOM			İ
13-363 +	2	RUBBER, INSULATION			
#=======	٤				
13-421		HOSE, FUEL MAIN			
N318-13-498	1	(TURBO)			
13-422		HOSE, FUEL RETURN			
8574-13-422	1				
++ 17 400		BBBBBBBB			
13-428 +	ļ	PROTECTOR (TURBO)			
F267-13-428	- 1	(W/O TURBO)			
G601~13-428	1	(W/O TORBO)			
N318-13-428	_ [(TURBO)			
N326-13-428A		(TURBO)			
N370-13-428	1	CTURBO)			
13-432 N326-13-431B	1	HOSE, FUEL	!		
13-480 N326-20-490		FILTER, FUEL			~1101
4 (N326-20-490A) N326-20-490A	1	(W/O TURBO)			1101-
13-960 13-961A	1	BRACKET, CANISTER			
13-970 13-970 N326-13-970	1	CANISTER			
13-971 N326-13-971	1	HOSE, VENTILATION			
45-125	ı,	HOSE, FUEL			
FA66-45-125A		(W/O TURBO)			
99359-0813		(TURBO)			
1101 FC3***-	705	262			L

13-157A (F267-13-428) 13-432 13-157A 13-432 13-157A HOSE, FUEL (REFER TO SECT, NO. 4500) 9927-71-202 (F267-13-428) 13-157A (F267-13-428) 13-157A (F267-13-428) 13-157A (F267-13-428) 13-157A (F267-13-428) 13-157A (F267-13-428) 13-157A
(10RBO) (13-157A) (13-157A) (13-125) (13-428) (13-157A) (13-157A) (13-157A) (13-157A) (13-157A) (13-157A) (13-157A) (13-157A) (13-157A) (13-157A) (13-157A) (13-157A) (13-157A)

PART NO.	QTY	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-10
CONT'D 99359-0814	1	(TURBO)			
93-5908		HOSE			
99359-0822	i	(W/O TURBO)			
		:			
AT. AUFA03-07					1993-12



PART NO.	QTY	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-TO
13-150E		DISTRIBUTOR(P), FUEL			
N350-13-150	1	(W/D TURBO)			
N370-13-150	1	(TURBO)			
t		0.0000000000000000000000000000000000000		ĺ	
13-150F		DISTRIBUTOR(S), FUEL			
N351-13-150 N371-13-150		(W/O TURBO)			
4	1	(TURBO)			
13-158		INSULATOR, FUEL DIST.			Ì
N326-13-158	1				
13-164		BOLT, FUEL DISTRIBUTO			
N350-13-164	1	R			
+	•				!
13-1658		BOLT, FUEL DIST. REAR SIDE			
N350-13-165	1	3.00			
13-250A		INJECTION, FUEL-M.P.E			
N350-13-250	4	LECT. (W/O TURBO)			
N370-13-250	- 1	(TURBO)		,	
++		1			
13-252	Ī	GROMMET			
8574-13-252	4				
13-253	i	RING, 'O'			
8574~13-253	4				
99541-01252	8				
					
13-257	- 1	INSULATOR, INJECTION			
N350~13-257	4				
13-2601	ļ	SOCKET, AIR BLEED			
N351-13-C60	z				
N350-13-C61A	2				
N236-13-260A	2				
		ļ			
	-				
	1				

AUFA03

PART NO.	YTO	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-TO
13-104K		CAP, BLIND			
N350-13-104	1				
13-2058		CAP, IDLE SWITCH			
1481-13-205C	1				
13-210A		SENSOR.AIR FLOW			
N350-13-210	1				
1 13-2148		GROMMET, AIRFLOW METE			
N350-13-214	1	ir l			
+					
13-225 	1	DUCT, FRESH AIR			
+					
13-226		CLAMP, HOSE			
FE05-13-240	1				
13-310		BRACKET, AIR CLEANER			
N326-20-200A N350-20-220	1				
++	1				
13-310A		BRKT, AIR FLOW METER			
N350-13-310	1				
13-315A		BRACKET, AIR CLEANER			
N226-50-510A	1				
13-320		HOUSING, AIR CLEANER			
N350-13-320	1				
13-3242		HOSE, AIR INTAKE			
N350-13-222	1				
13-3251	ļ	DUCT, AIR			
N326-13-221A	1				
1 13-3382		SPACER			
FE51-13-329	3	DI MOER			
		ĺ			
					ĺ
	_				

(CONT' D) CAT. AUFA03-07

13-362B	
	13-320
<u> 23-6731</u>	
23-603	r-9994-00-801
	[<u>13-104K</u>]
	13-3242
(13-363N)	
0 13-3382	13-226
9979-60-612	9928-19-000 [3-205]
(13-210A)	
L-[13-214B]-(3)	9979-60-612
9079-40-635-7	13-9868
9978-60-612 9979-40-635	13-310 (N350-20 220)
13-310 -	A13-1111
(N326-20-200A)	
9978-60-612-	8— <u>[13-726]</u>
9079-40-635	-[23-615C]
13-315A	(13-225)
9979-60-612	
9919-00-015→	9078-60-6128-
	9078-60-6128
AUFA03	(CONT' D)
	(02.11, 2)

PART NO.	QΤY	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-TO
13-362B N326-13-234A	8	BOLT			
13-363N FE51-13-363	3	RUBBER, MOUNTING			
13-7171 N350-20-751	3	HOSE,AIR			
13-726 1480-13-726		CLIP,AIR HOSE			
1 13-986B) 8931-13-986		ORIFICE D=0.5 BLACK			
23-603 N350-13-Z40	1	ELEMENT,AIR CLEANER			
23-615C 23-615C N350-13-202	1	DUCT, FRESH AIR			
23-6731 N326-13-201	1	COVER,AIR CLEANER			
<u> </u>			·		

(CONT' D) CAT. AUFA03-07

13-362B	13-945B 13-986B
<u>[23-6731]</u>	13-320 20-345A
23-603	20-250 \\ \(\begin{array}{c} \begin{array}{c} \lambda \\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
	13-726 13-726
	9928-31-000
13-363N 13-3382	13-3251
[13-76]	9928-19-0007
13-310A 99/9-60-61	9928-17-000
	8 -9978-60-612
(N350-20-220)	[3-214B] [13-210A]
9079-40-635-	
9979-40-635	
13.310 (N326-20-200A)	[3-717]
9978-60-612	13-726
9079-40-635	23-615C
13-315A	13-225
9978-60-612	9078-60-6128-@
AUFA03	

PART NO.	PTY	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-TO
13-210A		SENSOR, AIR FLOW			
N370-13-210	1				
13-2148		GROMMET.AIRFLOW METE			
N350-13-214	1	R :			
++		İ			
13-225		DUCT, FRESH AIR			
N350-13-201	1]			1
13-2651		VALVE, CHECK			
N236-13-265	1				
1 13-310		BRACKET, AIR CLEANER			
N326-20-200A	1				
N350-20-220	1				
13-310A		BRKT, AIR FLOW METER	İ		
N350-13-310	1	District Four Park			
†					
13-315A		BRACKET, AIR CLEANER			
N326-20-21GA	1				
13-320		HOUSING, AIR CLEANER			
N350-13-320	1				
13-3251	ľ	DUCT, AIR			
N370-13-220	1				
13-3382	- 1	SPACER			
FE51-13-329	3	or Mocik			ı
++	ı				
13-362B	- 1	BOLT			
N326~13~Z34A	8				
13-363N	ļ	RUBBER, MOUNTING		-	
FE51-13-363	3				
13-7171		HDSE, AIR			
N370-20-751	1				
		<u></u>			

(1000)	
13-362B	13-945B 1-13-986B
[23-673]]	20-345A
23-603	20-250 2 13-726 13-726
	[13-986D] [13-726]
	9928-31-000
13-363N 13-3382	[13-3251]
[13-76]	9928-17-000
9979-60-61	
	\$-9978-60-612 13-210Å]
(N350-20-220) 13-310	<u>13-214B</u>
9079-40-635	
9979-40-635— [13-310] (N326-20-200A)	/-[13-7171]
9978-60-612	3 6 [13-726]
9079-40-635-	23-615C
13-315A	<u> </u>
9978-60-612	
	9078-60-6128-
AUFA03	

PART NO.	QTY	MODEL/RESTRICTION	MODEL/RESTRICTION	MDDEL/RESTRICTION	FROM-10
1480-13-726	5	CLIP,AIR HOSE			
13-761 N318-13-164A	2:	GASKET ASBESTOS			
13-765 N370-13-765		HOSE,AIR-A.B.S.V.&SU RGE T			
13-945B 1700-13-945A	1	CONNECTOR			
13-986B 8931-13-986	1	ORIFICE D=0.5 BLACK			
13-986D N370-13-986	1	ORIFICE			
20-250 20-250 JF01-20-250B	1	VALVE,AIR BYPASS			
20-345A N370-20-381A	1	TUBE, VACUUM		4	
23-603 N350-13-Z40	1	ELEMENT,AIR CLEANER			
23-615C N350-13-202	1	DUCT, FRESH AIR			
23-6731 N326-13-201	1	COVER,AIR CLEANER			
				į	

9979-40-\$1881 [13-650E]	(MT)
	(13-980A)
[18-912]	- (13-935)
\$	
9997-10-500 13-W70 13-W61	[3-W87] [3-W89]
	[13-W69]
	[20-155A]
	100 0 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	3000
[3-WY] (D)	(1) (1) (1) (1) (1) (1) (1) (1) (1) (1)
	1 3 8 Mg
-NOTE	9907 4
THE D-CODE OF THE D-CONSISTS OF FIGURE NUMBERS () THROUGH ().	(1) (1) (1) (1) (1) (1) (1) (1) (1) (1)
NOTE (i) → [13-W60] THE D-CODE OF [13-W60] CONSISTS OF FIGURE MUNECHS (i) THROUGH (ii).	THE B-CODE OF 11-890 CONSISTS OF FIGURE NUMBERS (2) THROUGH (2).
AUFA03	


PART NO.	QΤΥ	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-TO
1 13-W6X		LEVER SET, THROTTLE B			
N350-13-W6X	1	ODY (MT)			
N351-13-W6X	1	(AT)			
13-W60		SPRING SET, THROTTLE			
N350-13-W60	1	BODY (MT)			
N351-13-W60		(AT)			
1 13-W61		SPRING, DAMPER			
N327-13-W61	1	(AT)			
++				•	
i 13-W64		LEVER, THROTTLE			
N326-13-W64	1				
13-W68		NUT			
N326-13-W68	1	(AT)			
13-969		RING, 'O'			
N326-13-W69	1				
1 13-W7Y		DTABUBACH			}
N350-13-W7Y		DIAPHRAGM (MT)			(
N351-13-W7Y		(AT)			
†					
13-W70		SCREW SET, THROTTLE B			
N350-13-W70	1				
13-W76		SCREW, ID.ADJUST-TH.			Í
N326-13-W76	1				
13-W8Y		HOUSING, WAX			
N350-13-W8Y	1	(MT)			
N351-13-W8Y	1	(AT)			
13-W80		BRKT SET, DASH POT-TH			
N350-13-W8G	1	ROT (MT)			
N351-13-W80	1	(AT)			ĺ
13-W86		CAM, FIRST IDLE			
N326-13-W86	1	(MT)			!
					J

3979-40-61681	(UT)
[3-550]	
War.	@-[[CO] C -[15-310V]
[8-912]	
	♦ -Ⅲ-995
1997-10-900	- (13-863)
13-W76 (II)	(13-WE) (13-1047)
(i) A (i)	[3:W8Y]
	[13-W59] [13-980A]
100000	[20-190A]
	113-110
	7600
(13-W7Y)	(0 0 0 0 13 164 1
② [13-980	
NOT3 → []3-WY]	T (1) (1) (1) (1) (1) (1) (1) (1) (1) (1)
THE D-CODE OF TITUES CONSISTS OF FIGURE NUMBERS () THROUGH (5).	ि ्राञ्चा
Marine Ma	(D) (2D) ⇒ (13-995)
THE D-CODE OF 13-WEE CONSISTS OF THE FIGURE NUMBERS (8) THROUGH (B).	D-CODE OF 111-990 CONSISTS OF URE MANBERS (2) THROUGH (2).
AUFA03	

PART NO.	QTY	MODEL/RESTRICTION	MCDEL/RESTRICTION	MODEL/RESTRICTION	FR0M-10
CONT'0 N327-13-W86	1	(AT)			
13-w87		WAX, THERMO			
N326-13-W87	1	GASKET, THERMO			
N350-13-W89	1				
13-W90 N350-13-W90	,	TUBE SET, VACUUM-THRO			
N351-13-W90	-	(AT)			
13-104J 1010-13-104	1	CAP, BL IND			
13-650E N350-13-650B		BODY, THROTTLE			
N351-13-650B		(AT)			
13-980A	- 1	VALVE, THERMO			
N304-13-980A N326-13-980	ļ	(MT)			
13-980F N236-13-980A	ŀ	VALVE, DELAY (AT)			
13-995 HE41-13-995	ĵ	VALVE, CHECK			
18-9101 	1	SENSOR, THROTTLE POSI			
18-9121 18-9121 N304-18-912	2	вост			
18-996 N350-18-996	1	CLIP			
20-190A 20-190A N350-20-190	1	DASH POT			

AUFA03

CAT. AUFA03-07



PART NO.	QTY	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-10
20-309 8574-20-309		VALVE, VACUUM DELAY			
	Į				
	j				
AT. AUFA03-07					

1364 A-1 THROTTLE BODY (TURBG)


/	THEID & CO. T.	NOTE -
13-650E		
	THE D-CODE OF THE CONSISTS OF FIGURE MANBERS THROUGH ().	THE D-CODE OF THE CONGLETS OF FLORIDE NUMBERS (1) THROUGH (1).
	· · · · · · · · · · · · · · · · · · ·	PIGORE HUMBERS (1) THROUGH (1).
	NOTE TOWN	-KOTE
	③ ··· ① → ⅢⅢ	
1 3 Y	THE D-CODE OF TE-ME CONSISTS OF	THE D-CODE OF TI-VIE CONSISTS OF
	FIGURE NUMBERS (F) THROUGH (T) .	FIGURE MANBERS (1) THROUGH (1)
	,	
60		
	[20-190A]	
100		
(0.5		13-W69
	00 000	\[13-W68]
(c) 13-W64		
S .0	√ ∥ 🚱 🐸	7-20-130
100	9392-21-201	₹ 3
	2302 21-201	
0	13-W86	
\$ 0 0 G	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	
(1) 1/(1)	The Contract of the Contract o	18-9121
A)a		
		13-W61
J. J.		3 9 9 9
1	909	9997-10-500
		- 18-91011
		-000
	8-	
	13-W8Y	_ 113-W70
[13-W87]	√13-₩89 \ C	(Z)
, U		
		as as
- Co		Sapara
13-980A		
		21-201 20-><
A	20-190A	
\$ [13	995	8 9
i A .		
1 2		į
1 1		1
	 ا	NOTE-
1)		(B · · · (D → (DEMY)
	TH	D-CODE OF II-WIY CONSISTS OF
***	b LFIC	WRE MUHBERS (A) THIROUGH (A).
AUFA03		
MULAUS	•	

PART NO.	OIA	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-TO
13-W6X N370-13-W6X	1	LEVER SET, THROTTLE B			
13-W60 13-W60 N332-13-W60	1	SPRING SET, THROTTLE			
13-W61 N332-13-W61	1	SPRING, DAMPFR	Ì		
13-W64 N337-13-W64	1	LEVER, THROTTLE			
13-W68 N326-13-W68	1	TUN			
13-W69 N326-13-W69	1	RING,'0'			
13-W7Y N370-13-W7Y	1	DIAPHRAGM			
13-W70 N350-13-W70		SCREW SET, THROTTLE B			
13-W8Y N370-13-W8Y	1	HOUSING, WAX			
13-W80 N370-13-W80	1	BRKT SET,DASH PCT-TH ROT			
13-W86 N370-13-W86	1	CAM, FIRST IDLE			
13-W87 N326-13-W87	1	WAX, THERMO			
13-W89 N350-13-W89	1	GASKET, THERMO		1	
13-W90 N37G-13-W90	1	TUBE SET, VACUUM-THRO			

A STATE OF THE PARTY OF THE PAR		
	NOTE (D → (D=WIL)	0 ··· (5) → (11-10)
13-650E	THE D-CODE OF [13-141] CONSISTS OF	
	FIGURE NUMBERS THROUGH	THE D-CODE OF [II-WI] CONSISTS OF FIGURE NAMES (C) THROUGH (C).
		THE RESERVE THE PERSON NAMED IN COLUMN TWO IS NOT THE OWNER.
	NOTE	NOTE -
	(f) · · · (f) ◆ (II-MI)	(D · · (D → (D=M))
③ Y	THE O-CODE OF ULTER CONSISTS OF	THE D-CODE OF THE CONSISTS OF
1 nda 6	FIGURE NUMBERS (THROUGH ()	F! CURE NUMBERS (1) THROUGH (1)
Ge C	,	
66		
	20-190A	\sim
1		[3-W69]
1 1		{
	000	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
13-W64		-[20-130]
30	. 9	
0.00	9992-21-201	TO SEE STATE OF THE SEC STATE OF THE SEC
000	n r	
0000	(a) 13-W86	
00		
		1 2 60
(1) (1) (1) (1) (1) (1) (1) (1)		[18-9121]
(A)	U - MARCES SI	113-WET 80-00
1 1/1		
1 1/20		(a) (b) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c
(X)		9997-10-500
		18-9101
	®-	9997-10-50U 18-9101
	(12 WAY 1	&
113-W87 (S)	13-W8Y	13-W70
	(13-W89) (**)	
200		
	3. //	W W W
/ 28		Ramma G. To.
بخره المالية		Salari
13-980A	(1) (Y) W (1)	21-201
6 (10		
₹ — <u>[]</u>	995	80
l fi		—
		NOT B
1		(§) · · · (§) ◆ [[1-17]]
1	<u>IH</u>	E D-CODE OF 11-VIY CONSISTS OF
	→	GURE NUMBERS (A) THROUGH (B).
AUFA03		
NUCAVO	•	


	URBO:				
PART NO.	Y10	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	1804-10
13-650E 13-650E N370-13-650B	1	BODY, THROTTLE			
13-980A N304-13-980A	i	VALVE, THERMO			
13-995 HE41-13-995	1	VALVE, CHECK			
18-9101 18-9101 N380-18-911	1	SENSOR, THROTTLE POSI TION			
18-9121 N304~18-912	2	BOLT			
20-130 N370-20-130	1	ACTUATOR, SHUTTER VAL VE			
20-190A 20-190A N350-20-190	2	DASH POT			
	1				

(CONT'D) AUFA03




PART NO.	QTY	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RES:RICTION	FROM-TO
13-7141		STRAP,AIR PUMP			
N350-13-812	1	(W/O TURBO)			
N370-13-812	1	(TURBO)			
13-7151		BELT'V'			
N370-13-813A ++	1				
13-7181		HOSE, AIR			}
N350-20-752	1	(W/O TURBO)			
N370-20-752	1	(TURBO)			
13-7241		GASKET,A.C.VALVE			
N304-13-724A	1	ASBESTOS ((W/O TURBO)>('91 MO DEL))			
N318-13-996	1	ASBESTOS (TURBO)			
1 13-726		CLIP,AIR HOSE			
N304-13-726	2				
13-730		BRACKET,AIR PUMP			
N350-13-921	1	(W/O TURBO)			
N370-13-921A	1	(TURBO)			ļ
13-7301		VALVE, CHECK			ļ
1480-13-730	1				
13-810		PUMP,AIR			İ
++ N350~13~810	1	(W/O TURBO)			
N370-13-810	1	(TURBO)			
13-990		VALVE,AIR CONTROL			
N381-13-990	1	((W/O TURBO)>(MT)>(' 92 MODEL))			
N3B2-13-990	1	((W/O TURBO)>(AT)>(' 92 MODEL))			
N350-13-990A	1	((W/O TURBO)>(MT)>(' 91 MODEL))			
N351-13-990A	1	((W/O TURBO)>(AT)>(' 91 MODEL))			
N370-13-990A	1	(TURBO)			

(CONT'D) CAT. AUFA03-07




PART NO. OTY	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-TO
13-996C	GASKET, A.C.V.			İ
N381-13-996 1	((W/O TURBO)>('92 MO DEL))			
15-103	SPACER			
N304-15-103 1	(W/O TURBO)			
18-867	CLIP			
FE30-18-867A 1	(TURBO)			
N350-13-811 1	PULLEY, AIR PUMP			
1 23-7251 1 23-7251 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	VALVE, SOLENOID			
N304-20-725 1				
			1	
•				
	L			
CAT AUEAGT-07				



1380 -1

1380

(THIS ILLUSTRATION CONSISTS OF 2 PAGES)



93-5104 HOSE		9935-10-4999	D#M
13-986B ORIFICE	D	8931-13-986	D = 0.5(BLACK)
13-995 VALVE, CHECK	HE41-13-995		

PART NO.	YTQ	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-TO
1 13-240		VALVE, SWAY			
1481-13-240A 1482-13-240A	2 3				
13-2531		HOSE, VACUUM			
N236-13-253A 13-283		CHAMBER,AIR			
N304-13-283A 13-363I N326-13-363B	1	RUBBER, INSULATION			
13-447 N326-13-447		CLIP			
13-583 N326-13-753A		HOSE,AIR			
N326-13-755	1				
13-584 N326-13-750A	1	HOSE,AIR			
13-590B 13-590B N350-13-C90	1	SILENCER, RELIEF			
13-645		INSULATOR, THROTTLE B			
N3B1-13-645 N350-13-645		('91 MODEL)			
13-650 N350-20-410C	1	PIPE, VACUUM			:
13-671 N350-13-680	1	HOSE, WATER			
13-682B 13-682B 1350-20-665	1	HOSE, WATER-8.A.C.V.&			
13-6838		HOSE, WATER-B.A.C.V.& R.H.			

AUFA03

(CONT'D) CAT. AUFAB3-07

(M328-13-753A)

(AT) 20-381

9928-61-4006 **∤**9928-61-400G√ k9994-00-601

(MT)

0

(N350-20-661) 13-683B

13-682B

9928-61-4006

20-41X

AUFA03

20-342

20-661

20-660

13-683B (N350-20-65Y)

13-887A

20-41Y

13-766

13-740

9928-31-200

13-3631 -

9994-06-600-----

13-671

-3928-61-400G

13-726

20-950A

13

13-787A -

-13-645

(2/2)(THIS ILLUSTRATION CONSISTS OF 2 PAGES) 13-726 (N326-13-755) 4-13-887 13-726 13-283 9979-40-616-7 13-762 13-7520 HOSE, AIR


(REFER TO SECT. NG. 1360)
(1482-13-240A)
(1482-13-240A) 13-240 13-240 13-995 20-341B (1481-13-240A) 13-240 1-20-341 13-650 9928-31-200

PART NO.	QΙΥ	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-TO
CONT'D N350-20-65Y	ï				
N350-20-66Y	1				
13-720 N350-13-720	1	VALVE,SOLAIR BLEED EXTE			
13-726 N304-13-726	3	CLIP, AIR HOSE			
13-740 N350-13-740	1	HOSE, VENT PURGE CON T. V.			
13-752C N350-13-752	1	HOSE,AIR			
13-762 N350-13-762	1	HOSE,AIR			
13-766 N350-13-760A	1	HOSE,AIR			
13-772 N350-13-772	1	HOSE,AIR-AIR P.88Y.A			
13-787A 13-787A N350-13-742	1	HOSE, VEN FILATION			
13-887 13-887 N326-13-887	1	PROTECTOR, SPONGE-AIR HOSE			
13-887A 13-887A 	1	PROTECTOR, SPONGE-WAT . HOSE			
13-986B		ORIFICE			
8931-13-986	1	D=0.5 BLACK			
113-995 i HE43-13-995	3	VALVE, CHECK			
20-341		HOSE, VACUUM			

CAT. AUFA03-07

1380

(THIS ILLUSTRATION CONSISTS OF 2 PAGES)




93-5104 HOSE		9935-10-4999	D = 4MM
13-986B ORIFICE		8931-13-986	D = 0.5(BLACK)
13-995 VALVE, CHECK	HE41-13-995		

PART NO.	OTY	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	TOOM TO
CONT'D N350-20-341	5			TOOLL/ NESTRICTION	FROM-TO
29-3418 B305-23-341	1	TUBE, VACUUM-SOL. VAL			
20-342 20-342 N332-20-342A	1	HOSE, VACUUM			
20-381 20-381 N351-20-381	1	TUBE, VACUUM			
20-41X N350-20-41XB	1	PIPE NO.2,VACUUM			
20-41Y 20-41YC	1	PIPE,AIR-VALVE ACTUA TOR			
20-660 N350-20-660	1	VALVE, IDLE AIR CONTR			
20-661 20-661 N3B1-20-661	1	GASKET,B.A.C. VALVE			,
N350-20-661	1	ASBESTOS ('91 MODEL)			
20-950A 1480-20-950A	1	VALVE, PURGE			i :
93-5104	1	HOSŁ.			
			į		
-					
					Í


AUFA03

(CONT'D) CAT. AUFA03-07



1-J 6

(THIS ILLUSTRATION CONSISTS OF 2 PAGES)




)			1
			9935-10-4999	D = 4MM
[00 COA]			9935-10-6999	D=6MM
93-5104 93-5106	<u>*D</u>			
HOSE		OTH.		-
		11 3		
			8931-13-986	D = 0.5(BLACK)
	<u> </u>		6331113-300	D = 0.5(BLACK)
13-986B	- T	<u> </u>		
ORIFICE	<u> </u>	<u> </u>		
[45 54 85]				1
13-945B CONNECTOR				
33.11123.311				
	1700-13-945A			
	\sim			
13-995				
VALVE, CHECK				
	HE41-13-995			
				
UFA03				(00

					·
PART NO.	QTY	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-TŪ
13-1041 N318-20-662A	. 1	CAP, BLIND			
13-240 1481-13-240A	3	VALVE, 3WAY			
13-2451 N318-20-342		HOSE, VACUUM			
13-2531 13-2531 N236-13-253A	1	HOSE, VACUUM			
13-283 N304-13-283A	1	CHAMBER, AIR			
13-3631 N326-13-3638	. 2	RUBBER, INSULATION			
13-447 N326-13-447	2	CLIP			
13-583 N326-13-753A	1	HOSE, AIR			
13-584 N319-13-750A	1	HOSE,AIR			
13-5908 N350-13-C90	1	SILENCER, RELIEF			
13-645 N570-13-645	1	INSULATOR, THROTTLE B ODY ASSESTOS			
13-650 N370-20-410C	1	PIPE, VACUUM			
13-671 N370-13-681	1	HOSE, WATER			
13-720		VALVE, SOLAIR BLEED EXTE			

(TUR 30)	(2/2)
[13-761A]	(THIS ILLUSTRATION CONSISTS OF 2 PAGES)
9928-32-000-0-9979-40	-615
9928-32-000	D
9928-31-	806
[-[13-752A]	
13-761 13-720 9994-00-601	1-200 -671 -9928-61-400G
100 0000 100	9994-00-801
9994-00-801- <u>9928-61-4006</u>	
20-665	
9928-61-4006	3-645 8-9079-40-616
<u>41-666B</u> 20-660	20-285
9994-00-601 9994-00-601	A
13-772 20-66Y	20-950A - 13-2531
9979-60-612-9928-61-4006-	13-787A
	9-40-816
13-2451	- 5[20-345A]
[14-6	
20-342	20-3418
	13-650
[13-3631 13-755A
9994-00-600-	13-447
\[\(\bar{13-583}\)\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	
9928-42-500	13-447
[20-344A]	[3-726]
13-5908	
	13-584
AUFA03	

			•		
PART NO.	QTY	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-TO
CONT'D N370-13-725	1				
13-7200 N370-13-720A	1	VALVE,SOLAIR BLEED SURG			
13-726 13-726 N304-13-726	3	CLIP, AIR HOSE			
13-744 N318-13-744A	1	HOSE, VENTILATION			
13-752A N332-13-752A	1	HOSE, AIR-EXT.MANIFOL			
13-755A 13-755A N332-13-755A	1	HOSE,AIR			
13-761		GASKET			
N304-13-761A	1	ASBESTOS			
13-761A N370-13-761A	1	HOSE,AIR			
13-762 N370-13-762A	1	HOSE,AIR			
13-772 N370-13-772A	1	HOSE,AIR-AIR P.88Y.A			
13-787A N319-13-742	1	HOSE, VENTILATION			ļ
13-889A N370-13-889	1	PROTECTOR			
13-945B 1700-13-945A	1	CONNECTOR			
13-9869		ORIFICE			1
8931-13-986	- 1	D=0.5 BLACK		To a second seco	
	I		<u> </u>		

(THIS ILLUSTRATION CONSISTS OF 2 PAGES)



		9935-10-4999	D = 4MM
93-5104 93-5106 HOSE		9935-10-6999	D = 6MM
13-986B ORIFICE		8931-13-986	D = 0.5(BLACK)
13-945B CONNECTOR	1700-13-945A		
[13-995] VALVE CHECK	HE41-13-995		

PART NO.	QTY	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-TO
13-995 HE41-13-995	2	VALVE, CHECK			
14-609 N326-14-609A	1	TUBE NO.4,AIR			
20-285 20-285 N370-20-285A	1	VALVE, DUTY SOLENOID			•
20-3418 20-3418 8305-20-341	1	TUBE. YACUUM-SOL. VAL VE			
20-342 N332-20-342A	1	HOSE, VACUUM			
20-344A N318-20-344	1	HOSE,AIR-A.C.V.&VAC. PIPE			
1 20-345A N370-20-345A	2	TUBE, VACUUM			
20-41X 20-41X 10-41XA	1	PIPE ND.2,VACUUM			
20-66Y 20-66Y 1370-20-66YA	1	HOSE, WATER			
1 20-660 N570-20-660A	1	VALVE, IDLE AIR CONTR OL			
20-661 N350-20-661	1	GASKET, B.A.C. VALVE			
20-665 20-665 10-657		HOSE, WATER BY-PASS			
1 20-820B N332-20-820B	1	CLIP, FLUID HOSE			
1 20-950A	_	VALVE, PURGE			

AUFA03

(CONT'D) CAT. AUFAG3-07

1	2	1	2	


\ (\OKGO)	(2/2)
[13-761A]—(THIS ILLUSTRATION CONSISTS OF 2 PAGES)
9928-52-000	16
9928-32-000-	
[13 200]	•
13-162 9928-31-80	U
1 49928-31-2	00
13-761	
9994-00-601	-9928-61-400G
20-820B	9994-00-801
9994-00-8012-9928-61-4000	9994-00-801
9994-00-801-29928-61-400G	00
20-665	J. O.
[20-66]	
9928-61-4006	13-645 9079-40-616
41-666B 20-660	20-265
9928-61-4006	
9994-00-601	a [13-240]
13-772 (20-66Y)	20-950A - 13-2531
9979-60-612-9928-61-4000-	13-787A
9979.	10-816
13-2451	20-345A
A (14-60)	
20-342 - 9 100	20-341B -13-744
and the second	13-650
113	-3631 [13-283 [13-755A]
9994-00-600	13-447
7 5 [13-583]—PP	
9928-42-500	13-447
[20-344A]	13-726 [13-726]
13-590B	
	13-584
AUFA03	

PART NO.	QTY	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-10
CONT'D 1480-20-950A	1				
FB44-41-666A	1	BRACKET, ACCEL. WIRE-B Y.A.C.			
93-5104		HOSE			
93-5106 99351-06999	1	HOSE			
	-				_
			i		
					 -
			ļ		ĺ
					1

AUFA03

14-608		A THE PARTY OF THE
[14-6311]	9956-21-000	- <u>[14-606A]</u>
3956-21-000 14-296 14-6601	14-63511	
9956-20-800	79-60-620	23-802
14-6501)————————————————————————————————————	14-6041 14-6231 14-6251	-9978-80-618B -9978-80-616A
9979-60-635	14-6201	9926-70-422-9
	9957-60-800	[14-2501]
	9080-42-620	[4-100]
14-125 14-143 14-151 14-1191	14-1121	14-1181 23 8821
9992-21-200	14-1171 23-	1 8821 [14-1131]

PART NO. 01	Y MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM: TO
14-100 N326-14-100A	PUMP, OIL			
14-1121 N326-14-131	SHAFT, DIL PUMP			
	RING, SNAP			
	PLUNGER, CONTROL			
	SPRING, PRESSURE			
	BOLT, LOCK			
	PLATE, MIDDLE			
14-1191 0839-14-119B	KEY			
	BOLT, SET			
14-143 N326-14-143	WHEEL, SPROCKET			
	CHAIN, OIL PUMP			
14-1711 0810-14-171A	GASKET, DIL STRAINER			
N386-14-248	NON ASBESTOS ('92 MODEL)			
14-240 N326-14-240B	STRAINER, OIL			



	QΤY	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FRUM-10
14-2501 3648-14-250	1	REGULATOR, PRESSURE			
14-296 N350-14-667	1	CLIP,OIL TUBE			
14-310A 8341-14-310	1	80DY,OIL FILTER			
14-6001 N350-14-600B	1	PUMP, METERING OIL			
14-6031 N236-14-603B	4	BOLT, CONNECTOR			
14-6041 14-6041 N350-14-604	1	RING,'0'			
14-606A N350-14-606	2	TUBE NO.1.AIR	,		
14-607 N350-14-607	1	TUBE NO.2,AIR	ļ		
14-608 N350-14-608	1	TUBE NO.3,AIR			
14-6111 N350-14-602	- 1	GASKET,METERING OIL NON ASBESTOS			
14-6201 N350-14-620	1	SHAFT,DRIVEN GEAR			
14-6231 0813-14-623	1	PIN,DRIVEN GEAR	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
14-6251 0820-14-625A	1	GEAR, DRIVEN			
14-6301		TUBE, METERING OIL			

[14-608] [14-607]
9956-21-000 14-6311 14-606A
3956-21-000 14-296 14-6401
14-6351 9956-21-000 14-6301 14-638A
9956-20-800 9979-60-620 14-310A 9978-80-5188
14-6231 14-6231 14-6251 9978-80-616A 13-870J 9926-70-422
9957-60-800 14-115 14-116
14-1711
9080-42-620
14-125
14-151 14-1121
9992-21-200
AUFA03

***	- -	 			
PART NO.	Y10	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-TO
CONT'D N350-14-660B	1				
14-6311		BOLT, CONNECTOR			
N318-14-631	5			1	
14-6351		BOLT, CONNECTOR			
N318-14-635	2				
14-6401		TUBE,METERING DIL			
N350-14-670B	1	TODAY ILLIANO GIE			
14-6501		TUBE, METERING OIL			
N350-14-680A	1	TODE THE PERING OIL			
1 14-6601	,	TUBE, METERING DIL			
N350-14-690A	1	TODE, METERING UIL			
14-668A		CLTD M OTL TIME			
N350-14-668A	1	CLIP,M.OIL TUBE			
++					
19-870J 99541-01601	2	RING, 'O'			
+	ĺ			-	
23-802 B6Y1-14-302		CARTRIDGE, OIL FILTER TOKYO ROKI			
	1	TOKTO KOKI			
23-8821		ROTOR SET, OIL PUMP			
N326-14-140	2				
				}	
			ļ		
		!			
····					
					Ì

1400 A-1

AUFA03

PART NO.	QTY	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-10
13-6381 N236-13-638	1	GASKET, DIL PIPE ASBESTOS			
14-100 N318-14-100A	1	PUMP,OIL			
14-1121 N326-14-131	1	SHAFT,OIL PUMP			
14-1131	1	RING, SNAP			
14-115	1	PLUNGER, CONTROL			
14-116	1	SPRING.PRESSURE			
14-1171 N326-14-117	1	BOLT,LOCK			
14-1181 N318-14-135A	1	PLATE, MIDDLE			
14-1191 0839-14-1198	3	KEY			
14-125 8553-14-125	4	BOLT, SET			
14-140 N318-14-140	2	ROTOR		·	
14-143 N326-14-143	1	WHEEL, SPROCKET			
14-151 N326-14-151	1	CHAIN, OIL PUMP			
14-1711		GASKET,OIL STRAINER			

CAT. AUFA03-07

14-616

14-617

14-6311 14-608 9956-21-000-Ø 14-631! 14-296 -9956-21-000 GASKET, OIL STRAINER (REFER TO SECT. NO.1312) 9956-21-000--14-260A 23-802 14-6601 14-6031 9979-60-812 13-6381 9979-60-816 -9979-60-620 14-6401 14-310A 9956-20-800 14-6041 14-650 -9978-60-618B 14-6231 L-9978-80-616A-14-6301 14-6251 9979-60-635 19-870J 14-6111 9926-70-422-14-115 14-116 14-6201 14-2501 9957-60-800 14-1711 14-240 14-100 9080-42-620-14-125 14-143 14-151 14-140 14-1121 14-1191 14-1131 14-140 14-1191 9992-21-200-^T 14-1171

1400 A OIL PUMP & FILTER (TURSO)

9956-21-000-

9997-91-200

AUFA03

14-6351

14-607

9956-21-000

PART NO.	QTY	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-TO
CONT'D 0810-14-171A	1	ASBESTOS			
14-240 N326-14-240B	1	STRAINER, OIL			
14-2501 3648-14-250	1	REGULATOR, PRESSURE			į
14-260A N370-14-260B	1	PIPE,OIL OUTLET-F.CO VER			
14-296 N370-14-667	1	CLIP,OIL TUBE			
14-310A 8341-14-310	1	BODY, OIL FILTER			
14-6001 N350-14-600B	1	PUMP, METERING DIL		;	
14-6031 N236-14-603B	4	BOLT, CONNECTOR	•		
14-6041 N350-14-604	1	RING,'O'			
14-606A N370-14-606	1	TUBE NO.1,AIR			
14-607 N370-14-607	1	TUBE NO.2,AIR		į	
14-608 N370-14-608	1	TUBE NO.3,AIR	T C		
14-609 N370-14-609	1	TUBE NO.4,AIR			
14-6111 N350-14-602	1	GASKET,METERING DIL	1		

CAT. AUFA03-07

(TURBO)	
[14-607] (W)	14-616
[14-6351] (2) [14-606A]	14-617
9956-21-000	W- The
9956-21-000	®~~~<
9956-21-000-14-6311	(Y) (Q)
9956-21-00	©
GASKET, OIL	STRAINER SECT. NO.1312)
	00A 23-802
14-6601 14-6031	-[13-638]]
9979-60-812	
9956-20-800	F-310A
[14-6501] 14-6231]	-9978-80-6188
[14-6251]	-9978-80-616A- 19-870J
9979-60-635	9926-70-4220
₩ ¢	990000
14-6201	14-115 [14-116]
9957-60-800	14-2501
[14-1711]-	-@
[14-240]	
9080-42-620-	14-100
	090
14-125	CON WAD
14-143	D PAP /)
14-151	14-1181 14-140
14-1191	-140 [14-1131]
1000 21 700	
9997-91-200	
AUFA03	

PART NO.	QΤY	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-TO
14-616		TUBE, AIR INLET			
N318-14-616A	1				
14-617		CONNECTOR, AIR TUBE			
N326-14-617	1				
14-6201		SHAFT, DRIVEN GEAR			
N350-14-620	1	†			
1 14-6231		PIN,DRIVEN GEAR			
0813-14-623	1				
1 14-6251		GEAR, DRIVEN			•
0820-14-625A	1				
14-6301	:	TUBE, METERING OIL			
N370-14-660A	1				
14-6311		BOLT, CONNECTOR			
N318-14-631	2				
14-6351		BOLT, CONNECTOR			
N318-14-635	2	DOL 1, CONNECTOR	:		
14-6401		TUBE, METERING OIL			
N370-14-670A	1				
114-6501		TUBE, METERING CIL			
N370-14-680A	1				
114-6601		TUBE METERING DIL			
N370-14-690A	1	TODE THE PERENT OFF	j		
14-668A		CLIP,M.OIL TUBE			
N370-14-668A	1	dazi jii. dze 1002			
19-870J		RING, 'O'			
99541-01601	2				
23-802		CARTRIDGE, OIL FILTER		ļ	
Bey1-14-302		TOKYO ROKI			
				<u> </u>	 -

(TURBO)	·
[14-607]	Ŷ <u></u> <u>(14-616</u>
[14-6351]	[14-606A] [14-617]
14-609	6-21-000
9956-21-000-	
9956-21-000	14-608 W
	[4-631] Y Z
[14-296]	9956-21-000
	GASKET, OIL STRAINER (REFER TO SECT. NO.1312)
3956-21-000	[14-260A] [23-802]
14-6601 14-6031	[13-6381]
9979-60-812	
9956-20-900 9979-60-620	O-816 (14-310A)
14-6501	—————————————————————————————————————
	9978-80-616A-
14-6111	14-6251 19-870J
9979-60-635	9926-70-422-0
	_ \
14-620	
	9957-60-800
	[14-1711]
	TV-240 -60(=)
V COMPONIE OF THE PROPERTY OF	14-100
\sim \mathcal{I}	9080-42-620
14-125	
14-143	
14-151 - H (6)	0 -1121 (14-1181) [14-140]
14-1191	[14-1431]
	4-1191
9992-21-200-]
AUCADO	

PAR1 NO.	QTY	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-TO
CONT'D	1				
	ì				
					i
	į				
					:
				:	
	į				
	[
	İ				
	İ				
	1				
	1		L		
AT. AUFA03-07 1993-12					

AUFA03

1500 COOLING SYSTEM
9978-80-622A 9978-
9078-6C-825 9926-40-658 9927-61-806 9995-20-516 9990-70-500 14-7102 9990-70-500
9994-00-600 14-705 14-705 14-7001 14-8231 14-8221 AUFAO3

PART NO.	OTY	MODEL/RESTRICTION	MODEL/RESTRICTION	HODEL (DECEMBER)	T
+			MODEC/RESTRICTION	MODEL/RESTRICTION	FROM-10
14-7001 14-700A N326-14-700A	1	COOLER,OIL			
++					
14-705 N326-14-705	s	RUBBER, INSULATION			

14-7102 +	1	HOSE, DIL			
14-717		CLIP,OIL HOSE			
N326-14-7178	1				
14-7202		HOSE, OIL			
N326-14-720B	1				
14-7401	1	BRACKET, OIL HOSE			
N326-14-760C	1				
1 14-743 Na26- 4-736	1	PROTECTOR			
14-746	i	PROTECTOR			
N326-14-737 14-8101 8871-14-810	1	PELLET, THERMO			
14-8211 1757-14-821	1	SPRING, PELLET			
14-8221 1757-14-822	1	NUT,STOPPER			
14-8231	1	GASKET		į	
15-V03 N350-15-V03		BRACKET(R),RADIATOR			
15-V12	- 1	BRACKET(L),RADIATOR			
N350-15-V12	1				

PART NO.	QTY	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FRCM-TO
1 15-010S		PUMP SET, WATER			
8AFB-15-010A	1	((W/O TURBO)>(MT)>('			
8AFC-15-010A	1	((W/O TURBO)>(AT)>(' 91 MODEL))			
8AFD-15-010	1	(TURBO)			
8AFE-15-010	1	((W/O TURBO)>(MT)>(' 92 MODEL))			
8AFF-15-010	1	((W/O TURBO)>(AT)>(' 92 MODEL))			
15-035		FAN, ADDITIONAL			
N350-15-035A	1	((W/O TURBO)>(AT)) (TURBO)			
15-0902		BODY, WATER PUMP			
N350-15-090A	1	((W/O TURBO)>(MT))			
N351-15-090A	1	((W/O TURBO)>(AT))			
N370-15-090	1	(TURBO)			
15-1005		BODY SET, WATER PUMP			
8AF3-15-100	1				
15-116		GASKET, WATER PUMP			
N350-15-116	1	ASBESTOS ('91 MODEL)			
N386-15-116	1	NON ASBESTOS (192 MODEL)			
15-117B		HUB, W. PUMP PULLEY			
N350-15-117	1				
†+ 15-120		SEAL, WATER-PUMP			
8630-15-120	1	· ·			
†+ 15-125		PLATE, WATER BAFFLE	į		
N304-15-125	1				
15-131		PULLEY, WATER PUMP			
N350-15-131	1				
15-140		FAN, COOLING			
_ 					


1500 COOLING SYSTEM
15-181
9926-40-658 IB-I50A
9966-21-800 9994-00-600 14-745 14-705 14-705 14-745 14-7001 14-7401
AUFA03


		THE RESERVE OF THE RE	MODEL/RESTRICTION	MODEL/RESTRICTION	FRUM-10
CONT'D N350-15-141	1				
15-140A		FAN, COOLING			
N326-15-142	1	((W/O TURBO)>(AT)) (TURBO)			
15-150A		MOTOR, COOLING FAN			
N326-15-151	ı	((W/O TURBO)>(AT)) (TURBO)			
15-162		QASKET			
N326-15-162A	1	ASBESTOS ('91 MODEL)			
N386-15-162	1	NON ASBESTOS			
15-1718		THERMOSTAT SET			
8AF3~15-171	1				
15-172	- 1	COVER, THERMOSTAT			
N350-15-172 ++	1				
15-173 N350-15-173		GASKET, THERMOSTAT CO VER NON ASBESTOS			
15-174A N350-15-174A	1	RING			
15-175B N350-15-175	1	BODY, FILLER CAP			
15-185 N350-15-185	1	HOSE, WATER			
15-186 N350-15-186	1	HGSE, WATER			
15-200	ĺ	RADIATOR			
N350-15-200	1	(MT)			
N351-15-200A	1	(AT)			

1500 COOLING SYSTEM	
9971-51-102	
NOTE—	⇒ [[\$-100\$]
	3-1005) CONSISTS OF
FIGURE NUMBERS	1) THROUGH (2).
15-251 CAN	5-0902
9979-40-525	
(H332-15-201) 9927-61-806	87
[15-350]	
	SELVIS CONTRACTOR
<u> </u>	6
15-116	
	<u>5-120</u> (2)
9957-44-000	5-170
!!! QQ7Q_QQ_CQ@a688\\	997-10-800 [15-0105]
<u> </u>	0-10-800
9979-40-825	
[15-186] (15-186] (15-2501)	-9994-00-600 9979-40-612
9WNC-83-9007	
TESTAN TESTAN	[15-131]
115-207 115-201 -201 15-201	
[15-V03-] Q(-2-)	18-035
[I5-112] N [I5-205]	15-226
	15-210B (15-140A)
12-11A 11-31A	
9079-60-612	
9926-40-658	115-150AI
9-9927-61-806 	9995-20-516
9994-00-663	1-3330-10-300
-16-743	Ø <u></u> 1 − 9956 -21 -800
9856-21-800	9938-11-400
9994-30-600	
	-9994.00 #00
[14-700]] - [14-810]	—9994-00-ĕ00 ∏
9938-11	
	
AUFA03	

PART NO.	Q T Y	MODEL/RESIRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-TO
15-202		RUBBER, MOUNT			
N326-15-202	4				
N332-15-202	2				}
15-205		CAP, RADIATOR		•	
N350-15-205	1				
15-207		COCK, DRAIN			}
N326-15-203	1				Ì
15-210A		COWLING, RADIATOR			
N350-15-211	1				1
15-210B		COWLING, FAN			
N350-15-15XA	1	((W/G TURBO)>(AT)) (TURBO)			
†===== +					
15-2101 +	1	FAN DRIVE			
+~~+	•				
15-226	_	BOLT			
N326-15-153	3	((W/O TURBO)>(AT)) (TURBO)			
1 15-2501		FAN & FAN DRIVE			
N350-15-140	1				
15-251		BRACKET, SUB TANK			
N332-15-370B	2	STATE OF TAKE	,		
15-2702		SEAL (1) BADTATOD			
N326-15-441	1	SEAL(L), RADIATOR			
++					
15-277 N350-15-381	1	HOSE, WATER SUB TANK	ļ		
+	1				
15-2802		SEAL(R), RADIATOR			
N326-15-421	1			ļ	
15~350		TANK, SUB-RADIATOR			
N332-15-350B	ì.		ļ		
	1				


BADT NO	lozu	MODEL/RESTRICTION	MADEL AREALAND	T	T
PART NO.		MODEL / KE2 (KICITON	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-10
15-355A		CAP, SUB TANK			!
N332-15-355	1				
1 15-182		BROTECTOR MOSS-SHR T			
15-382	1	PROTECTOR, HOSE-SUB T			
N332-15-382	1				
			l		
		}			
			:		
		į			
		į			
		<u> </u>			L
			*		
AT. AUFANS-07					1993-12





0.45-	40	i -				
PART	·	QTY	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-10
į 15-	+		BELT'V'			
N326-15	-908	1	L=965MM V BELT (W/AIR CON.)			
N326-15	-909	1	L=1055MM V BELT (W/ P.S.)			
15-	920		BRACKET, COMPRESSOR			
N326-15	+	1	(W/AIR CON.+W/ P.S.)			
N327-15	-9108	1	(W/O AIR CON.+W/ P.S.			
† 15-	925A		BUSH			
N326-15	+	,	(₩/ P.S.)	:		
+	+	-	(1.5.7			
15- +	+		SHAFT, PULLEY			
N249-15			(W/ P.S.)			'
N326-15	-932 	1	(W/AIR CON.)		i	
15			COLLAR, COMP. BRKT			
N326-15	-933	1	(W/AIR CON.)			
	933B		SPACER			
N249-15	+		(W/ P.S.)			
15-			COVES DUCT			
N326-15			COVER, DUST (W/AIR CON.)			ĺ
+	+	^	CHEMIK CON.			İ
15-	940 İ		PULLEY, IDLE			
N249-15			(W/ P.S.)			ľ
R230-15	-940	1	(W/AIR CON.)			
15-	940J		BEARING			
99606-2	2030	1	(W/ P.S.)			
	942		COLLAR, COMP. BRKT-PUL			
N249-15	+		LEY (W/ P.S.)			
+	+					ļ
+	966		BOLT, ADJUST			
N326-15- N323-15-		ļ	(W/AIR CON.)			
40ED_12.	700		(W/ P.S.)			

*	10.5%	80 120		458	200	-	
П			T a			•	Till
			l	HQ.		¥	ı
u						illowed	



CEOM-10

	PART NO.	QTY	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-10
[6-214]	16-102 16-102 N310-16-102	1	PIN, PIVOT-CLUTCH REL			
16-520	16-118 N302-16-118A	4	STUD,CLUTCH HOUSING			
[16-232A] [16-52U] [-9979-61-045	16-121 16-121 N302-16-140	1	COVER, UNDER CLUTCH H			
	16-146 16-146 N302-16-1508	1	CUVER, VENT.			
9979-61-090	16-210 N310-16-210	1	HOUSING, CLUTCH			
16-210	16-214 16-214 N302-16-214	1	COVER, DUST-CLUTCH FO			
16-146	JF07-16-221	1	COVER, FRONT CLUTCH			
9994-00-600-600-612	16-232A +	1	SUPPORTER, FORK			
17 -337	16-410 N310-16-410B	1	GOVER, CLUTCH			
	16-460 +	1	DISC, CLUTCH NON ASBESTOS			,
9975-37-8118-	16-510 16-510 N309-16-510	1	COLLAR, CLUTCH REL.			
	16-520 16-520 N310-16-520	1	FORK, CLUTCH RELEASE			
<u>16-510</u>	17-155 	1	SEAL, OIL			
16-410	17-337		BOLT	· · · · · · · · · · · · · · · · · · ·		
<u> </u>						

CAT. AUFA03-07

16-214 16-232A 16-232A 16-232A 16-232A 16-232A 16-232A 16-232A 16-232A 16-232A 16-232A 16-232A 16-232A 16-320 16	
9994-00-600-600-600-600-600-600-600-600-600	
9997-10-800 16-510 16-410	

PART NO.	Q T Y	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-TO
CONT'D R401-17-337A	10				
1					
	ļ				
}	ļ				
	ĺ				
ļ		:			
ļ					
1	İ				
			·		
}					
	İ				
	ŀ				
			ļ		
	Ì				
	1				
	ĺ				
-					
		<u> </u>			
CAT. AUFA03-07					1993-12

9930-61-400 9078-12-820 17-530 9997-11-000 9997-11-000 17-103 17-325 17-103 17-122 17-122	
9923-30-814 9927-61-208 9980-00-8160 17-540 17-330 17-330 17-441 9979-60-616 17-442J 17-442K	

17-100 M525-17-100 17-103 M501-17-103	2	CASE,T/MISSION BOLT			
17-103 M501-17-103	2	BOLT			
17-103 M501-17-103		BOLT			
++					
17-122	- 1				
	- 1 l	PLUG, MAGNET			
0810-17-121	- 1				
17-325		COVER, BEARING			
M501-17-370A	1				
17-330		HOUSING, EXTENSION			
M520-17-330A	1				
17-335		SEAL, DIL			
M507-17-335	1				
+ +					
17-441 		GEAR, DRIVEN N=20			
7003-T1-44TW	1	N-20			
17-442		SLEEVE, SPEEDOMETER			
1669-17-442B	1				
17-442J		RING,'0'			
1011-17-443	1				
17-442K		SEAL, DIL			
99586-08166	1				
17-495A		PLUG			
G402-17-495	1				
17-530		BREATHER, AIR-T/MISSI ON			
0884-17-530	1				
17-540		PASS, OIL			
M510-17-540	1		: : !		
				<u> </u>	l

CAT. AUFA03-07

PART NO.	QTY	hodel/Restriction	MODEL/RESTRICTION	HOOSE (DESIREDATION	1
			**************************************	MODEL/RESTRICTION	FROM-TO
17-543		RUBBER, SEAL	ĺ		
M501-17-543A	1				
1					
[1
İ					
[[
	ļ				
]	l				
<u>;</u> [ļ				
	Ì				
Į.					
	ĺ				
	1				
	ľ	ļ			
İ	İ				
		7			
CAT. AUFA03-07					1993-12

(TUROU)
9979-60-616F
9927-61-206 - 9979-60-610F (43-608) - 12-530 17-325
120,000 (
9078-12-820
17-385
17-100
9924-61-232
9923-31-222 17-121C
9950-24-000F
0. 0000 00 000
9979-60-610 9
17-121B
[17-371]
9956~41-800
₿ <u>₽ [17=122]</u>
9979-60-620
17-335
17-330
17-336A
17-337A
9927-61-210
[7-44]
17-540 17-540 17-640
(RSO8-17-540) (M501-17-543A) (17-543) (
(R505-17-543) 17-543
(R505-17-540) 17-540
AUFA03

·····					
PART NO.	QTY	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-TO
17-100		CASE, T/MISSION			
R505-17-200B	1				-0001
R506-17-200A	1				0C01-
++ 12-1210		MACHET			
17-121B 	1	MAGNET			
+	•				
17-1216		PLUG, MAGNET			
0107-17-121	1				
17-122		PLUG, MAGNET			
0810-17-121	1				
17-325	i	COVED BEADING			
0884-17-325B	1	COVER, BEARING			
++	•				
17-330		HOUSING, EXTENSION			
R523-17-330A	1			:	
17-335		SEAL, CIL			
M502-17-335A	1				
17-336A		BOLT			
R505-17-337	5				i
+					
17-337A ++ R504-17-337	1	BOLT			
+======+	1				
17-338		BOLT		!	
R502-17-338	1				
17-371		COVER, UNDER			
R501-17-371A	1				
17-373A		DIATE DRATH BILIC-ING			
R501-17-373	1	PLATE, DRAIN PLUG-UND ER C.			
+	ļ				
17-375	- 1	GASKET, UNDER COVER			
R501-17-375	1	NON ASBESTOS			
OCO1 FC3×××	-904	305			
					1
					ł
					ľ
CAT AUCADI OI					

9979-60-616F —
9927-61-206 -7 /99 ² 9-60-610F
43-608 7 F17-530 17-325
9078-12-820
9078-12-820
17-385
17-100
9924-61-232
9923-31-222 17-121C
17-495A
0000 51 000
9979-60-610
11 313
17-121B
(17, 00)
17-371
9956-41-800
17-122
9979-60-620
17-335
17-330
17-336A
17-337A
9927-61-210
17-660
(M501-17-543A)
(RS08-17-Sa0) [17-543]
9979-60-616
(RS08-17-S40) (M501-17-543A) (M501-17-543A) (RS08-17-540) (M501-17-543A) (M501-17-544A) (M501-17-544A) (M501-17-544A) (M501-17-54A)
(R505-17-543) 17-543
(R505-17-543)
17-543
(R505-17-540)17-540
9979-60-612
AUFAO3

			P		
PART NO.	QTY	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-TO
17-381		COVER, BLIND			
0810-17-381A	2				ļ
17-385		CASUST DI THE COURT			
R501-17-385A		GASKET, BLIND COVER NON ASBESTOS			
K301-11-303M	2	NOW MODESTUS			
17-441		GEAR.DRIVEN			
1669-17-441A		N=20			
	1				
17-442		SLEEVE, SPEEDOMETER			
1669-17-442B	1				
tt					
17-442J		RING,'O'			
1011-17-443	1				
17-442K		SEAL, OIL			
99586-08166	1				
17-495A		PLUG			
R502-17-495	1				
+					
17-530		BREATHER, AIR-T/MISSI ON			
0884-17-530	1				
17-540		PASS, OIL			
R505-17-540	1				
R506-17-540	1	Ì			
17-543		RUBBER, SEAL			
M501-17-543A	1	NO DE LINO DE ME			
R505-17-543	1				
†	ı			İ	
127-550	. !	GUIDE, OIL			
1281-17-550	1				
17-660		PASS, OIL			
0862-17-660C	1				}
43-608		SPACER			
+					
					ļ
					į
! !					
					!

9979-60-616F 9927-61-206 17-385 17-385 17-385 17-495A 9979-60-610F 17-325 9978-12-820 17-550 17-121C
9979-60-610 17-373A 17-121B 17-121B
(RSOS-17-543) (RSOS-17-540) (RSOS-17-543) (RSOS-17-543) (RSOS-17-543) (RSOS-17-543) (RSOS-17-543) (RSOS-17-543) (RSOS-17-543) (RSOS-17-543) (RSOS-17-543) (RSOS-17-543) (RSOS-17-543) (RSOS-17-543) (RSOS-17-543) (RSOS-17-543)

PART NO.	QTY	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-10
CONT'D 1281-17-383	2		111111111111111111111111111111111111111		
	1				
	ļ				<u> </u>
	ĺ				Į.
	1				
	ŀ				
				;	
	ĺ			,	
	Ì				
		ļ			
		ļ			
T. AUFA03-07					1993-12

(W/C	, ;;	JRBO)			
PART NO.	QΤΥ	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM:TO
17-201 M515-17-201A	1	GEAR,MAIN DRIVE			
17-201J M502-17-295C	1	BEARING,BALL-MAIN DR IVE GEAR			
17-203 M501-17-210	1	BEARING, NEEDLE			
17-204 M503-17-204	1	BEARING,BALL-MAIN SH AFT			
17-205 R592-17-306A	1	BEARING, ROLLER			
17-205F 17-205F M501-17-205	1	RING, RETAINING			
17-221 M510-17-221	1	SHAFT,MAIN			
17-225 0317-17-225	1	RING, SNAP			
17-230 M510-17-231A	1	GEAR - 3RD			
#17-240 #17-240 #502-17-240C AN(M502-17-240D)	1	HUB SET,CLUTCH-3RD &			-1513
M502-17-240D	1				1513-
17-241 17-241 +	1	HUB.CLUTCH			-1513
M501-17-241C	1				1513-
17-242A F401-17-242A	1	SLEEVE, CLUTCH HUB			
17-243		KEY, SYNCHRONIZER			
1513 FC3***-	907	7439			
CAT. AUFA03-07					1993-12

CAT. AUFA03-07

17-240

<u>धार-243</u>

07-271

17-279

17-652

17-725C

17-629 (8601-

17-304B

17-297A

17-651

(M501-17-651)

37-243

17-724A

(M502 17-274)

17-205F

17-2977

17-225

17-203

17-265

17-265

17-22!

17-620

9957-32-500

AUFA03

(G501+17+265A)

17-276

17-287

-17-230

17-250

17~265 (M504-17-265/

17-276

17-651

-9961-11-500 -[17-63]

9957-32-500

17-611

17-629

17-316D

(MSOI-17-629A

17-205

9961-11-500-9995-52-640-

17-204

9961-11-500

17-628

17-327

17-315

9978-40-616-

17-298

(M502-17-265C)

17-265

17-275

17-620A

L9957-32-500

9957-32-500

17-308 17-304

17-302

17-310

-17-305A

17-265

CAT.	AUFA03-07	

_	 •	_	_	_	-,-		•
	1	91	9.	3	1	2	

MODEL/RESTRICTION

FROM-TO

-1115

-1115

-0C05

0C05-1410

1410-

1115-

1115-

PART NO.	QīY	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-TO
CONT'D 4069-17-284E	1				
17-276		WASHER, THRUST			
0259-17-274A		T = 3MM			
0259-17-276	2	 			
0239-11-216	2	T=2.2MM			
0259-17-277	2	T∞2.7MM			
0259-17-278		T=3,2MM			
0050 17 010	2				
0259-17-279	2	T=3.7MM			
117-279		SLEEVE, GEAR			
8540-17-275A	1	VELEVE FOLK			
++					
17-281		GEAR, REVERSE			
M507-17-281B	1				
17-287J		SHIM, ADJUST			
99963-6310	2	T=0.1MM			
99963-6315		T≖0.15MM			
99963-6330	1	T≂0.3MM			
77703-8330	2	1 40 . Stript			
1 17-297A		BEARING, BALL-COUNTER			
M502-17-297A	1	SHAFT G.			
1 17200		BEARTNO			;
17-298 +	1	BEARING			
+	1				
17-301	- 1	GEAR, COUNTER SHAFT			
M518-17-300	1				
17-302		GEAR, COUNTER REVERSE			
M503-17-302B	1				
17-304		SPACER			
M504-17-304	1				
				· · · · · · · · · · · · · · · · · · ·	
	L				

MODEL/RESTRICTION

MODEL/RESTRICTION

MODEL/RESTRICTION

FROM TO

17-201J

17-205F

17-287J

17-225

17-221

17-243

417-264

17-243

17-264A

AUFA03

17-620

9957-32-500

17-297A

17-265

17-201

17-240

P17-243

17-271

17-279

17-652

17-725C

17-629 (8601-

17-651

17-243

17-724A

17-274

17-203

17-265

17-261

17-264A

(G501-17-265A)

☐ 17-230

17-250

- 17-276

9995-52-640-

-17-631

17-629

17-316D

(MSOI+17-629A)

17-611

17-629)

17-205

17-301

9978-40-616-

9961-11-500-

17-652

9961-11-500-

17-341A

9957-32-500-

17-265

(M502-17-265C)

17-265

17-275

17-620A

17-309B

17-306

CAT. AUFA03-07

17-308

17-304 17-302

17-310

L9957-32-500

9957-32-500

17-327

17-315

-17-305A

17-265

17-2871

The second secon

FROM - 10

1993-12

		7		7		
		ш		Н		
	LUT		ш	11		
				-		

17-724A

[17-201J] [17-205F]

17-2873

AUFA03

17-225 17-265 (G501-17-265A

-	PART NO.	QTY	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL ADECTOR
		<u> </u>		HODELY KESTRICITOR	MODEL/RESTRICTION
	17-732		SLEEVE, CLUTCH HUB		
	W501-17-7328	1	:		
;					
			•		
,					
		-			
		-			
			ļ		
			ļ		
H			J		
.		- [
]		ł			
!					
		-			
				<u> </u>	
- L					

17-276 17-203 17-2873 17-271 (M502 17-274 7 9961-11-500 17-651 17-620A 17-652 L9957-32-500 17-651 -17-305A 17-264 (M501-17-651) 17-261 17-204 17-611 9961-11-500 17-629 (8601-9957-32-500-17-309B 17-621 17-264A 17-620 17-306 17-205 17-308 17-304 17-302 17-327 17-310 9957-32-500 - 17-301 9978-40-616---17-313 17-297A

(G501-17-265A)

r 17-230

17-250

17-265 -(M504-17-265A

(WS02-17-265C)

17-275

CAT. AUFA03-07

1993-12

FROM-TO

17-240 17-242

17-243

17-264

(RS14-17-2658)

17-265

-17-322

-17-327

17-243

17-225

17-201J

17-306A

17-10AK (R507-17-265C)----(M502-17-265A)----

17-265

17-221

417-264A

17-305A

AUFA03

17-724A 17-620 (R506-17-265C) 17-274 (M502-17-265A) 117-230

17-274

17-281

-17-276 9995-52-841-17-651

17-276

17-287 -

17-271

9961-11-500

17-725A

17-620A

9957-32-800

17-304B

17-629 (3548-17-629) 9957-32-800 (R503-17-629A)

9961-11-500

- 17-301

17-629

17-265

<u>| 17-230</u>

17-265B

17-204

(R514-17-265B)

17-275

17-64ID

17-341K

17-309B

-17-301J

-9956-40-800

17-341A

17-303

17-310

17-313 17-315

9957-32-800

17-265 17-265A

-	2422.02	la av				
	PART NO.	QTY	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-TO
	17-10AK		SHIM.ADJUST			
	99963-6930	1	T=0.3MM			
	99963-6940	1	T=0.4MM			
	99963-6950	1	T=0.5MM			
	99963-6960	1	T=0.6MM			
	99963-6970	1	Υ≃0.7MM			
	17-201 R501-17-21XA	1	GEAR,MAIN DRIVE			
	17-201J R501-17-295	1	BEARING, BALL-MAIN DR IVE GEAR			
	17-204		BEARING, BALL-MAIN SH			
	R501-17-204		AFT 0=75/I=32/W=20			
-	R502-17-204	1	D=68/1=28/W=18			
	17-205 R502-17-306A	1	BEARING, ROLLER			
	17-221 17-221 R507-17-221	1	SHAFT,MAIN			;
	17-225 0317-17-225	1	RING, SNAP			
!	17-230 R505-17-230C	1	GEAR, 3RD			
	17-240 17-240 R501-17-240A	ı	HUB SET,CLUTCH-3RD & 4TH			-0A01
	R504-17-240	1				0A01-1131
ĺ	R504-17-240A A (R504-17-240B	, 1				1131-1201
	R504-17-240B	1				1201-
	0A01 FC3*** 1131 FC3*** 1201 FC3***	-902 -906 -906	2450 3037 3121			
ا ¦۔	CAT. AUFA03-07				·	1007-12

CAT. AUFA03-07

1993-12

(TURBO)
17-201 17-274 17-265B 17-274 17-274 17-274 17-274 17-281 17-274
17-263A 17-2651 17-265A 17-265A 17-265A 17-265A 17-265A 17-265A 17-265A 17-265A 17-651 17-651 17-652 17-652 17-264A 17-612 17-652 17-264A 17-613 17-264A 17-652 17-264A 17-652 17-65
17-521 17-620 17-301 17-305 17-305 17-305 17-305 17-305 17-305 17-305 17-305 17-306 17-307 17-307 17-307 17-308
ANI NVO


PART NO.	OTY	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL (DECEDICATION	T 5000 5-
+	911	MODELY RESTRICTION	MODELLKEZIKICIINN	MODEL/RESTRICTION	FROM-TO
17-241		HUB, CLUTCH			
R501-17-241	1				-0A01
R501-17-2418	1				0A01~
17-242		SLEEVE, CLUTCH HUB			
R501-17-242	1				-0A01
R504-17-242	1				0A01-1131
R502-17-242C	1		! 		1131-1201
R502-17-242D	1		· !		1201-
++ 1 1 2 0 4 2 1		MEN SYNGHOSHITTER	i		
17-243	,	KEY, SYNCHRONIZER			
F401-17-243A	6				
17-250		GEAR, 2ND			
R517-17-250	1				
17-260		HUB SET, CLUTCH-1ST &			
R501-17-260A	1	2ND			-000
R501-17-260D	1				-0A01 0A01-1131
R501-17-260E	1				1131-1201
A (R501-17-260F)	-				1151 1201
R501-17-260F	1				1201-
17-261		HUB, CLUTCH			
R501~17-261	1				-0A01
R501-17-261B	1				0A01-
+					
17-262	,	SLEEVE, CLUTCH HUB			
R501-17-262	1				-0A01
R501-17-262C R501-17-262D	1				0A01~1131
A (R501-17-262E)	•				1131-1201
R501-17-262E	1				1201-
17-263A	i	KEY, SYNCHRONIZER			
W501-17-263A	3				
+	-				
17-264		SPRING, SYNCHRO. KEY			}
G401-17-264	2				
0A01 FC3××-	902	2450		<u> </u>	1
1131 FC3***- 1201 FC3***-					

(TURBO)
9957-32-800 17-302
17-205 17-305A 17-304B 17-313 17-313 17-313 17-323 17-323
AUFA03

L	PART NO.	91 9	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESIRICTION	FROM-TO
	17-264A R501-17-264	2	SPRING.SYNCHRONIZER			
	17-265 M502-17-265A	2	RING, SYNCHRONIZER			-1131
ı	R514-17-2658	2				1131~
م	R506-17-2658 (R506-17-265C)	1				1131-1408
4	R507-17-2658 (R507-17-265C)	1				1131-1408
ı	R506-17-265C	1				1408-
ı	R507-17-265C	1				1408-
	17-265A R502-17-265A	s	RING, SYNCHRONIZER			-1131
	17-2658 R503-17-265A	1	RING, SYNCHRUNIZER			
	17-271 R513-17-270A	1	GEAR,1ST			
	17-274 17-274 0884-17-274	4	BEARING, NEEDLE			
	17-275 13648-17-275A	1	RACE, INNER			
	17-2758 17-2758 0884-17-2758	1	RACE, INNER			
	17-276 0839-17-276		WASHER, THRUST			
	0839-17-277	2	T=3MM			
	0839-17-278		T=3.5MM			
	17-281	i	GEAR, REVERSE			
ļ	R505-17-281	1				

1131 FC3***-906037 1408 FC3***-907019

17-287 117-287 0839-17-287	BEARING, NEEDLE SHIM, ADJUST T=0.1MM T=0.3MM		
17-287 0839-17-287 0839-17-288	T≈0.1MM 2		
0839-17-288	1	1	
17-301	1 1-0.304		
R506-17-300G	GEAR, COUNTER SHAFT		
17-301J R501-17-299	BEARING, BALL		
17-302 17-302 R504-17-302A	GEAR, COUNTER REVERSE		
17-303 0821-17-303	BEARING, BALL		
17-304 R501-17-304	SPACER		
17-304B R501-17-316A	SPACER		
17-305A 17-305B	RING, RETAINING-BALL BEARING		
17-306A 0727-17-306	RING, SNAP		
17-308 R524-17-308	GEAR, COUNTER		
17-309B M501-17-309	NUT, LOCK-COUNTER SHA		
17-310 17-310 R505-17-310B	GEAR, REVERSE IDLE		



17-313 0821-17-313 17-315 0884-17-315 17-322 R501-17-622 17-323 4069-17-323 17-327 0305-17-327	1	WASHER, THRUST-REVERS E IDLE G. SHAFT, REV. IDLE GEAR SLEEVE, CLUTCH HUB		
17-315 0884-17-315 17-322 R501-17-622 17-323 4069-17-323	† 1 † 1 † 1			
17-322 R501-17-622 17-323 4069-17-323	* 1 + 1	SLEEVE, CLUTCH HUB		
17-323 4069-17-323 17-327	1			
17-327		BOLT SET		
	2	SHIM, ADJUST-COUNTER SHAFT GEAR T=0.1MM		
0305-17-328	1	T=0.3MM		
17-341A 17-341A R501-17-341A		GEAR, SPEEDO. DRIVE		
17-341K M501-17-342		KEY		
17-611 R523-17-610	1	GEAR, OVER TOP		
17-612 R501-17-612	1	SEARING, NEEDLE		
17-613 R501-17-613		RING, RETAINING		
17-620 R502-17-620C	1	HUB SET, CLUTCH-0.T. & REV	ę	
17-620A 17-620A R503-17-070		DAMPER, DYNAMIC		
17-621 R502-17-621A	1	HUB,CLUTCH		

[17-20] [17-274]
17-2013 17-265 17-265 17-265 17-265
17-242
17-10AK
(R507-17-265C)=1
(M502-17-265A)— 17-275
17-243
17-284
17-2830
[17-22]
(R514-17-265B) (R501-17-204)
17-265
17-266 17-265A 9995-52-841 17-651
17-263A 17-262 17-275B
[17-651] [17-64ID]
17-652
17-204 1002-17-204
17-2634
17-943 11-1248
117-725A 117-341A
-117-629 (3048-17-06:17
[17-322] [7-629A) [17-309B]
17-620A 9957-32-800
[T-724A]
17-620
17-308
9957-32-800
177-303
17-205
[17-305A] (17-315) \ [17-315]
17-304B
9956-40-800
AUFA03
100 1100

(CORBO)
17-201 17-201 17-205 17-230 17-230 17-230 17-265 1
17-629 9957-32-800 17-629 17-629A) 9957-32-800 17-628 17-621 17-620 17-628 17-628 17-309B 17-620 17-301J 17-620 17-301J
9957-32-800

PART NO.	QTY	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-10
17-628	_	COTTER, TAPER			
R501-17-628A	1				
17-629 R503-17-629A	1	NUT, LOCK-CLUTCH HUB			
3648-17-629	1				
17-631 R501-17-631A	1	WASHER, THRUST LOCK-O VER TOP G. T=6.4MM			
R501-17-632A	1	T=6.5MM			
R501-17-633A	1	T=6.6MM			
R501-17-634A	1	T=6.7MM			
R501-17-635	1	T=6.3MM			
R501-17-636	1	T=6.2MM			
17-641D 0821-17-641B	1	RING, SNAP			
17-651		WASHER, THRUST			
M502-17-651	4	T=3MM			
M502-17-653	2	T=3.1MM			
M502-17-654	s	T=3.2MM			
M502-17-655	2	T=2.9MM			
17-652 M502-17-652	2	RING, THRUST WASHER			
17-724A W501-17-724	2	SPRING, SYNCHRO.KEY			
17-725A W501-17-725A	1	RING, SYNCHRONIZER			

CAT. AUFA03-07

9922-20-522 17-410 17-422A 9922-20-522 9922-20-522 17-435E 9922-20-522 17-435E 17-435E 9922-20-522 17-435E 17-435E	1
9979-60-612 17-475 17-4815 17-4815 17-4815 17-4815 17-4815 17-4815 17-4816 17-482 9951-01-000 17-522 9961-12-500 9961-12-500 9951-01-000 17-476 17-476 17-476 17-477 17-476 17-470	В

PART NO.	QTY	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-10
17-316D		SPACER			
M504-17-316	1				
17-351A		PIN, INTER LOCK			
0114-17-351	2				
17-402		FORK, SHIFT(1ST&2ND)			•
M503-17-402	1				
17-404		FORK, SHIFT (3RD&4TH)			
M501-17-404B	1	j			
17-406		FORK.SHIFT			
M504-17-406A	1				
17-410		ROD, SHIFT(1ST&2ND)			ļ
M503-17-411	1				
17-410A		END,S/ROD(1ST&2ND)			
M507-17-412	1				
17-411A		SPRING, SHIFT ROD-REV			
0014-17-411	2	ERSE			
17-420		ROD, SHIFT (3RD&4TH)			
M503-17-421	1				
17-422A		END, S/ROD(3RD&4TH)			
M507-17-422	1				
17-431		ROD, SHIFT-OVER TOP &			
M506-17-431A	1	REVERSE			
17-432B		END.SHIFT RODCO/TOP8			
M508-17-432	1	REV.)			
17-435E		RING, RETAINING			
R502-17-435	3				
17-461A		END, CONTROL LEVER			
M510-17-46Y	1				

17-410

9922-20-522

9922-20-522

17-432B

17-520

17-510

17-475

17-4815

- 9961-12-500

17-474

17-410A

17-422A

9979-60-612-

17~486A

17 -435E

17-420 17-431

17-406

9979-60-612-6

1720

17 -435E 9922-20-522

9922-20-528 -

AUFAG3

17-316D -9951-01-000

PART NO.	QIY	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESIRICIION	FROM-TO
17-4618 M515-17-450	1	ROD, CONTROL			
17-465C M501-17-465B	1	SPRING, SELECT			
17-470 +	1	CASE, CHANGE CONTROL			
17-474	1	GASKET, COVER PLATE			
17-474A M501-17-474	1	CAP, SPRING			
17-475 M514-17-480A	1	BOOT, DUST-CHANGE & EV			
17-475A M501-17-475	1	GASKET,SPRING CAP			
17-476 M502-17-476A		SPINDLE, SELECT LOCK			
17-477 117-477 M501-17-477	1	SPRING			
17-481S BAF2-17-481	1	BUSH SET,CHANGE LEVE R			
17-482 17-482 M505-17-482	1	WASHER, WAVE-CHANGE CONT. CASE			
17-483	1	SPRING			
17-486A M501-17-486A	1	COVER, BLIND			
17-490A M502-17-490A	1	COVER, ROD			

CAT. AUFA03-07

1720

(W/O TURBO)		
9922-20-522	PART NO. OTY	MODEL/RESTR
17-410A 	17-491B 0183-17-491 1	CAP, SPRING
17-410 17-422A7	17-510 17-510 M522-17-510	LEVER, CHANGE
9922-20-522	17-520 M513-17-520 1	KNOB, CHANGE
9922-20-522 9922-20-522	00 INT-	FD8 FD9 FE0 BLACK
9922-20-522 9922-20-522 W 17-435E	17-522 ×0103-17-411	SPRING 5TH & REVERS
17-404 17-431 17-432B	17-552 M504-17-552 1	SPRING
9922-30-528	M304-17-352 1	
9979-60-612—		
17-4815		
12 552		
9979-60-612-0-17-482		
9961-12-500		
9961-12-500	ļ	
39/9-800-820		
9951-01-000		
17-470 17-475A]	
17-4650 17-411A		ļ
9961-12-500 17-461A		
V(x) 17-411A		
9922-20-525		
W 17-490A Ly922-20-525		
w)		•
AUFA03		
NOT NOD	1	

		Mobel (Beers	110000000000000000000000000000000000000		
	γtç	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESIRICTION	FROM: LD
17-491B		CAP, SPRING			
4	1				
+ +					
1 17-510		LEVER, CHANGE			
M522-17-510	1				
1 17-520		KNOB, CHANGE LEVER			
++	1	MANAGE T AFIL			
		FD8 FD9 FE0 JE1			
"	-	BLACK			
1 17-522		SPRING			
 +					
×0103-17-411	2	5TH & REVERSE			
<u> </u>					
17-552		SPRING			
M504~17-552	1				
					!
					•
	•				
İ					
Ì					
]					
		•			
Ī					

CAT. AUFA03-07

9922-20-522 9922-20-522 17-435E 17-422 17-402 17-435E 9922-20-522 9922-20-522 17-431 17-431	17-520 17-520
9979-60-612	· · · · · · · · · · · · · · · · · · ·
17-635A	17-475
1/WISSION, CASE (REFER TO SECT.NO. 1700)	17-474
9961-12-500 17-441B 9979-60-820	9961-12-500 17-483 -9956-21-400 017-491B
9961-12-500 17-465C 17-465C	17-476 17-477 17-475A 17-474A 9979-60-616 17-461A
9951-01-000	9922-20-525
AUFA03	

	QTY	MODEL/RESTRICTION	MODEL/RESIRICIION	MODEL/RESTRICTION	FROM-10
17-351A 0114-17-351	2	PIN, INTER LOCK			
17-402 R501-17-402A	1	FORK,SHIFT(151&2ND)			
17-404 R501-17-4048	1	FORK, SHIFT (3RD&41H)			
17-410 R504-17-411	1	ROD, SHIFT(1ST&2ND)			
17-410A 17-410A R502-17-412A	1	END,S/ROD(1ST&2ND)			
17-420 17-420 R505-17-421	1	ROD,SH1FT(3RD&4TH)			
17-422A R506-17-422		END,S/ROD(3RD&4TH)			
17-431 R506-17-431	1	ROD, SHIFT-OVER TOP & REVERSE			
17-432 17-432 R502-17-432A	1	END, SHIFT			
17-435E 17-435E R502-17-435	2	RING, RETAINING			
17-441B 17-441B 0221-17-441	2	PLUG, CAP			
17-461 R503-17-450	1	LEVER.CONTROL			
17-461A 17-461A M510-17-46Y	1	END, CONTROL LEVER		,	
17-465C +	1	SPRING, SELECT			

AUFA03

	PART NO. QTY MODEL/RESTRICTION MODEL/RESTRIC
17-410A	17-470 CASE, CHANGE CONTROL M512-17-470A 1
9922-20-522 17-422A 7 17-520	17-474 GASKET.COVER PLATE
9922-20-522	17-474A CAP, SPRING
9922-20-522 9922-20-522 2	17-475 BOOT, DUST-CHANGE LEV
17-402	17-475A GASKET, SPRING CAP
9922-20-528	17-476 SPINDLE, SELECT LOCK
9979-60-612—8	17-477 SPRING SPRING
17-635A 17-475 17-481S	17-4815 BUSH SET, CHANGE LEVE
T/MISSION, CASE 9979-60-612 17-486A	17-482 WASHER, WAVE-CHANGE C ONT. CASE
(REFER TO SECT.NO.1700)	17-483 SPRING 0824-17-483 1
9961-12-500 17-522 9961-12-500 17-483 19956-21-400	17-486A COVER, BLIND
17-441B 9979-60-820 17-491B	17-490A COVER, ROD
9961-12-500 17-475A 17-475A	17-491B CAP, SPRING 0183-17-491 1
9979-60-616 9961-12-500	17-510 LEVER, CHANGE
9951-01-000	
(17-490A) -3322-20-323	


PART NO.	QΤY	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FRDM-TO
17-470 M512-17-470A	1	CASE, CHANGE CONTROL			
17-474 0303-17-474	1	GASKET, COVER PLATE			
17-474A M501-17-474	1	CAP, SPRING			
17-475 M514-17-480A	1	BOOT, DUST-CHANGE LEV ER			
17-475A M501-17-475	1	GASKET, SPRING CAP			
17-476 M502-17-476A	1	SPINDLE, SELECT LOCK			
17~477 17~477 M501~17~477	1	SPRING			
17-481S 8AF2-17-481	1	BUSH SET, CHANGE LEVE R			
17-482 17-482 M505-17-482	1	WASHER, WAVE-CHANGE C ONT.CASE			
17-483 0824-17-483	1	SPRING			
17-486A 17-486A M501-17-486A	1	COVER, BLIND			
17-490A M501-17-490B	1	COVER, ROD			
17-4918 0183-17-491	1	CAP, SPRING			
17-510 M522-17-510	1	LEVER, CHANGE			

CAT. AUFA03-07

9922-20-522 9922-20-522 17-435E 17-435E 9922-20-522 17-435E 17-402 17-431 17-432 17-432
99?9-60-612—
17-635A 17-481S 17-481S
17-474
9979-60-612 17-486A
(REFER TO SECT.NO. 1700)
17 - 44 1B 17 - 522 - 9951-12-500
9961-12-5003
9979-60-820
9961-12-500
17-477 17-475A
17-465C
9961-12-500- 9961-12-500- 17-461A
9961-12-500— 17-461A
9951-01-000
2 17-490A 9922-20-525
AUFA03
מעו אעט

	(10K00	•			
PARI		MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESIRICTION	FRDM-10
17- M513-17	520	KNOB, CHANGE LEVER			
00	INT-	FD8 FD9 FE0 FE1 BLACK			
+	522	SPRING			
0103-17	-411 3	5TH & REVERSE			
17- R505-17-	635A -406 1	FORK, SHIFT-5TH & RE VERSE			
CAT. AUFA	03-07				1993-12

1-D11



1800 ENGINE ELECTRICAL SYSTEM	(1/2)
(THIS ILLUSTRA	ATION CONSISTS OF 2 PAGES)
AL TERNATOR (REFER TO SECT.NO. 1830)	(AL) (WP) (CR)
9994-01-000	18-1105
18-1801 9980-01-0135	
18-1401 	9994-00-600 (TRAILING SIDE) 18-100C 9-9994-00-600
9978-60-612 (N383-18-141) [18-144] 9978-60-612 (N383-18-141) [18-144] 9994-00-600 (N318-18-144) [18-144]	29970-93-200 120
18-100B (LEADING SIDE) [18-1	(CONT.D)

PART NO.	QTY	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-TO
13-3633 N327-13-363	1	RUBBER, MOUNTING-IG.C			
18-T11 N327-18-T11	1	COVER, IG. COIL-LEADIN G			
18-T11B N326-18-T11	1	COVER, IG. COIL-T-1			
18-T12B N326-18-T12	1	COVER, IG. COIL-T-2			
18-T15A N326-18-T15	1	BRACKET, IG. COIL-TRAI LING			
18-100B 	1	COIL & IGNITER, LEADI NG DENSO			
18-100C N326-18-100B	1	COIL & IGNITER, TRAIL ING DENSO			
18-100D 18-100D 18-100	1	COIL, IGNITION-LEADIN G DENSO			
18-100E 18-100E 18-100	2	COIL,IGNITION-TRAILI NG DENSO			
18-110		PLUG, SPARK			
N328-18-110	2	BUR8EQ NGK (OPTION HOT TYPE)			
N329-18-110	2	BUR6EQ NGK (OPTION HOT TYPE)			
N342-18-110	2	BUR9EQ NGK (STD.)			
N343-18-110	2	BUR7EQ NGK (STD.)			
18-1105		PLUG SET, SPARK			
N3X4-18-110	1	BUR9EQ/BUR7EQ NGK			
++	1	•			

(2/2)
(THIS ILLUSTRATION CONSISTS OF 2 PAGES) (TRAILING SIDE) 18-100C 18-251A 18-T15A 18-T12B


(LEADING SIDE) 18-100B 18-T11 18-251

CARE NO	10.50	LORD CONTRACTOR			, , , , , , , , , , , , , , , , , , , ,
PART NO.	QTY	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-10
18-120 N326-18-105	<u>†</u>	BRACKET, IG. COIL			
18-1301 N318-18-1608	ļ	CORD, HIGH TENSION (T			
N326-1 8-1608	1	(W/O TURBO)			
18-140	į	CORD SET, HI. TENSION			
N326-18-1400 N380-18-140		(W/O TURBO)			
+		(TURBO)			
18-1401 N318-18-1908	į +	CORD, HIGH TENSION (T			
N326-18-1908	1	(W/D TURBO)			
18-141	ţ	SUPPORTER			
N318-18-141	1	(TURBO)			
N380-18-141	2	(TURBO)			
18-141E		SUPPORTER, CORD			
N326-18-141A	1	(W/O TURBO)			
N326-18-141A	2	(TURBO)			
18-144 N318-18-144	÷	BRACKET, SUPPORT-H.T. CORD (TURBO)			
N326-18-144	1	(W/O TURBO)			
18-151 N326-18-151	į	BRACKET, HT. CORD SUPP ORTER (W/O TURBO)			
18-1701 N318-18-1708	÷	CORD.HIGH TENSION (L -1) (TURBO)	Ì		
N326-18-170B	3	(W/O TURBO)			
18-1801 18-1801 N318-18-1808		CORD, HIGH TENSION (L -2) (TURBO)	-		
N326-18-180B	1	(W/O TURBO)			
18-1901		BRKT, IGNITION COIL			

9980-01-0105 18-361 18-361 18-361 18-361 18-361 18-361 18-105 9980-01-0105 18-1105 9980-01-0135 18-1100 18-1201 9980-01-0135 18-100 18-100 9978-60-612 9978-60-612 18-100B 18-100B 18-100B 18-100B 18-100B 18-100B 18-100B 18-100B 18-100B 18-100B 18-100B	1800 ENGINE ELECTRICAL SYSTEM	(1/2)
9980-01-0105 18-361 18-361 18-401 9984-01-000 18-1100 18-1100 18-1100 18-1100 18-1100 18-1100 18-1100 18-1100 18-100E) 18-100E 18-100E 18-100B (LEADING SIDE) 18-100B 18-100B 18-100B 18-100B 18-100B 18-100B 18-100B 18-100B	(THIS	ILLUSTRATION CONSISTS OF 2 PAGES)
18-380 9994-01-000 18-110 18-110 18-110 18-110 18-140 18-140 18-141 18-144 18-144 18-144 18-144 18-144 18-144 18-144 18-190 18-19	9980-01-0105	18-381
18-140 18-140	9994-01-000	18-110S 18-110S 18-110S 18-110S
9978-60-612 (N380-18-141) (N318-18-144) (N326-18-144) (N326-18-144) (N326-18-144) (N326-18-144) (N326-18-144) (N318-144) (N318-18-144) (N318-18-144) (N318-18-144) (N318-18-144) (N318-18-144) (N318-18-144) (N318-18-144) (N318-18-144) (N318-18-144) (N318-18-144) (N318-18-144) (N318-18-144) (N318-18-144) (N318-1	18-1401 18-1401 18-1701 18-1301 18-141	9994-00-600 (TRAILING SIDE) 91-053
AUFA03 (CONT' D) C/	9978-60-612 (N380-18-141) [18-144] [18-144] [18-151] 9994-00-600 (N318-18-144) [18-144]	13-3633 18-1901

CONT'D N326-18-115A	QΤY	MODEL/RESTRICTION	MODEL/RESTRICTION	HODEL (BESTELLA)	T
N326-18-115A			THE CONTRACTOR	MODEL/RESTRICTION	FROM-TO
	1				
18-251 18-251 N327-18-251	1	IGNITER, IG. COIL-LEAD ING			
18-251A 18-251A N326-18-251A	1	IGNITER, IG. COIL-TRAL			
18-361 N336-18-361	1	STRAP, ALTERNATOR			
18-380 N326-18-397	1	BOLT, ALTERNATOR			
18-381 N350-18-381		BELT'V'			
18-401 N327-18-401	- 1	BOLT, STARTER			
					:
					į
AT. AUFA03-07			·····•		


(CONT'D) CAT. AUFA03-07




18-W25	R O M - T D
JE15-18-W25 1 18-W50 COVER, REAR-ALTERNATO R N350-18-W50 1 (TURBO) 18-W51 COVER, REAR-ALTERNATO R N350-18-W51 1 (TURBO) N370-18-W51 1 (TURBO) 18-W59 PLUG B675-18-W59 1 18-300 ALTERNATOR N350-18-300B 1 (W/O TURBO)	
18-W50	
N350-18-W50 1 N370-18-W50 1 (TURBO) (TURBO) COVER, REAR-ALTERNATO R (W/C TURBO) (TURBO) (TURBO) (TURBO) (TURBO) (TURBO) (TURBO) ALTERNATOR (W/O TURBO) (W/O TURBO)	
N370-18-W50 1 (TURBO) 18-W51 COVER, REAR-ALTERNATO (W/C TURBO) (TURBO) 18-W59 PLUG PLUG 18-300 ALTERNATOR (W/O TURBO) 18-300 W/O TURBO) (W/O TURBO)	
18-W51	
18-W51	
N350-18-W51 1 (W/C TURBO) N370-18-W51 1 (TURBO) 18-W59 PLUG B675-18-W59 1 ALTERNATOR (W/O TURBO)	
N370-18-W51 1 (TURBO) 18-W59	
18-W59 PLUG B675-18-W59 1 18-300 ALTERNATOR N350-18-3008 1 (W/O TURBO)	
8675-18-W59 1 18-300 ALTERNATOR N350-18-3008 1 (W/O TURBO)	
18-300 ALTERNATOR N350-18-3008 1 (W/O TURBO)	
N350-18-300B 1 (W/O TURBO)	
N370-18-300B 1 (TURBO)	
24-501 STATOR	
JF07-18-W45 1	
+	
24-503 BEARING, BALL-ALT. RE AR	
N336-18-W36 1	
24-510 RECTIFIER	
++ N350-18-W60 1	
†	
24-514	
F811-18-W27 1	
1 24-520 REGULATOR, VOLTAGE	
F285-18-W70 1 ((W/O TURBO)>('91 MO	
JE15-18-W70A 1 (TURBO)	
N350-18-W70 1 ((W/O TURBO)>('92 MO DEL')	
++ 24-521 SPRING, BRUSH	
8599-24-521 2	

24-535 24-514 24-533 24-530
24-5802 24-590 24-520 18-W50


PART NO.	nžv	MODEL /DESTOTOTION	MODEL (DESTRICT	T	
PAKINU.	QTY	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FRON-TO
24-522	į	BRUSH			
FE2H-18-W77	5				
24-526		SCREW SET			
RF71-18-W26	+	1			
+					
1 24-530	+	PULLEY			
N336-18-W10	1				
1 24-533	t i	NUT SET			
8028-24-533	+				
+	+				
24-535	+	SCREW SET		Ì	
RF71-18-W20	1				
24-540	<u> </u>	ROTOR			
JE15-18-W35A	٠	NON ASBESTOS		;	
24-5802		CONNECTOR SET			
N349-18-W54	1	((TURBO)>('92 MODEL)			
N370-18-W54		(TUDDEN (101 MODEL)			
M210-19-M24	1	((TURBO)>('91 MODEL)			
24-590		TERMINAL SET			
N350-18-W80	1	LEKUTIVAL 251			
N350 18-N80	•				
	i	}			
	- [
	ľ				




DADE 45	0.7			T	
PART NO.	QTY	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-TO
18-X20		SHAFT, PINION			
N318-18-X20	1	((W/O TURBO)>(AT)) (TURBO)			
N326-18-X20	1	((W/O TURBO)>(MT))			
18-X56		GEAR, INTERNAL-STARTE			
N326-18-X56 F225-18-X56	1				-1601
++	1				1601-
18-400		STARTER			
N318-18-400A A (N318-18-400B)	1	NON ASBESTOS			-0908
N326-18-400A A (N326-18-400B)	1	NON ASBESTOS			-0915
N327-18-400 A (N327-18-400A)	1				-0801
N318-18-400B	1	(TURBO)			0908
N326-18-400B	1	NON ASBESTOS ((W/O TURBO)>(MT))	ļ		0915-
N327-18-400A	1	((W/O TURBO)>(AT))			0801-
24-701		YOKE			
N326-18-X65	1	(MT)			
N327-18-X65	1	(AT)			
24-710		BRACKET, FRONT			
N318-18-X00	1	(TURBO)			
N326-18-X00	1	((W/O TURBO)>(MT))			
N327-18-X00	1	((W/O TURBO)>(AT))			
24-712 N326-18-X30	1	STOPPER SET			
24-720		ARMATURE			
F214-18-X60	1	NON ASBESTOS (MT)			-0908
N327-18-X60		ASBESTOS (AT)			-0801
F214-18-X60A	1	NON ASBESTOS			0908-
N327-18-X60A	1	NON ASBESTOS			0B01-
0908 FC3***- 0915 FC3***- 0B01 FC3***- 1601 FC3***-	901 903	866 509			



PART NO.	оту	MODEL /BESTATOTION	MBDEL IDECTRACTION		Ţ
+	Ų į i	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-TO
24-7222		SLEEVE.BEARING-REAR			1
N326-18-X62	1		· 		-0908
N326-18-X62A	1				0908-
+					0700
24-725		SCREW SET			
E356-18-X95	1				
1 24-726		WASHER SET			
N326-18-X92	1	MASHER SET			1
4	•				
24-729		BOLT			
JE01-18-X91	2	(AT)			
N326-18-X91	2	(MT)			İ
†					
24-730		LEVER			
N326-18-X05	1	İ			
24-740		BRACKET, REAR			
N318-18-X80	1	((W/O TURBO)>(AT))			-0908
		(TURBO)			
N320-18-X80		((W/O TURBO)>(MT))			-0915
N318-18-X80A	1	((W/O TURBO)>(AT)) (TURBO)			0908-
N320-18-X804	1	((W/O TURBO)>(MT))			0915-
24-740A		SHAFT			
N326-18-X40	ı				
+	•				1
24-7432		SLEEVE, BEARING-FRONT			
E356-18-X01	1				
1 24-744A		BALL, STEEL			
N326-18-X93	1	ome a postable			
+======+	1				
24-746		GEAR			
N326-18-X57	3				
24-746A		PINION			
N318-18-X25	1	((W/O TURBO)>(AT))			
11704 10 100		(TURBO)			
N326-18-X25		((W/O TURBO)>(MT))			
0908 FC3××× 0915 FC3×××	-901 -901	.588 .866			



	T	1400 - 1 100 - 100			
	ĮΦŦΥ	MODEL/RESTRICTION	MODEL/RESTRICTION	MGDEL/RESTRICTION	FROM-10
24-750		HOLDER, BRUSH			
JE01-18-X70	1	(TA)			
	1	(MT)			
24-752		SPRING.BRUSH			
N318-18-X71		(MT)			
N326-18-X71	2	(MT)			
N327-18-X71	4	(AT)			
24-753		BRUSH, YOKE			
F214-18-X66		(MT)			
N319-18-X66	1	(AT)			
24-760		SWITCH			
N326-18-X10	1				
++					
24-760A +	1	GASKET			
N326-18-X87	1				
1					
1					
		<u> </u>			<u></u>
-					



PART NO.	QΙΥ	MBDEL / DECIDIOTION	MODEL (DESTRICTED		
+	ψ ; 1		MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-10
18-520		BATTERY			
AM15-18-520A	1	75D26L GS			
E566-18-520A	1	F5D23L OS M/F TYPE			
N251-18-520A	1	65D23L GS M/F TYPE			
18-522 18-522 18-522	1	BAND, BATTERY			
18-59X N318-18-59XE	ì	BOX, BATTERY			
18-592 N318-18-592A	1	SEAL . RUBBER-BATTERY BOX			
18-593 18-593 N318-18-593C	1	COVER.BOX-BATTERY			
56-030 FB01-56-030	1	CLAMP, BATTERY			
56-863A 56-863A FB01~56-981D	1	TRAY, BATTERY			
67-801A 0243-56-231	2	BOLT, CLAMP			
	Ì				
	-				
		1			
	ĺ				

1910 TORQUE CONVERTER, OIL PUMP & PIPINGS (AUTOMATIC)
19-090A 9979-61-045 9978-41-016 19-020 19-064 19-027A 19-216 9979-61-090 19-027A 19-255 19-255
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$
9979-60-610—9979-60-610 9979-60-610 9979-60-610 9979-60-610 9998-41-400 9979-60-610 9979-60-610 9979-60-610 9979-60-610 9979-60-610 9979-60-610 9979-60-610 9979-60-610
9927-61-400P 9928-71-400P 19-980 13-331 19-930 13-331 13-331 13-331 13-930 13-930 13-930 13-930 13-930 13-930 13-930 9979-60-620 9979-60-620 9928-71-400P

5457	Ī	MODEL (DEALD TO TO TO TO	L WAREL INTEREST		
PART NO.	OTY	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-TO
13-331	i	SPACER, AIR CLEANER			
2850-13-331	-∔ 3				
†	-+				
19-020	-÷	PLATE, DRIVE			
BU17-19-020			:		
19-025	i	PLATE, BACKING			
0842-19-025					
+					
19-027A	-+	COVER, UNDER			
BU17-19-027					
19-029	i	COVER, TOP			
BU17-19-050					
+	-+				
	-+	BOLT			
3649-19-064	A 4				
19-090A		T/MISSION CPT.			
BV09-19-090		('91 MODEL)			
BV09-19-090	C 1	(192 MODEL)			
+					
19-100A	-+	CONVERTER, TORQUE			
BV03-19-100 A (BV03-19-1					-1201
8V03-19-100	A 1				1201-
+		ļ			
19-211		HOUSING, CONVERTER			
8V03-19-211	1				
19-215	- †	GASKET, OIL PUMP			
BU01-19-215	-+	ASBESTOS			
		('91 MODEL)			
BU46-19-215	1	NON ASBESTOS ('92 MODEL)			
*	- +				
	-+	BOLT			
BU01-19-216					
19-220	i	PUMP, OIL			
BV03-19-220		('91 MODEL)			
1001 502		(10)	l		
1201 FC3	*************	0151			


1910 TORQUE CONVERTER, OIL PUMP & PIPINGS (AUTOMATIC)
[19-090A] (2) (Y)
9979-61-045
9978-41-016 9979-61-035
19-020
<u>19-064</u>
19-027A
19-216 9979-60-610 19-678
[19-240] [19-255]
19-025
19-220
19-247
9961-12-000 19-215
19-248
19-223A 9-9979-60-610
19-910
9979-60-610
9979-60-610 19-980 9936-41-400 9938-11-000
(BV09-19-980) (Y) 9979-60-610 (Y) 9979-60-610
9956-41-400
9994-00-601-9 9979-60-620-
(BV10-19-980) [3-33] 45-903D
9927-61-406 9926-40-658 19-930
9928-71-400P 9928-71-400P 9979-60-620
9928-71-4000
19-9B0 19-933 9928-71-400P
AUFA03

41.455.44

PART NO.	QTY	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-TO
BA02-18-550C	1	('92 MODEL)			
19-223A	· . ;	SEAL, OIL			
0338-19-223A	1	NOK			
19-240		COVER, OIL PUMP			
BV03-19-240B	1	(191 MODEL)			
BV03-19-240C	1	('92 MODEL)			
19-245 0338-19-245A	2	BALL			
*******	٤.	,			
19-247 0338-19-247	1	SPRING			
19-248	1	SPRING			
19-255 0338-19-255	5	BOLT			
19-258 0338-19-258	1	SEAL, CUT RING			
19-678 BV01-21-678C	1	SHAFT, INPUT			
19-980 BV09-19-980A	1	HOSE,OIL-OIL PUMP			
19-904 19-904 BV09-19-904	1	HOSE, VACUUM			
19-910 BV09-19-910A	1	PIPE,VACUUM			
19-920 BV09-19-920B	1	PIPE, OIL			
19-930		PIPE, OIL			
					[

1910 TORQUE CONVERTER, DIL PUMP & PIPINGS (AUTOMATIC)
9979-61-045 9978-41-016
19-020 19-064 19-027A 19-216 19-226 19-255 19-240
19-025 19-220 19-245 19-2258 19-2258 19-2258 19-2258 19-2258 19-2258 19-2258 19-2258 19-2258 19-2258 19-215 19-215 19-215 19-215
9979-60-610 9979-60-610 9979-60-610 9979-60-610 9979-60-610 9994-00-601 9979-60-610 9979-60-610 9979-60-610 9979-60-610 9979-60-610 9979-60-610 9979-60-620 9928-71-400P 9928-71-400P 9928-71-400P


			•		
PART NO.	QTY	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-TO
CONT'D 3V09-19-930B	1				
19-933		HOSE,OIL			
BV09-19-933A	1				
19-940		BRACKET, PIPE			
BU17-19-940	1	i			
19-960		BRACKET			
BU17-19-961A					
19-980		BRACKET			
BV09-19-980	1	:			
BV10-19-980	1				
19-986		CLIP			:
BV10-19-986	1				
21-677		RING,'O'			
BV01-21-677	1	:			
45-903D		CLIP, PIPE			
0866-45-903A	2				
					!
					ļ
		<u>,,,</u>		<u> </u>	<u> </u>



1920 TRANSMISSION CASE & MAIN CONTROL SYSTEM (AUTOMATICX 1/2) (THIS ILLUSTRATION CONSISTS OF 2 PAGES)
[21-255]
21-250 19-257
21-330
19-361
21-386 19-363
19-384
(0338-19-385A) 19-385 19-388 19-388
19-389 (3959-19-381) 20-318A
21-395 21-391 19-331 2 19-739 19-737
19-396A 19-344 1 19-735 19-710
9922-20-214
3 17-4421
19-337 17-442K
19-336 9979-60-616
5 <u>19-341</u> 6 6 19-823 19-822
19-880 (v) 19-825 (v)
19-890 9994-00-603 19-361 19-363A
10-460J
19-960 19-870A 19-385) 19-385) 19-385) 19-385)
19-8701 9979-60-608
NOTE 19-394 19-395
THE D-CODE OF 19-310 CONSISTS OF 19-391 FIGURE NUMBERS (1) THROUGH (6).
AUFA03 (CONT'D)

DART (IS	10.511	LASS INCOME	T WARE AREAT AND THE	T	11
PART NO.	YTQ	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-TO
10-460J		RING, 'O'			
99541-01201	1				
17-1218	i	MAGNET			
F401-17-121	2				
17-335	ì	SEAL, OIL			
R501-17-335A	. 1	Jene / Ole			
+	•				
17-441	·	GEAR, DRIVEN			
1669-17-441A	1	N=20			
17-442	i	SLEEVE, SPEEDOMETER			
1669-17-442B	1				
17-442J	+	RING,'O'			
1011-17-443		KENOS U			
+	+				
17-442K 99586-08166	¦ 1	SEAL, OIL			
+				•	
19-040	+	INSULATOR, OIL PAN			
BV09-19-040	. 1]
19-256	i	RING, SEAL			
BU01-19-256	4	!			
19-257	į	RING, SEAL			
BU01-19-257	* 2				
1 19-258	t	SEAL, CUT RING		 	
0338-19-258	÷ 1	i		}	
19-310	;	CASE, T/MISSION			
BV09-19-310	¦ 1				-0C01
C (BV09-19-31	0A)	1			
BV09-19-310A	. 1				0C01-
19-331	Ţ	PLUG, SQUARE HEAD	1		
0338-19-331A	3				
BV09-19-310		DC01 FC3×××-9	04305	1	1
C BV09-19 BU01-21-	292A	1			
CAT. AUFA03-0	,				1993-12

(THIS ILLUSTRATION CONSISTS OF 2 PAGES)



PARI NO.	QTY	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-TO
19-336		RACE, INNER			
0338-19-336 19-337 0338-19-337	8	WASHER, PLAIN			
19-338	8	BOLT			
19-341 0338-19-341	2	BOLT, ANCHOR END			
19-344	1	BREATHER, AIR			
19-361 0338-19-361B	2	STRUT, BAND			
19-363 FT40-19-363	1	SPRING, PISTON RETURN			
19-363A BU17-19-363	1	SPRING, PISTON RETURN			
19-368 BU20-19-368	1	SPRING, CUSHION-PS ÎN. STEM			
19-381 BV02-19-381 3959-19-381	1	PISTON,BAND SERVO			
19-384 3959-19-384		SEAL,PISTON		:	
19-385 BV02-19-385		SEAL, PISTON			
0338-19-385A	1	D=46.6414 D=40194			
19-386		STEM, PISTON			


AUFA03

CAT. AUFA03-07

1920 -3 TRANSMISSION CASE & MAIN CONTROL SYSTEM (AUTOMATIC)

	NTROL SYSTEM (AUTOMATIC)(1/2)
(THIS ILLUSTRATION CONSISTS OF 2 PAGES)
21 -320	21-250
	[19-256]
21-330	
19-361	6.00
21-386 19-341	21-253
19-363	
(0338-19-385A)	19-368
19-385	21-275
10-380	21-274
21-395 19-381 9995-20-618	-318A 0 9-739 0 21-277
[21-391]	19-737
19-396A 19-344 1 19-735	17-335
19-397	9922-20-214
3	17-441
19-338	17-442
19-337	17-442K
19-336	<u> 19-331</u> (4) 9979-60-616
	9-823
Ţ 0) -822
	-825 00-603 - 19-361
19-890	5-20-600
10-460J	19-384 19-381 (8v02-
9979-60-610	19-385(8 voz-
19-960 19-870A	19-040
19-870J - 9979-60-6	19-386
NOT E 19-	310 19-394
9954-10-1607 THE D-CODE OF 19-310	CONSISTS OF 19-391
AUFA03	[3 230]
NULVA	(CONT'D)

PART NO.	919	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-10
CONT'D 0338-19-386A	1				
19-388		WASHER, PLAIN			
+0338-19-388A	2	(CONVERTIBLE)			
19-389	2	NUT			
19-391 BV02-19-391	1	RETAINER, SERVO			
19-392 1758-19-392A	1	COVER, SERVO			
19-394 BV01-19-394	1	SEAL, LATHE CUT			
19-395 0338-19-395	1	RING, 'O'			
19-396A		GASKET			
BU46-19-3J4	,	NON ASBESTOS ('92 MODEL)			
1758-19-394A		ASBESTOS ('91 MODEL)			
19-397 1758-19-397	3	BOLT			
19-398 0338-19-398	3	BOLT			
19-710 BV09-19-710	1	HOUSING, EXTENSION			
19-735		GASKET, EXTENSION			
BT28-19-735		NON ASBESTOS (*92 MODEL)			
0338-19-735		ASBESTOS ('91 MODEL)			
19-737		BOLT			




PART NO.	917	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-TI
CONT'D 0338-19-737	8				
19-739		WASHER, PLAIN			
0338-19-739	8			i	
19-822		SEAL,'O'RING			
0338-19-822	1				
19-823		DIAPHRAGM, VACUUM			
BV04-19~823A 	1			:	
19-825		ROD, DIAPHRAGM			
0338-19-825	1	L=30MM			
0338-19-826	1	L=31MM			
0338-19-827	1	L=30.5MM			
338-19-828	1	L=29MM			
0338-19-829	1:	L=29.5MM			
† 19-831		BOLT, CONTROL VALVE	1		
0338-19-831	3				:
19-832		BOLT, CONTROL VALVE			
1338-19-832	2				
19-833		BOLT, CONTROL VALVE			
338-19-833	2				
19-835		GASKET, OIL PAN			
T28-19-835	1	NON ASBESTOS ('92 MODEL)			
338-19-835B	1	ASBESTOS ('91 MODEL)			}
19-836		PAN, OIL			
V02-19-836	1				
19-837		BOLT, OIL PAN			
338-19-837	17				

CAT. AUFA03-07


1920 TRANSMISSION CASE & MAIN CONTROL SYSTEM (AUTOMATIC)(1/2)
(THIS ILLUSTRATION CONSISTS OF 2 PAGES)
21-320 21-255 21-255
[19-256]
21-330
19-361
21-386 \ 19-258 21-253
19-363
19-364 (0336-19-365A)
19-385
19-388
21-395 19-381 9995-20-618 20-318A
21-391 2 19-331 2 19-737
19-396A 19-344 19-735 19-710
19-397 (X)
17-441
19-338
19-337 \\ 17-442K
19-336 9979-60-616
(5)[9-341] (6) (19-823)
9994-00-600 19-331
19-880
9994-00-603 19-890 19-361 19-363A
10-460J 19-381 (8v02- 19-381) (9-381)
9979-60-610-
19-960 19-9704 19-388
19-8701 - 9979-60-608
NOTE 19-310 19-394 19-395
21-296 THE D-CODE OF 19-310 CONSISTS OF 19-391
FIGURE NUMBERS THROUGH . 19-398
AUFA03 (CONT'D)

BRACKET, INSULATOR 1 TUBE, FILLER 1 RING, 'O'			
TUBE, FILLER			ļ
1			
			1
KTMG, O			
1			
GAUGE, DIL LEVEL			
TUBE,OIL FILTER-UPPE			
BRACKET			
BOLT 1			
HOLDER, SOCKET			
SUPPORT, DRUM			
GASKET, DRUM SUPPORT			
NON ASBESTOS			
ASBESTOS 1 ('91 MODEL)	,		
BOLT		è	
PISTON, ACCUMULATOR	1		
SEAL, 'O'RING			
	TUBE, OIL FILTER-UPPE BRACKET BOLT HOLOER, SOCKET SUPPORT, DRUM GASKET, DRUM SUPPORT NON ASBESTOS ('92 MODEL) ASBESTOS ('91 MODEL) BOLT PISTON, ACCUMULATOR SEAL, 'O'RING	TUBE, OIL FILTER-UPPE BRACKET BOLT HOLDER, SOCKET SUPPORT, DRUM GASKET, DRUM SUPPORT NON ASBESTOS ('92 MODEL) ASBESTOS ('91 MODEL) BOLT PISTON, ACCUMULATOR SEAL, 'O'RING	TUBE, OIL FILTER-UPPE BRACKET BOLT HOLDER, SOCKET SUPPORT, DRUM GASKET, DRUM SUPPORT NON ASBESTOS ('92 MODEL) ASBESTOS ('91 MODEL) BOLT PISTON, ACCUMULATOR SEAL, 'O'RING




PART NO.	QTY	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESIRICTION	FROM-10
21-275 BV01-21-275	1	SEAL, 'O'RING			
21-277 BU01-21-277		RING.'O'			
1 21-298 BV09-21-2K0	1	COUPLER, SOLENOID VAL VE			
1 21-301 BV01-21-301	2	BOLT, CONTROL VALVE			
BV01-21-302	4	BOLT, CONTROL VALVE			
21-303 BV01-21-303	1	BOLT, CONTROL VALVE			
21-320 BV01-21-320D	1	CASE.OVER DRIVE ASBESTOS			
21-322 BU01-21-322	1	GASKET,U/DRIVE CASE			
21-330 BV01-21-330	1	VALVE, ONE WAY			
21-386 BU01-21-386	1	STEM, PISTON BAND			
21-391 BU20-21-391	1	RETAINER, SERVO			
21-395 BU01-21-395	2	RING,'O'			
21-446 BV01-21-446	7	WASHER DISHED			

CAT. AUFA03-07



1-M12



PART NO.	QTY	MODEL/RESTRICTION	MODEL/RESIRICTION	MODEL/RESTRICTION	FROM-TO
10-460J 99541-00707	4	RING, 'O'			
19-750 BV09-19-750	1	VALVE, CONTROL			
19-760 BV01-19-760F	1	BODY, CONTROL VALVE-U			
1 19-768 0338-19-768	1	VALVE, MANUAL			
19-771 BV01-19-771	1	VALVE, REGULATOR			
19-772 0338-19-772	1	SPRING, REGULATOR			
19-773 0338-19-773	1	SEAT, REGULATOR SPRIN			
19-774 BV01-19-774A	1	PLUG, REGULATOR			E
19-775 BV01-19-775A	1	SLEEVE.REGULATOR PLU			
19-781	1	PLATE, SIDE'D'			i.
19-785 BV01-19-785	1	VALVE,1-2 SHIFT			
19-786 BV01-19-786	1	SPRING,1-2 SHIFT			
19-787 BV01-19-787A	1	VALVE,2-3 SHIFT			
19-788 BV01-19-788	1	SPRING,2-3 SHIFT			

1725 CONTINUE VALUE (ACTORNATO)	(THIS ILLUSTRATION CONSISTS OF 2 PAGES)
2	(IIII ILLOSINATION CONSISTS OF 2 PROES)
[10.4001]	MORE
(3) $\sqrt{\frac{10-460J}{19-811}}$ $\sqrt{-19-811}$	NOTE (3) (4) ⇒ (21-3A0A)
21-296A	
$ abla^{21-29}$	
10-46	01 FIGURE NUMBERS 3THROUGH 4.
	(4)
	21-306A
	[21-300K]
21-155A	grant and and and and and and and and and and
21-154	21-216
21-156A	21-207A [21-299]
21-214	- 21-306A
21-213	21-211 0 8 21-097
	[21-149]
19-812	21-149 9961-22-518
10000	21-215A
19-815	21-129
	<u></u>
	7 21-204
	$-\frac{[21-204]}{[21-201]}$
	21-224
21-207A	21-269
(2) 21-294	21-267
21-221	21-267 21-217
21-221 0 6 21-814	
21-221	21-097
u	21-299 / 21-097
	21-306A 21-306A
$\mathbf{A}^{(q)}$ $(\mathbf{f})_{C}$	
	b 19-8A2 D=1.2MM
(Fb)	
Charles Charles	
	£ 10,000 0 tour
(b)	8 D 19-814 D=5.6MM, L=26.8MM
	h 19-819
	i 21-261 L 30MM (BV01-21-261)
(9)(1) ₁	j 21-261 L=40MM (FU01-21-261D
(d)	k 21-262 L=35MM
d d	1 21-263 L = 25MM
	m 21-265 L=12MM
(k) (1)(q)	O 21-302 L=59MM P 21-305 L=82MM
	Q 21-091 D=21MM, d=5.3MM
(b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	
	r D1 21-446 D=12.5MM, d=6.4MM S Q d 9961-12-000
(q)(1)-W	
Q(1)_W AUFA03	

DADT NO		HODEL IDEATRICATE			
PART NO.	QTY	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM·TO
19-791		VALVE.MODIFIER			
0338-19-791A	1				
1 10-700		CDDING MODYFFF			
19-792		SPRING, MODIFIER			
BV01-19-792	1				
19-793		PLATE, SIDE'A'			
BV01-19-793	1				
t		LIALLIA TURATTA			
19-795		VALVE, THROTTLE			
0338-19-795B	1				
19-797		VALVE, THROTTLE BACK-			<u> </u>
BV01-19-797A	1	UP			1
+					
19-798		SPRING, THROTTLE BACK			
BV01-19-798	1				
19-8A2		VALVE, ORIFICE CHECK			
BV01-19-8A2	2				
++					
19-8A9 		VALVE, ORIFICE CHECK			
BV01-19-8A9	2				
19-882		VALVE, ORIFICE CHECK			
BV01-19-8B2	1				
++	-				
19-803		PLATE, SIDE'B'			
BV01-19-803	1				i
1 19-805	ļ	PLATE, SEPARATOR			
8V01-19-805C	ı				
19-808		SPRING			
*0338-19-808	6				}
119-811	-	BODY, VALVE LWR			
BV01-19-811B	1	TODA, TOTAL CAME	a a		1400
A (BV01-19-811c)	٦		ļ		-1401
BV01-19-811C	1				1401-
					L
1401 FC3***	906	971			
ļ					ŀ
					İ
CAT AMEADY	_				

1925 CONTROL VALVE (AUTOMATIC)	(1/2)
THE D-CODE OF [19-750] THE D-CODE OF [19-750] CONSISTS OF FIGURE NUMBERS (1) THROUGH (2).	(THIS ILLUSTRATION CONSISTS OF 2 PAGES)
<u> </u>	
21-1124	
19-805	
21-123	
19-775 19-774 19-771 21-195 21-682 21-684	19-785 19-786 19-791 19-792 19-797 19-798
(E) (C) (Q) (C) (Q) (C) (Q) (C) (Q) (Q) (Q) (Q) (Q) (Q) (Q) (Q) (Q) (Q	
AUFA03	(CONT, D)

PART NO.	QTY	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-TO
19-812 BV01-19-812A		COVER, VALVE BODY			
19-814 19-814 0338-19-814	1	SPRING			
19-815 BV01-19-815	1	STRAINER, OIL			
19-819 8V01-19-819		NUT (CONVERTIBLE)			
21-091 FU01-21-091		WASHER			
21-097 FU01-21-097	4	PROTECTOR			
21-112A BV01-21-112A	1	GASKET	i		
21-123 BV01-21-123A		GASKET			
21-129 BV02-21-129	1	VALVE,1-2 REDUCING			
21-149 BV01-21-149A	1	PLUG, STOPPER			
21-154 BV02-21-154	1	PLATE, SEPARATOR			
21-155A BV01-21-155	1	GASKET			
21-156A BV01-21-156	1	GASKET			
21-195 BV01-21-195	1	VALVE, REDUCING	÷		

(CONT'D) CAT. AUFA03-07

h

m

0

p

r

 (\mathbf{f})

21-156A

AUFA03

19-819 21-261

21-261

21-262

21-263

21-265

21-302

21-305

21-091

9961-12-000

PART NO. OTY MODEL/RESTRICTION MODEL/RESTRICTION FROM-10		1	·		T	
SV01-21-196 1	PART NO.	QTY	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-10
21-201	21-196		SPRING, REDUCING			
BV01-21-201 1 21-202	8V01-21-196	1				
BV01-21-201 1 21-202	+					
21-202 BV01-21-202 1	21-201		PISTON, ACCUM	,		
21-202 SPRING, ACCUM N-R 21-204 RING, SEAL 21-207 RING, SEAL 21-2107 RING, SEAL 21-211 PISTON, N/D ACCUM 21-213 SPRING, N/D ACCUM 21-213 RING, SEAL 21-214 RING, SEAL 21-215 RING, SEAL 21-215 RING, SEAL 21-216 RING, SEAL 21-217 RING, SEAL 21-216 RING, SEAL 21-217 PLATE'E', SIDE 21-217 RING, 1/2 REDUCING 8V01-21-216 PLATE'F', SIDE 21-221 PLATE'F', SIDE 21-222 RV01-21-221 PISTON, 1/2 ACCUM 8V01-21-221 PISTON, 1/2 ACCUM 21-222 RV01-21-222 PLUS, LOCK UP 21-224 PLUS, LOCK UP	BV01-21-201	1				
BV01-21-202 1 21-204 BV01-21-204 RING, SEAL 21-207A RING, SEAL 21-210 PISTON, N/D ACCUM 21-211 PISTON, N/D ACCUM 21-213 SPRING, N/D ACCUM 21-214 RING, SEAL 21-215 RING, SEAL 21-216 BV01-21-216 PLATE'E', SIDE 21-217 BV01-21-217 PISTON, 1/2 ACCUM 21-221 PISTON, 1/2 ACCUM 21-222 BV01-21-221 PISTON, 1/2 ACCUM 21-222 BV01-21-222 PLUG, LOCK UP			SPRING.ACCUM N-R			
21-204 RING, SEAL 21-207A BV01-21-207 2 21-211 PISTON, N/D ACCUM 21-213 SPRING, N/D ACCUM 21-214 BV01-21-213 1 21-215A BV01-21-214 1 21-215A BV01-21-216 PLATE'F', SIDE BV01-21-217 PUSTON, 1/2 ACCUM BV01-21-217 PISTON, 1/2 ACCUM BV01-21-221 PISTON, 1/2 ACCUM BV01-21-221 SPRING, ACCUM BV01-21-222 BV01-21-222A PLUG, LOCK UP	+					
21-204		•	•			
21-207A 8V01-21-207 2 21-211 PISTON, N/D ACCUM 8V01-21-211 1 21-213 SPRING, N/D ACCUM 8V01-21-213 RING, SEAL 8V01-21-214 RING, SEAL 8V01-21-214 PLATE'E', SIDE 8V01-21-216 PLATE'E', SIDE 8V01-21-217 PLATE'F', SIDE 8V01-21-217 PISTON, 1/2 ACCUM 8V01-21-221 PISTON, 1/2 ACCUM 8V01-21-221 PISTON, 1/2 ACCUM 8V01-21-222 SPRING, ACCUM 1-2 8V01-21-2224 PLUS, LOCK UP			RING, SEAL			ļ
21-207A	BV01-21-204	1				
BV01-21-207 2 21-211			DANO CEN			
21-211	+		ŀ			
21-211	1	~				
21-213 SPRING, N/D ACCUM SPRING, N/D ACCUM SPRING, N/D ACCUM RING, SEAL SPRING, 1/2 REDUCING SPRING,			PISTON,N/D ACCUM			
21-213	BV01-21-211	1				
BV01-21-213 1 21-214 BV01-21-214 RING, SEAL 21-215A SPRING, 1/2 REDUCING BV03-21-215A PLATE'E', SIDE BV01-21-216 PLATE'F', SIDE BV01-21-217 PLATE'F', SIDE BV01-21-221 PISTON, 1/2 ACCUM BV01-21-221 SPRING, ACCUM 1-2 BV01-21-222A PLUG, LOCK UP						
21-214 BV01-21-214 1	+					
21-214 BV01-21-214 1	BV01-21-213	1				
BV01-21-214 1 21-215A			RING, SEAL	1		
21-215A BV03-21-215A	BV01-21-214	1		1		
BV03-21-215A 1 21-216	++					
21-216	++		SPRING,1/2 REDUCING			
BV01-21-216 1 21-217 PLATE'F', SIDE BV01-21-217 1 21-221 PISTON, 1/2 ACCUM BV01-21-221 1 21-222 SPRING, ACCUM 1-2 BV01-21-222A 1 21-224 PLUG, LOCK UP	BV03-21-215A	1				
BV01-21-216 1 21-217 PLATE'F', SIDE BV01-21-217 1 21-221 PISTON, 1/2 ACCUM BV01-21-221 1 21-222 SPRING, ACCUM 1-2 BV01-21-222A 1 21-224 PLUG, LOCK UP	1 21-216		PLATE'E',SIDE			
21-217	+					
BV01-21-217 1 21-221 PISTON, 1/2 ACCUM BV01-21-221 1 21-222 SPRING, ACCUM 1-2 BV01-21-222A 1 21-224 PLUG, LOCK UP	1					
21-221	21-217		PLATE'F',SIDE			
21-221	BV01-21-217	1				
BV01-21-221 1			PISTON.1/2 ACCUM			
21-222 SPRING, ACCUM 1-2 BV01-21-222A PLUG, LOCK UP	++		l .			
BV01-21-222A 1 PLUG, LOCK UP	+			1		
21-224 PLUG, LOCK UP	21-222		SPRING,ACCUM 1-2			
21-224 PLUG,LOCK UP	BV01-21-222A	1				
 +			PLUG.LOCK UP		•	
	+		1			
			l	<u>. </u>	L	L

CAT. AUFA03-07

1993-12

L = 30MM (BV01-21-261

L = 40MM (FU01-21-261D

D=21MM, d=5.3MM

L = 35MM

L = 25MM

L = 12MM

L≈59MM

L = 82MM

21-446 D = 12.5MM, d = 6.4MM

1925 CONTROL VALVE (AUTOMATIC) (1/2)
THE D-CODE OF 19-750 CONSISTS OF PAGES) THE D-CODE OF 19-750 CONSISTS OF FIGURE NUMBERS (1) THROUGH (2).
19-760
21-112A
19-805
21-123
21-306A 21-306A 19-768 19-785 19-785 19-785 19-793 19-771 19-771 19-791 19-791 19-791 19-791 19-791 19-791 19-791 19-791 19-795 21-681 21-684 19-795 21-306A
21-123


PART NO. QTY	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-TO
1 21-229	CLIP			
8V01-21-229A 1				
1 21-261	BOLT			
BV01-21-261 2				
FU01-21-261C 2 N(FU01-21-261D)				~090
FU01-21-261D 2				0901~
21-262	BOLT			
FU01-21-262C 4 N(FU01-21-262D)				-090
FU01-21-262D 4				0901-
1 21-263	BOLT			
FU01-21-263C 8 N(FU01-21-263D)				-090
FU01-21-263D 8				0901-
1 21-265 1	BOLT			
FU01-21-265C 7				
1 21-267	SPRING, THROTTLE RELI			
BV01-21-267 1	EF			
21-269	VALVE, THROTTLE RELIE			
BV01-21-269 1	r			
21-294	RING,'O'			
BV01-21-294 1				
21-296A	STRAINER, DIL			
BV01-21-296 4				ĺ
21-297	STRAINER, INNER			1
BV01-21-297 2				
21-299	CLIP			
BV01-21-299 2				
1 21-3A0A 1	VALVE, SOLENOID NO1			
0901 FC3***-90	1310		•	•

(2/2)

② ⁽	THIS ILLUSTRATION CONSISTS OF 2 PAGES)
3 19-811 19-811 21-296A 10-460J 119-811 10-460J 119-811 10-460	JI FIGURE NUMBERS 3THROUGH 4.
21-306A 21-297 21-156A 21-214 21-213	21-207A 21-216 21-207A 21-299 21-211 21-299 21-2077
[19-812] [19-815]	21-149 21-215A 21-222 21-204 21-201
21-207A (Z) [21-294] (Z) (21-221) (21-814) (21-222) (21-816)	21-269 21-224 21-267 21-217 21-097 21-306A 21-306A
	19-8A2 D=1.2MM 19-8A9 D=1.8MM 19-8B2 D=1.5MM 19-8B2 D=1.5MM 19-8B2 D=1.5MM
9 1 21-156A d f h f	21-261 L=40MM (FU01-21-261D) 21-262 L=35MM 21-263 L=25MM 21-265 L=12MM 21-302 L=59MM 21-305 L=82MM 21-305 L=82MM 21-305 L=82MM 21-305 L=92MM, d=6.386M 21-305 D=12.5MM, d=6.4MM S Q d 9961-12-000
AUFA03	

PART	NO.	QTY	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-TO
CONT'D 8V01-21	-3A0A	1				
	302	1	BOLT, CONTROL VALVE			
+	305	•	вост			
BV01-21	-3058	1				
	306A į	22	BOLT			
	333 -333	1	VALVE,ONE WAY			
	446 -446	2	WASHER, DISHED			
21- BV01-21	681 -681	1	VALVE,SHIFT 3-4			
21- 21- BV01-21	682 -682	1	SPRING,3-4 SHIFT			
21- BV01-21	684 -684	1	VALVE,3-4 SHIFT-COAS			
\$V01-21	797 -797	1	VALVE,CONTROL BACK U P			
T	798 -798	1	SPRING, BACK UP			:
21- 21- BV01-21	814 j -814	1	SPRING,3-2 TIMING			
	816	1	SPRING,3-2 TIMING			
						L

CAT. AUFA03-07



(1/2)

CLUTCHES & PLANETARY GEARS (AUTOMATIC) (THIS ILLUSTRATION CONSISTS OF 2 PAGES) 19-534B 21-531 (BVOI-19-533) 19-533 19-639A 21-540 21-560 21-565 19-639A 21-510 19-623 (0338-19-476) 19-476 19-486 21-570 (FTO1-19-499) 19-499 (BVOI+19+ 29) 19-50 19-480 (0338-19-480) 19-487 19-500B 21-631 21-821 19-509 (0338-19-509 21-5A1 21-679 19-641A 19-360

1930

AUFA03

			· · · · · · · · · · · · · · · · · · ·		
PART NO. Q) T Y	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-10
19-360 0338-19-360B	2	ĐAND, BRAKE			
19-460 19-460 8V03-19-460B AN(BV03-19-460C)	ı	CLUTCH, FRONT			-0001
BV03-19-460C	ղ				0001-
19-470 19-470 BV01-19-470B	1	DRUM, CLUTCH			
19-475 0338-19-475	3	SEAL,'O'RING			
19-476 BV01-19-476	1	SEAL, LATHE CUT			
0338-19-476 19-480 BV01-19-480	1	PISTON, CLUTCH			
0338-19-486	25	SPRING, PISTON RETURN			
19-487 9338-19-487	3	RETAINER, SPRING			
19-488	3	RING, SNAP			
19-498	1	PLATE, DISHED			
19-498A BU17-19-498	1	PLATE, DISHED			
19-499 BV01-19-499	3	PLATE, DRIVEN			
FT01-19-499	10				
0C01 FC3***-	904	3305	,	t.	

CAT. AUFA03-07

1930 CLUTCHES & PLANETARY GEARS (AUTOMATIC) (2/2)
(THIS ILLUSTRATION CONSISTS OF 2 PAGES)
(0338-19-509) [19-509]
19-641 (FT01-19-499) [19-499]
(BV01-19-499)
[19-499]
19-623
19-503
119-488
(evol-19-476) 19-486 19-476
19-470 19-498 19-5008
19-506AJ
19-480 19-503 19-503A
(BVO1-19-480) 19-503B
[19-460] (F701-19-499) [19-499]
[13-400]
19-509
(0338-19-509)
(0338-19-978)
19-476 19-5008 19-624
19-4984
19-486
(0.336-19-490) 19-566 19-566
19-475
[19-565] [19-639A]
19-567
19-639A 19-623
19-623
19-656 (BV04-19-533)
19-531
19-534
AUFA03

19-500B 1017-19-500 108017-19-500A 1017-19-500A	PLATE, DRIVEN		
1017-19-500 12 1(8017-19-500A) 1017-19-500A 12	2		1
U17-19-500A 12	1		-000
+	2		0C01-
i 19-503 i	PLATE, RETAINING		İ
959-19-503	T=5MM		
1 195919-504	T=5.2MM		
] 959-19-505	T=5.4MM		
959-19-506			
1	T=5.6MM		
959-19-507 1	T=5.8MM		
959-19-508 1	T=6MM		
959-19-509	T≖6.2MM		
1 19-503A I	PLATE, RETAINING		
758-19-503	T=7.2MM		
758-19-504 1	T=7.4MM		
758-19-505 1	T=7.6MM		
19-503B	PLATE, RETAINING		
V02-19-506	7=6.6MM		
V02-19-507	T=6.8MM		
1 V02-19-508 1	 T=7MM		
V02-19-505	T≂6.4MM		-1301
19-506A	PLATE, RETAINING		
++ U05-21-525	T=6.4MM		1701
++			1301-
19-509 	RING, SNAP		
0C01 FC3***-90 1301 FC3***-90	4305	 L	L
TOUI FORKKAAN			

1930 CLUTCHES & PLANETARY GEARS (AUTOMATIC) (1/2)(THIS ILLUSTRATION CONSISTS OF 2 PAGES) 19-534B 21-531 (BVOI-19-533) 19-533 19-639A 21-540 21-560 21-567 21-565 19-623 19-639A 21-510 19-623 (0338-19-476) [19-476] 19-476 19-486 (FT01-19-499) 19-499 21-570 (8v01-19-509) 19-509 21-534 19-480 (0338-19-480) 19-487 19-500B 21-631 21-821 (0338-19-509) 21-5A1 21-679 19-641A 19-360

AUFA03

PART NO.	QTY	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-TO
CONT'D 0338-19-509	3				
19-510 19-510 BV01-19-510	1	CLUTCH, REAR			
1758-19-511	1	DRUM, REAR CLUTCH			
1 19-530 BV04-19-530	1	HUB,REAR CLUTCH			
19-531 BV04-19-531	1	HUB.REAR CLUTCH			
19-533 BV01-19-533	1	GEAR, INTERNAL			
BV04-19-533	1				
19-534 0338-19-534	1	RING, SNAP			
19-534B BU03-19-534	1	RING, SNAP	;		
19-540 BV09-19-540	1	CARRIER, FRONT			
19-560 BV04-19-560	1	GEAR, SUN			
19-565 +	1	SHELL, CONNECTING			
19-566 BV04-19-566	1	RACE, SHELL BEARING			
19-567 BU02-19-567	1	RING, SNAP			
19-570 BV04-19-570	1	CARRIER, REAR			!

(CONT'D)

CAT. AUFA03-07

1930 CLUTCHES & PLANETARY GEARS (AUTOMATIC) (2/2)
19-360 (THIS ILLUSTRATION CONSISTS OF 2 PAGES)
19-509
19-641 (F701-19-499) 19-499
(BV01-19-499)
(Z) 19-499
19-623
19-488
(RV01-19-476) 19-486 19-510B 19-510
19-470 19-498 19-506A
19-503
(BV01-19-480) 19-503A 19-503B
19-475 (FT01-19-499)
19-460
[19-488] (0336-19-509)
19-487
(0336-19-476)
19-511 19-624 19-623 h
19-498A 19-570 - 19-486
19-631 (0338-19-480)
19-480 <u>19-566</u> 19-475 <u>19-560</u>
19-565
19-621 19-567
19-623 19-623
19-622
[8V04-19-533]
19-531
19-534
AUFA03

PART NO.	OTY	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-TO
19-598 19-598 0338-19-598	1	RING, SNAP			
19-621 19-621 0338-19-621	2	BEARING, NEEDLE			
1 19-622 0338-19-622	1	BEARING, NEEDLE			
19-623 0338-19-623A	8	BEARING, NEEDLE			
19-624 0338-19-624	2	BEARING, NEEDLE			
19-631		RACE, BRO.PUMP COVER			
0338-19-632	1	T=1.4MM			
0338-19-633	1	T=1.6MM			
0338-19-634 0338-19-635	1	T=1.8MM			
0338-19-636	1	T=2MM T=2.2MM			
19-639A 13-639A	4	RACE, BEARING			
19-641 19-641 BV01-19-6C1		WASHER, FRONT CLUTCH T=0.8MM			
BV01-19-6C2	_	T=1MM			
BV01-19-6C3	1	T=1.2MM			
BV01-19-6C4	1	T=1.4MM			
BV0119-6C5	1	T=1.6所4			

(BVOI-19-533) 19-533 19-639A 21-565 19-623 19-623 19-623	
19-623 19-623 19-486 19-488 19-488 19-489 19-499	
21-534 21-5A2 19-480 (0338-19-480) 19-500B (0338-19-509) (0338-19-509)	
21-5A1 21-679 Z) 19-641A 19-623	

PART NO.	QΤΥ	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-TO
CONT'D BV01-19-6C6	1	T=1.8MM			
BV01-19-6C7	1	T=2MM			
BV01-19-6C8	1	T=2.2MM			
19-641A BV03-19-6C1	1	WASHER T=0.8MM			
BV03-19-6C2	1	T=1MM			
BV03-19-6C3	1	T≈1.2MM			
BV03-19-6C4	1	T=1.4MM			
BV03-19-6C5	1	T=1.6MM			
BV03-19-6C6	1	T=1.8MM			
BV03-19-6C7	1	T¤ZMM			
8V03-19-6C8	1	T=2.2MM			
19-656	1	RACE, BEARING OIL DIS TR			
21-5A1 BV01-21-5A1	1	SLEEVE,SEAL-0.D.CARR IER			
21-5A2 BV01-21-5A2	1	RACE,SIDE-ONE WAY CL UTCH T=0.6MM			
BV01-21-5A3	1	T=0.8MM			
BV01-21-5A4	1	T=1MM			
BV01-21-5A5	1	T=1.2MM		į,	
BV01-21-535	1	T=0.4MM			
21-510 5V01-21-5108	1	CLUTCH, DIRECT			

(CONT'D) CAT. AUFA03-07

1930 CLUTCHES & PLANETARY GE	
[19-360]	(THIS ILLUSTRATION CONSISTS OF 2 PAGES)
	(0338-19-509) 19-509
19-641	(FT01-19-499)
	19-499
	(BV01-19-499) 19-499
2	113-493
19-623	
[19-488]-	19-503
(8V0)-19-476 19-486 -	
	19-500B 19-510
	9-498 -487 19-506A
	119-503
(BV01-19-480	0) [19-503B]
19-475	(F101-(9-499)
19-460	19-499
	1 - Salar 1 - Sa
	[19-509] (0338-(9-509)
19-488	(0338-19-509)
(9/38-1/2-978)	
19-476	[19-500B] [19-624]
19-511	10 602
19-4	-13-490A
	- 110.500 1 - SERON
19-480	
19-475	19-560
10 10 10	19-639A
10 301	
[19-639A]-\	19-623
19-623	19-624
19-622	(BV04-19-533)
	19-533
19-531	19-530
AUF A03	
NOT THE	•

PART NO.	OTY	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-10
21-520 8V01-21-530C	1	DRUM, DIRECT			
21-531 BV01-21-536	1	HUB, O/DRIVE CLUTCH			
21-534 BV01-21-534	1	RACE.OUTER-ONE WAY C LUTCH			
21-540 21-540 8V01-21-5408	1	CARRIER, OVER DRIVE			
21-560 8V01-21-560	1	GEAR.OVER DRIVE			
21-565 BU03-21-565	1	CONNECTING, SHELL			
21-567 BU03-21-567	1	RING.SNAP			
21-570 BV01-21-570A	1	SUPPORT, CENTER			
21-590 21-590 BV01-21-133	1	CLUTCH, ONE WAY			
21-631 21-631 BU01-21-631	1	RACE, BRG, HUB CLUTCH			
BU01-21-632	1	 L=1.4MM			
BU01-21-633	1	L=1.6MM			}
8003-21-634	1	L=1.8MM			
BU01-21-635	1	L=2MM			
BU01-21-636	1	L=2.2MM			
21-679		SHAFT, INTERMEDIATE			
			<u> </u>	<u> </u>	1

CLUTCHES & PLANETARY GEARS (AUTOMATIC) (1/2)1930 (THIS ILLUSTRATION CONSISTS OF 2 PAGES) 19-534B 21-531 (8V01-19-533) 19-533 19-639A 21-540 21-560 21-567 21-565 19-623 19-639A 21-510 19-623 (0338-19-476) 19-476 19-486 [19-488] (FT01-13-439) [19-499] (8V01-19-509) 19-509 19-475 21-534 19-480 (0338-19-480) 21-5A2 19-487 19-500B 21-631 21-821 2!-5A1 21-679 19-641A 19-360 19-623 AUFA03 (CONT'D)

PART NO.	QΤΥ	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESIRICTION	FROM-TO
CONT'D BU01-21-679		HODEL NEGSTREETION	HODEL NESTWICITUM		I RUIT TO
	1				
21-821		PLATE, RETAINING			
BV01-21-821A	1				
		· ·			
		•			
		1			
		ļ			
]		
			!		
				}	
			1		
]			
CAT. AUFA03-07					1993-12

+	QTY	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-10
17-341A R501-17-341A	1	GEAR, SPEEDO. DRIVE			
17-341K		KEY			
M501-17-342	1	GEAR, INTERNAL			
BV04-19-533	1				
19-534 0338-19-534	1	RING, SNAP			
19-580 BV04-19-5K0	1	FLANGE			
19-581 BV04-19-5K1	1	FLANGE, DRIVE			
19-590 19-590 0338-19-590	1	DRUM, CONNECTING			
19-591 0338-19-591	1	DRUM, CONNECTING			
19-593 0338-19-593	1	RACE, OUTER			
19-594 19-594 0338-19-594	1	RING, SNAP			
19-595 0338-19-595	1	CLUTCH, ONE WAY			
19-596		RING, SNAP	,		
19-601 BT08-19-600	ļ	PISTON,LOW & REVERSE			
19-603	1	SEAL, PISTON			


CAT. AUFA03-07

1940 GOYERNOR, LOW & REVERSE PISTON(AUTOMATIC)
[19-619] [19-606] [19-607]
19-596
19-593 19-593 19-603
19-591 19-581 19-610
19-533
19-609 19-609
19-676 19-609 19-610
19-613
19-650
19-655
9957-32-800
19-656 17-341K
19-622 19-670
[13-0/0]
AUFAOS

PART NO.	OTY	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-TO
19-604		SEAL, 'O'RING			
0338-19-604	1				
19606		SPRING, PISTON			
0338-19-606	1				
19-607		RING, SNAP			
0338-19-607	1				
19-609		PLATE, DRIVEN			
0338-19-609	5				
19-610	_	PLATE, DRIVEN			
BU17-19-610 ++	5				ì
19-613		PLATE, RETAINING			
1758-19-613	1	T=7.8MM			
1758-19-614	1	Ţ∞aMM			
1758-19-615	1	T=8.2MM			ĺ
1758-19~616	1	T=8.4MM			
1758-19-617	1	T=8.6MM			
1758-19-618		T=8.8MM			
++	1				
19-619 0338-19-619	1	RING, SNAP			
++	•				
19-622 0338-19-622	1	BEARING, NEEDLE			
19-650		DISTRIBUTOR, OIL			
BV01-19-650	1	DISTRIBUTOR, GIL			
 19-655		RING, SEAL			
BV01-19-655	2				
19-656		RACE, BEARING OIL DIS			
· · · ·			<u> </u>	I	1


1940 GOVERNOR, LOW & REVERSE PISTON(AUTOMATIC)	
19-590 19-590 19-596 19-596 19-596 19-596 19-609 19-609 19-609 19-609	19-619 606 19-603
19-676 19-609 19-610 19-650	
19-604	9957-32-800 957-32-800 17-341K
AUFA03	

PART NO.	QTY	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-10
CONT'D 0436-19-656	1				
					i
19-676		SHAFT			
BU17-19-670	1				
19-676		RING			
0338-19-676	1				
	:				
	1				
				İ	
					Ì
			,		
					[
					ļ
				-	
TAT AUCANZ-07					



PART NO. QTY	/ MODEL/RESTRICTION	_MODEL/RESTRICTION	MODEL/RESTRICTION	
19-031			MODEL MEGINICAN	FROM-TO
+	LEVER, SELECT			
BV09-19-031 1			İ	
19-431	SHAFT, MANUAL			
BV17-19-431 1	-			-0901
BU67-19-431 1				0B01-
19-432	RING, 'O'			
0338-19-432 1				
†				
19-433	WASHER			
0338-19-433A 1				
19-440	PLATE, MANUAL			
BU17-19-440 1				-0801
BU55-19-440 1				0B01-
19-443	NUT, SHAFT			
0338-19-443 1				-1301
BV45-19-443 1				1301-
19-449 I	RING, SNAP			
0338-19-449 1	Tano, on a			
++				
1 19-450	ROD, PARKING			
BU17-19-450 1				
19-701	SUPPORTER, ACTUATOR			
BU17-19-701 1				
† 19-702	PLATE, RETAINING			
0338-19-702A 1]			:
+				
119-703 BU17-19-703 2	SPRING, BALL PARK			
t				
19-704	RETAINER			
BU17-19-704 1				
19-706	BOLT			
0801 EC3888-00.	1 1			L
0B01 FC3***-90; 1301 FC3***-90;	6890			

CAT. AUFA03-07



			•		
PART NO.	QΤY	MODEC/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-TO
CONT'D 0338-19-706	2			7	
19-731 0338-19-731	1	SHAFT, PARKING PAWL			
19-732 BU26-19-732	1	PAWL, PARKING			
19-733 0338-19-733C	1	SPRING, PAWL RETURN			
19-734 0338-19-734A		SPACER, DOWEL			
		ļ			
			ļ		


CAT. AUFA03-07


(91 MODEL)

(THIS ILLUSTRATION CONSISTS OF 2 PAGES) (92 MODEL)

(THIS ILLUSTRATION CONSISTS OF 2 PAGES)

	[22-900]
Z-GASKEI, OIL PUMPP 3-SEAL, OIL 4-RING, SEAL 5-RING, SEAL 5-SEAL, PISTON 8-SEAL, PISTON 10-RING, O' 11-GASKET, SERVO 12-SEAL, O'RING 13-SEAL, O'RING 14-SEAL, O'RING 15-SEAL, O'RING 16-RING, O' 17-SEAL, PISTON	(1) 23-GASKET. O'L PAN. (1) (1) 24-GASKET. (1) (1) 25-GASKET. (1) (2) 27-GASKET. (1) (2) 27-GASKET. (1) (2) 28-RING. SEAL (1) (3) 30-RING. SEAL (1) (4) 31-RING. SEAL (1) (1) 33-SEAL. O'RING. (1) (1) 33-SEAL. O'RING. (1) (1) 33-SEAL. O'RING. (1) (1) 34-SEAL (1) (1) 34-SEAL (1) (1) 34-SEAL (1) (1) 38-RING. O' (1) (1) 38-RING. O' (1) (1) 38-RING. O' (1) (1) 38-RING. O' (1) (1) 38-RING. O' (1) (1) 38-RING. O' (1) (1) 38-RING. O' (1) (1) 39-RING. O' (1) (1) 39-RING. O' (1) (1) 34-RING. O' (1)
20-GASKET, EXTENTION	··(1)42-SEAL *O*RING ·····(1) ··(1)43-RING *O*·····(4) ··(2)44-RING *O*·····(2)





AUFA03

(CONT'D) AUFA03

GASKET & SEAL KIT (AUTOMATIC) 1960 (THIS ILLUSTRATION CONSISTS OF 2 PAGES) 91 MODEL) 22-900 1-SEAL, UIL (1) 23-GASKEI, UIL PAN (1) 24-GASKET (1) 24-GASKET (1) 25-GA (32)-

AUFA03

PART NO.	QTY	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-TO
8AF3-22-900 8AH2-22-900	1	GASKET & SEAL KIT ('91 MODEL) NON ASBESTOS ('92 MODEL)			1
CAT. AUFA03-07					1993-12

(CONT'D)